# **NACOmatic**

Effective: 22-October-2009 Expires: 17-December-2009

# Your Ad Here ~60,000 Page views/month

# Contact:

Doug Ranz 248-318-0011 NACOmatic@hotmail.com

# Warranty

I make absolutely no warranty nor guarantee whatsoever about the accuracy, availability, applicability and/or correctness of any of the information in this document.

The official, original NACO documents are available for your downloading pleasure from: <a href="http://naco.faa.gov/index.asp?xml=naco/onlineproducts">http://naco.faa.gov/index.asp?xml=naco/onlineproducts</a>

# Copyright

This compilation is protected by US copyright laws and international copyright treaties.

# Limitations

The sale, hosting and/or distribution of this document in any and all forms, is prohibited.

# Release from Liability

All users of this compilation must agree to be legally bound hereby, that Douglas R. Ranz ("Released Party") SHALL NOT BE LIABLE FOR MY DEATH OR INJURY TO MY PERSON, OR FOR ANY LOSS FOR DAMAGE TO MY PROPERTY OR REPUTATION caused in any manner whatsoever, whether attributable to the negligence of the Released Party, or for any other reason, occurring during the time that I am operating an aircraft.

I do hereby waive any right of action against the Released Party from any and all causes or claims that I may have against them from the beginning of time. I further agree not to sue on any such cause or claim. This agreement shall not release liability for gross negligence or willful misconduct of the Released Party. I agree to indemnify and hold the Released Party harmless for any losses, judgments, damages or fees he may incur, including but not limited to attorneys fees, arising out any lawsuit related to the planning, flight and/or enforcement of or legal challenge to this agreement. It is my intention that this agreement be interpreted and enforced to the maximum extent allowed by Michigan law.

Kind:	le-DX	Index;	by	AptID	Use	"Menu",	then	"Goto	Page"
28M 60M 6B6 ACK AQW BAF BED BOS BVY	= > = > = > = > = > = > = > = > = > = >	32 43 45 38 39 47 26 28 27							
CEF CQX EWB FIT FMH GBR GDM GHG HYA	=> => => => => =>	44 29 39 31 30 32 31 36 34							
LWM MVY ORE ORH OWD PSF PVC PYM TAN	=> => => => => => =>	35 46 41 48 40 41 42 42 46							

#### GENERAL INFORMATION

This Airport/Facility Directory is a Civil Flight Information Publication published and distributed every eight weeks by the National Aeronautical Charting Office, FAA, Department of Transportation, Silver Spring, Maryland 20910. It is designed for use with Aeronautical Charts covering the conterminous United States, Puerto Rico and the Virgin Islands.

This directory contains all open to the public airports, seaplane bases and heliports, military facilities, and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally, this directory contains communications data, navigational facilities and certain special notices and procedures.

Military data contained within this publication is provided by the National Geospatial-Intelligence Agency and is intended to provide reference data for military and/or joint civil/military airports. Not all military data contained in this publication is applicable to civil users.

#### CORRECTIONS, COMMENTS, AND/OR PROCUREMENT

CRITICAL information such as equipment malfunction, abnormal field conditions, hazards to flight, etc., should be reported as soon as possible to the nearest FAA facility, either in person or by reverse charge telephone call.

#### FOR AIRPORT SUPPLEMENT REVISIONS FORM VISIT WEB SITE: http://nfdc.faa.gov/portal/airportchanges.do

FAA, Aeronautical Information Services, ATO-R, Rm. 626

800 Independence Ave., SW

Washington, DC 20591 Telephone 1–866–295–8236

Fax 202-267-5322

Email 9-ATOR-HO-AIS-AIRPORTCHANGES@FAA.GOV

NOTICE: Changes must be received by the Aeronautical Information Services as soon as possible but not later than the "cut-off" dates listed below to assure publication on the desired effective date.

	Airport Information	Airspace Information*
Effective Date	Cut-off date	Cut-off date
22 Oct 09	9 Sep 09	20 Aug 09
17 Dec 09	4 Nov 09	15 Oct 09
11 Feb 10	30 Dec 09	10 Dec 09
8 Apr 10	24 Feb 10	4 Feb 10
3 Jun 10	21 Apr 10	1 Apr 10
29 Jul 10	16 Jun 10	27 May 10

<sup>\*</sup>Including changes to preferred routes and graphic depictions on charts.

#### FOR CHARTING ERRORS CONTACT:

ı

FAA, National Aeronautical Charting Office, ATO-W

SSMC-4 Sta. #2335

1305 East West Highway

Silver Spring, MD 20910–3281

Telephone 1-800-626-3677

Email 9-AMC-Aerochart@faa.gov

Frequently asked questions (FAQs) are answered on our web site at <a href="www.naco.faa.gov">www.naco.faa.gov</a>. See the FAQs prior to contact via toll free number.

#### FOR PROCUREMENT CONTACT:

FAA, National Aeronautical Charting Office

Distribution Division, ATO-W

10201 Good Luck Road

Glenn Dale, MD 20769-9700

Online at www.naco.faa.gov

Email 9-AMC-Chartsales@faa.gov

Telephone 1-800-638-8972

Fax 301-436-6829

or any authorized FAA Chart Agent

New or Changed Information—To alert users of new information or changes to information from the previous issue, a vertical line will be portrayed in the outside margin and extending the full length of the new and/or revised data. This will not apply to the front cover or the airport/facility directory listing.

This Airport/Facility Directory comprises part of the following sections of the United States Aeronautical Information Publication (AIP): GEN, ENR and AD.

### **GENERAL INFORMATION**

# TABLE OF CONTENTS

General Information	Inside Front Cover
Abbreviations	2
Directory Legend	4
Airport/Facility Directory	
Connecticut	22
Delaware	33
District of Columbia	39
Maine	42
Maryland	68
Massachusetts	89
New Hampshire	112
New Jersey	124
New York	149
Pennsylvania	215
Rhode Island	272
Vermont	277
Virginia	284
West Virginia	325
City/Military Airport Cross Reference	342
Seaplane Landing Areas	343
Special Notices	346
Regulatory Notices	369
FAA and National Weather Service	000
Telephone Numbers	371
Key to Aviation Weather Reports	372
Air Traffic Facilities Telephone Numbers	374
Air Route Traffic Control Centers	377
Flight Service Station Communication Frequencies	379
Flight Standards District Offices.	383
Routes/Waypoints	000
Low Altitude Directional Routes	384
Low Altitude Directional Routes	398
High Altitude Preferred Routes	398
High Altitude Directional Routes	444
O-Routes	448
Tower Enroute Control Routes	451
North American Routes	480
RNAV Routing Pitch and Catch Points	495
	506
VFR Waypoints	
VOR Receiver Check	514
Parachute Jumping Areas	520
Aeronautical Chart Bulletins	524
Supplemental Communication Reference	533
Airport Diagrams	540
National Weather Service (NWS) Upper Air Observing Stations	656

#### **ABBREVIATIONS**

The following abbreviations/acronyms are those commonly used within this Directory. Other abbreviations/acronyms may be found in the Legend and are not duplicated below. The abbreviations presented are intended to represent grammatical variations of the basic form. (Example—''req'' may mean ''request", ''requesting'', ''requested'', or ''requests'').

AAF	Army Air Field	byd	beyond
AB	Airbase	c	Commercial Circuit (Telephone)
abv	above	CGAF	Coast Guard Air Facility
ACC	Air Combat Command; Area Control	CGAS	Coast Guard Air Station
	Center	CIV	Civil
acft	aircraft	clsd	closed
ADCC	Air Defense Control Center	comd	command
AER	approach end rwy	CONUS	Continental United States
AFB	Air Force Base	CSTMS	Customs
AFHP	Air Force Heliport	ctc	contact
afld	airfield	ctl	control
AFOD	US Army Flight Operations Detachment	dalgt	daylight
AFRC	Armed Forces Reserve Center/Air Force	Dec	December
	Reserve Command	DIAP	DoD Instrument Approach Procedure
AFSS	Automated Flight Service Station	DoD	Department of Defense
AG	Agriculture	DSN	Defense Switching Network (Telephone)
A-GEAR	Arresting Gear	dsplcd	displaced
AGL	above ground level	durn	duration
AHP	Army heliport	eff	effective
ALS	Approach Light System	emerg	emergency
alt	altitude	EOR	End of Runway
AMC	Air Mobility Command	ETA	Estimated Time of Arrival
ANGS	Air National Guard Station	ETD	Estimated Time of Departure
apch	approach	exc	except
Apr	April	extd	extend
APU	Auxiliary Power Unit	FB0	fixed-base operator
ARB	Air Reserve Base	Feb	February
arpt	airport	fld	field
ARS	Air Reserve Station	FLIP	Flight Information Publication
AS	Air Station	flt	flight
ASDE-X	Airport Surface Detection Equipment—	flw	follow
	Model X	Fri	Friday
ASU	Aircraft Starting Unit	FSS	Flight Service Station
ATC	Air Traffic Control	GA	glide angle
Aug	August	GCA	Ground Controlled Approach
AUW	All Up Weight (gross weight)	GS	glide slope
avbl	available	haz	hazard
bcn	beacon	HQ	Headquarters
blo	below		

#### CONTINUED ON NEXT PAGE

#### CONTINUED FROM PRECEDING PAGE

hr hour non precision instrument ΙΔΡ Instrument Approach Procedure NS ABTMT Noise Abatement ICAC International Civil Aviation Organization NSTD nonstandard IFR Instrument Flight Rules ntc notice ILS Instrument Landing System obsn observation IM Inner Marker Oct October IMG Immigration OI F Outlying Field

incr increase onr operate, operator, operational

indet indefinite ons operations intensity OTS out of service ints invof in the vicinity of ovrn overrun

personnel and equipment working IMC Instrument Meteorological Conditions PAFW

lan nat pattern Jet Aircraft Starting Unit IASI p-line power line

JOAP Joint Oil Analysis Program **PMSV** Pilot-to-Metro Service IOSAC Joint Operational Support Airlift Center PΩI Petrol, Oils and Lubricants IRB Joint Reserve Base PPR prior permission required Jul July PRM Precision Runway Monitoring PTD

Jun June Pilot to Dispatcher

Κt Knots RAMCC Regional Air Movement Control Center

LAA Local Airport Advisory rea request LAHSO Land and Hold Short Operations rgt tfc right traffic RON Remain Overnight lhs nounds ldg landing rar require lighted rstd lgtd restricted

RSRS løts lights reduced same runway separation

LMM Compass locator at Middle Marker ILS rw/v runway LOC Localizer Sat Saturday

LOM Compass locator at Outer Marker ILS SFLE Strategic Expeditionary Landing Field

limited Sen Itd September MACC Military Area Control Center SFA Single Frequency Approach

March efe Mar surface

SFRA MCAF Marine Corps Air Facility Special Flight Rules Area

SOAP MCALE Marine Corps Auxiliary Landing Field Spectrometric Oil Analysis Program

SOF Supervisor of Flying MCAS Marine Corps Air Station Marine Corps Base SPR MCB Seaplane Base

SP med medium sunrise SS METRO Pilot-to-Metro voice call sunset Mil military std standard min minute Sur Sunday MLS Microwave Landing System SVC service

MM Middle Marker of ILS tfc traffic Mon Monday thld threshold MP Maintenance Period Thu Thursday MSI mean sea level tkf take-off MSAW minimum safe altitude warning tmnrv temporary NAAS Naval Auxiliary Air Station tran transient NADC Naval Air Development Center Tue Tuesday NADER Naval Air Depot twr tower Naval Air Engineering Center NAEC twv taxiway

NAFS Naval Air Engineering Station UC **Under Construction** Naval Air Facility USA United States Army NAF NALCO Naval Air Logistics Control Office USAF United States Air Force USCG NALO Navy Air Logistics Office United States Coast Guard NALE


Naval Auxiliary Landing Field USN United States Navy NAS Naval Air Station Defense Switching Network (telephone,

NAWC Naval Air Warfare Center formerly AUTOVON) NAWS Naval Air Weapons Station VFR Visual Flight Rules VIP night Very Important Person ngt

NOLF Naval Outlying Field VMC Visual Meteorological Conditions

Nov November Wed Wednesday wx weather

# SAMPI F



All bearings and radials are magnetic unless otherwise specified.
All mileages are nautical unless otherwise noted.
All times are Coordinated Universal Time (UTC) except as noted.
All elevations are in feet above/below Mean Sea Level (MSL) unless otherwise noted.
The horizontal reference datum of this publication is North American Datum of 1983 (NAD83), which for charting purposes is considered equivalent to World Geodetic System 1984 (WGS 84).

10 SKETC	H LEGEND
runways/landing areas	radio aids to navigation
Hard Surfaced	VORTAC
Metal Surface	VOR/DME NDB
Sod, Gravel, etc	TACAN TO NDB/DME
Light Plane,	MISCELLANEOUS AERONAUTICAL FEATURES
Closed	Airport Beacon
Helicopter Landings Area	Wind Cone
Displaced Threshold 0	Tetrahedron
Taxiway, Apron and Stopways	
ANGCELLANICOUG BACE AND CHITHDAL	APPROACH LIGHTING SYSTEMS
MISCELLANEOUS BASE AND CULTURAL FEATURES	A dot "•" portrayed with approach lighting letter identifier indicates sequenced flashing lights (F) installed with the approach lighting
Buildings	system e.g. (A) Negative symbology, e.g., (A)  w indicates Pilot Controlled Lighting (PCL).
Power Lines	Runway Centerline Lighting
Fence	Approach Lighting System ALSF-2 I
Towers	Approach Lighting System ALSF-1
Tanks	Short Approach Lighting System SALS/SALSF.                   Simplified Short Approach Lighting System (SSALR) with RAII
Oil Well	System (SSALR) with RAIL
Smoke Stack	and SSALF)
5812 Obstruction	As System (MALSR) and RAIL
Controlling Obstruction	Lighting System (ODALS)
G & G.	(‡) Air Force Overrun
Trees	Visual Approach Slope Indicator with Standard Threshold Clearance provided
Populated Places	Pulsating Visual Approach Slope Indicator (PVASI)
Cuts and Fills Fill HITTITI	Visual Approach Slope Indicator with a threshold crossing height to accomodate long bodied or jumbo aircraft
Cliffs and Depressions	Tri-color Visual Approach Slope Indicator (TRCV)
Ditch	(V3) Approach Path Alignment Panel (APAP)
Hill	P Precision Approach Path Indicator (PAPI)

6

#### DIRECTORY LEGEND

#### LEGEND

This directory is a listing of data on record with the FAA on all open to the public airports, military facilities and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally this listing contains data for associated terminal control facilities, air route traffic control centers, and radio aids to navigation within the conterminous United States, Puerto Rico and the Virgin Islands. Joint civil/military and civil airports are listed alphabetically by state, associated city and airport name and cross-referenced by airport name. Military facilities are listed alphabetically by state and official airport name and cross-referenced by associated city name. Navaids, flight service stations and remote communication outlets that are associated with an airport, but with a different name, are listed alphabetically under their own name, as well as under the airport with which they are associated.

The listing of an open to the public airport in this directory merely indicates the airport operator's willingness to accommodate transient aircraft, and does not represent that the facility conforms with any Federal or local standards, or that it has been approved for use on the part of the general public. Military and private use facilities published in this directory are open to civil pilots only in an emergency or with prior permission. See Special Notice Section, Civil Use of Military Fields.

The information on obstructions is taken from reports submitted to the FAA. Obstruction data has not been verified in all cases, Pilots are cautioned that objects not indicated in this tabulation (or on the airports sketches and/or charts) may exist which can create a hazard to flight operation. Detailed specifics concerning services and facilities tabulated within this directory are contained in the Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

The legend items that follow explain in detail the contents of this Directory and are keyed to the circled numbers on the sample on the preceding pages.

# (1) CITY/AIRPORT NAME

Civil and joint civil/military airports and facilities in this directory are listed alphabetically by state and associated city. Where the city name is different from the airport name the city name will appear on the line above the airport name. Airports with the same associated city name will be listed alphabetically by airport name and will be separated by a dashed rule line. A solid rule line will separate all others. FAA approved helipads and seaplane landing areas associated with a land airport will be separated by a dotted line. Military airports are listed alphabetically by state and official airport name.

# 2 ALTERNATE NAME

Alternate names, if any, will be shown in parentheses.

# (3) LOCATION IDENTIFIER

The location identifier is a three or four character FAA code followed by a four-character ICAO code assigned to airports. ICAO codes will only be published at joint civil/military, and military facilities. If two different military codes are assigned, both codes will be shown with the primary operating agency's code listed first. These identifiers are used by ATC in lieu of the airport name in flight plans, flight strips and other written records and computer operations. Zeros will appear with a slash to differentiate them from the letter "O".

### (4) OPERATING AGENCY

Airports within this directory are classified into two categories, Military/Federal Government and Civil airports open to the general public, plus selected private use airports. The operating agency is shown for military, private use and joint civil/military airports. The operating agency is shown by an abbreviation as listed below. When an organization is a tenant, the abbreviation is enclosed in parenthesis. No classification indicates the airport is open to the general public with no military tenant.

Α US Army MC Marine Corps AFRC Air Force Reserve Command N Navv US Air Force Naval Air Facility ΔF NAF ANG Air National Guard NAS Naval Air Station AR US Army Reserve NASA National Air and Space Administration

ARNG US Army National Guard P US Civil Airport Wherein Permit Covers
CG US Coast Guard Use by Transient Military Aircraft
CIV/MIL Joint Use Civil/Military PVT Private Use Only (Closed to the Public)

DND Department of National Defense Canada

## (5) AIRPORT LOCATION

Airport location is expressed as distance and direction from the center of the associated city in nautical miles and cardinal points, e.g., 4 NE.

#### (6) TIME CONVERSION

Hours of operation of all facilities are expressed in Coordinated Universal Time (UTC) and shown as "Z" time. The directory indicates the number of hours to be subtracted from UTC to obtain local standard time and local daylight saving time UTC-5(-4DT). The symbol ‡ indicates that during periods of Daylight Saving Time effective hours will be one hour earlier than shown. In those areas where daylight saving time is not observed the (-4DT) and ‡ will not be shown. Daylight saving time is in effect from 0200 local time the second Sunday in March to 0200 local time the first Sunday in November. Canada and all U.S. Conterminous States observe daylight saving time except Arizona and Puerto Rico, and the Virgin Islands. If the state observes daylight saving time and the operating times are other than daylight saving times, the operating hours will include the dates, times and no ‡ symbol will be shown, i.e., April 15-Aug 31 0630-1700Z, Sep 1-Apr 14 0600-1700Z.

# 7 GEOGRAPHIC POSITION OF AIRPORT—AIRPORT REFERENCE POINT (ARP)

Positions are shown as hemisphere, degrees, minutes and hundredths of a minute and represent the approximate geometric center of all usable runway surfaces.

# **8** CHARTS

Charts refer to the Sectional Chart and Low and High Altitude Enroute Chart and panel on which the airport or facility is located. Helicopter Chart locations will be indicated as COPTER.

# 9 INSTRUMENT APPROACH PROCEDURES, AIRPORT DIAGRAMS

IAP indicates an airport for which a prescribed (Public Use) FAA Instrument Approach Procedure has been published. DIAP indicates an airport for which a prescribed DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures. See the Special Notice Section of this directory, Civil Use of Military Fields and the Aeronautical Information Manual 5–4–5 Instrument Approach Procedure Charts for additional information. AD indicates an airport for which an airport diagram has been published. Airport diagrams are located in the back of each A/FD volume alphabetically by associated city and airport name.

## (10) AIRPORT SKETCH

The airport sketch, when provided, depicts the airport and related topographical information as seen from the air and should be used in conjunction with the text. It is intended as a guide for pilots in VFR conditions. Symbology that is not self-explanatory will be reflected in the sketch legend. The airport sketch will be oriented with True North at the top. Airport sketches will be added incrementally.

# 11 ELEVATION

The highest point of an airport's usable runways measured in feet from mean sea level. When elevation is sea level it will be indicated as "00". When elevation is below sea level a minus "-" sign will precede the figure.

# (12) ROTATING LIGHT BEACON

B indicates rotating beacon is available. Rotating beacons operate sunset to sunrise unless otherwise indicated in the AIRPORT REMARKS or MILITARY REMARKS segment of the airport entry.

S8: Minor powerplant repairs.

# (13) SERVICING—CIVIL

S1:	Minor airframe repairs.	S5:	Major airframe repairs.
S2:	Minor airframe and minor powerplant repairs.	S6:	Minor airframe and major powerplant repairs.
S3:	Major airframe and minor powerplant repairs	S7:	Major powerplant repairs

# S4: Major airframe and major powerplant repairs.

(14)	FUE

CODE	FUEL	CODE	FUEL
80	Grade 80 gasoline (Red)	B+	Jet B, Wide-cut, turbine fuel with FS-II*, FP**
100	Grade 100 gasoline (Green)		minus 50° C.
100LL	100LL gasoline (low lead) (Blue)	J4 (JP4)	(JP-4 military specification) FP** minus
115	Grade 115 gasoline (115/145 military		58° C.
	specification) (Purple)	J5 (JP5)	(JP-5 military specification) Kerosene with
A	Jet A, Kerosene, without FS-II*, FP** minus		FS-11, FP** minus 46°C.
	40° C.	J8 (JP8)	(JP-8 military specification) Jet A-1, Kerosene
A+	Jet A, Kerosene, with FS-II*, FP** minus		with FS-II*, FP** minus 47°C.
	40°C.	J8+100	(JP-8 military specification) Jet A-1, Kerosene
A1	Jet A-1, Kerosene, without FS-II*, FP**		with FS-II*, FP** minus 47°C, with-fuel
	minus 47°C.		additive package that improves thermo
A1+	Jet A-1, Kerosene with FS-II*, FP** minus		stability characteristics of JP-8.
	47° C.	J	(Jet Fuel Type Unknown)
В	Jet B, Wide-cut, turbine fuel without FS-II*,	MOGAS	Automobile gasoline which is to be used
	FP** minus 50° C.		as aircraft fuel.

0005

NOTE: Certa

Certain automobile gasoline may be used in specific aircraft engines if a FAA supplemental type certificate has been obtained. Automobile gasoline, which is to be used in aircraft engines, will be identified as "MOGAS", however, the grade/type and other octane rating will not be published.

Data shown on fuel availability represents the most recent information the publisher has been able to acquire. Because of a variety of factors, the fuel listed may not always be obtainable by transient civil pilots. Confirmation of availability of fuel should be made directly with fuel suppliers at locations where refueling is planned.

# 15 OXYGEN—CIVIL

OX 1 High Pressure OX 3 High Pressure—Replacement Bottles
OX 2 Low Pressure OX 4 Low Pressure—Replacement Bottles

# 16 TRAFFIC PATTERN ALTITUDE

Traffic Pattern Altitude (TPA)—The first figure shown is TPA above mean sea level. The second figure in parentheses is TPA above airport elevation. Multiple TPA shall be shown as "TPA—See Remarks" and detailed information shall be shown in the Airport or Military Remarks Section. Traffic pattern data for USAF bases, USN facilities, and U.S. Army airports (including those on which ACC or U.S. Army is a tenant) that deviate from standard pattern altitudes shall be shown in Military Remarks.

<sup>\*(</sup>Fuel System Icing Inhibitor)

<sup>\*\*(</sup>Freeze Point)

# 17) AIRPORT OF ENTRY, LANDING RIGHTS, AND CUSTOMS USER FEE AIRPORTS

U.S. CUSTOMS USER FEE AIRPORT—Private Aircraft operators are frequently required to pay the costs associated with customs processing.

AOE—Airport of Entry. A customs Airport of Entry where permission from U.S. Customs is not required to land. However, at least one hour advance notice of arrival is required.

LRA—Landing Rights Airport. Application for permission to land must be submitted in advance to U.S. Customs. At least one hour advance notice of arrival is required.

NOTE: Advance notice of arrival at both an AOE and LRA airport may be included in the flight plan when filed in Canada or Mexico. Where Flight Notification Service (ADCUS) is available the airport remark will indicate this service. This notice will also be treated as an application for permission to land in the case of an LRA. Although advance notice of arrival may be relayed to Customs through Mexico, Canada, and U.S. Communications facilities by flight plan, the aircraft operator is solely responsible for ensuring that Customs receives the notification. (See Customs, Immigration and Naturalization, Public Health and Agriculture Department requirements in the International Flight Information Manual for further details.)

US Customs Air and Sea Ports, Inspectors and Agents

Northeast Sector (New England and Atlantic States—ME to MD)	407-975-1740
Southeast Sector (Atlantic States—DC, WV, VA to FL)	407-975-1780
Central Sector (Interior of the US, including Gulf states—MS, AL, LA)	407-975-1760
Southwest East Sector (OK and eastern TX)	407-975-1840
Southwest West Sector (Western TX, NM and AZ)	407-975-1820
Pacific Sector (WA, OR, CA, HI and AK)	407-975-1800

### (18) CERTIFICATED AIRPORT (14 CFR PART 139)

Airports serving Department of Transportation certified carriers and certified under 14 CFR part 139 are indicated by the Class and the ARFF Index; e.g. Class I, ARFF Index A, which relates to the availability of crash, fire, rescue equipment. Class I airports can have an ARFF Index A through E, depending on the aircraft length and scheduled departures. Class II, III, and IV will always carry an Index A.

# 14 CFR PART 139 CERTIFICATED AIRPORTS AIRPORT CLASSIFICATIONS

Type of Air Carrier Operation	Class I	Class II	Class III	Class IV
Scheduled Air Carrier Aircraft with 31 or more passenger seats	Х			
Unscheduled Air Carrier Aircraft with 31 or more passengers seats	Х	Х		Х
Scheduled Air Carrier Aircraft with 10 to 30 passenger seats	Х	Х	Х	

#### 14 CFR-PART 139 CERTIFICATED AIRPORTS

#### INDICES AND AIRCRAFT RESCUE AND FIRE FIGHTING EQUIPMENT REQUIREMENTS

Airport Index	Required No. Vehicles	Aircraft Length	Scheduled Departures	Agent + Water for Foam
А	1	<90'	≥1	500#DC or HALON 1211 or 450#DC + 100 gal H₂O
В	1 or 2	≥90′, <126′	≥5	Index A + 1500 gal H <sub>2</sub> O
		≥126′, <159′	<5	
С	2 or 3	≥126′, <159′	≥5	Index A + 3000 gal H <sub>2</sub> O
		≥159′, <200′	<5	
D	3	≥159′, <200′		Index A + 4000 gal H <sub>2</sub> O
		>200′	<5	
E	3	≥200′	≥5	Index A + 6000 gal H <sub>2</sub> O

<sup>&</sup>gt; Greater Than; < Less Than; ≥ Equal or Greater Than; ≤ Equal or Less Than; H<sub>2</sub>O-Water; DC-Dry Chemical.

NOTE: The listing of ARFF index does not necessarily assure coverage for non-air carrier operations or at other than prescribed times for air carrier. ARFF Index Ltd.—indicates ARFF coverage may or may not be available, for information contact airport manager prior to flight.

# 19 NOTAM SERVICE

All public use landing areas are provided NOTAM "D" (distant dissemination) and NOTAM "L" (local dissemination) service. Airport NOTAM file identifier is shown for individual airports, e.g. "NOTAM FILE IAD". See AIM, Basic Flight Information and

ATC Procedures for detailed description of NOTAM's. Current NOTAMs are available from Flight Service Stations at 1–800–WX–BRIEF. Real time Military NOTAMs are available using the DoD Internet NOTAM Distribution System (DINS) www.notams.jcs.mil.

# 20 FAA INSPECTION

All airports not inspected by FAA will be identified by the note: Not insp. This indicates that the airport information has been provided by the owner or operator of the field.

# **21** RUNWAY DATA

Runway information is shown on two lines. That information common to the entire runway is shown on the first line while information concerning the runway ends is shown on the second or following line. Runway direction, surface, length, width, weight bearing capacity, lighting, and slope, when available are shown for each runway. Multiple runways are shown with the longest runway first. Direction, length, width, and lighting are shown for sea-lanes. The full dimensions of helipads are shown, e.g., 50X150. Runway data that requires clarification will be placed in the remarks section.

#### RUNWAY DESIGNATION

Runways are normally numbered in relation to their magnetic orientation rounded off to the nearest 10 degrees. Parallel runways can be designated L (left)/R (right)/C (center). Runways may be designated as STOL, Ultralight, or assault strips. Assault strips are shown by magnetic bearing.

#### RUNWAY DIMENSIONS

Runway length and width are shown in feet. Length shown is runway end to end including displaced thresholds, but excluding those areas designed as overruns.

#### RUNWAY SURFACE AND LENGTH

Runway lengths prefixed by the letter "H" indicate that the runways are hard surfaced (concrete, asphalt, or part asphalt–concrete). If the runway length is not prefixed, the surface is sod, clay, etc. The runway surface composition is indicated in parentheses after runway length as follows:

(AFSC)—Aggregate friction seal coat	(GRVL)—Gravel, or cinders	(PSP)—Pierced steel plank
(ASPH)—Asphalt	(MATS)—Pierced steel planking,	(RFSC)—Rubberized friction seal coat
(CONC)—Concrete	landing mats, membranes	(TURF)—Turf
(DIRT)—Dirt	(PEM)—Part concrete, part asphalt	(TRTD)—Treated
(GRVD)—Grooved	(PFC)—Porous friction courses	(WC)—Wire combed

#### RUNWAY WEIGHT BEARING CAPACITY

Runway strength data shown in this publication is derived from available information and is a realistic estimate of capability at an average level of activity. It is not intended as a maximum allowable weight or as an operating limitation. Many airport pavements are capable of supporting limited operations with gross weights in excess of the published figures. Permissible operating weights, insofar as runway strengths are concerned, are a matter of agreement between the owner and user. When desiring to operate into any airport at weights in excess of those published in the publication, users should contact the airport management for permission. Runway strength figures are shown in thousand of pounds, with the last three figures being omitted. Add 000 to figure following S, D, 2S, 2T, AUW, SWL, etc., for gross weight capacity. A blank space following the letter designator is used to indicate the runway can sustain aircraft with this type landing gear, although definite runway weight bearing capacity figures are not available, e.g., S, D. Applicable codes for typical gear configurations with S=Single, D=Dual, T=Triple and Q=Quadruple:

CURRENT	NEW	NEW DESCRIPTION
S	S	Single wheel type landing gear (DC3), (C47), (F15), etc.
D	D	Dual wheel type landing gear (BE1900), (B737), (A319), etc.
T	D	Dual wheel type landing gear (P3, C9).
ST	2S	Two single wheels in tandem type landing gear (C130).
TRT	2T	Two triple wheels in tandem type landing gear (C17), etc.
DT	2D	Two dual wheels in tandem type landing gear (B707), etc.
TT	2D	Two dual wheels in tandem type landing gear (B757,
		KC135).
SBTT	2D/D1	Two dual wheels in tandem/dual wheel body gear type
		landing gear (KC10).
None	2D/2D1	Two dual wheels in tandem/two dual wheels in tandem body
		gear type landing gear (A340–600).
DDT	2D/2D2	Two dual wheels in tandem/two dual wheels in double
		tandem body gear type landing gear (B747, E4).
TTT	3D	Three dual wheels in tandem type landing gear (B777), etc.
TT	D2	Dual wheel gear two struts per side main gear type landing
		gear (B52).
TDT	C5	Complex dual wheel and quadruple wheel combination
		landing gear (C5).

AUW—All up weight. Maximum weight bearing capacity for any aircraft irrespective of landing gear configuration.

SWL—Single Wheel Loading. (This includes information submitted in terms of Equivalent Single Wheel Loading (ESWL) and Single Isolated Wheel Loading).

PSI—Pounds per square inch. PSI is the actual figure expressing maximum pounds per square inch runway will support, e.g., (SWL 000/PSI 535).

Omission of weight bearing capacity indicates information unknown.

The ACN/PCN System is the ICAO standard method of reporting pavement strength for pavements with bearing strengths greater than 12,500 pounds. The Pavement Classification Number (PCN) is established by an engineering assessment of the runway. The PCN is for use in conjunction with an Aircraft Classification Number (ACN). Consult the Aircraft Flight Manual, Flight Information Handbook, or other appropriate source for ACN tables or charts. Currently, ACN data may not be available or all aircraft. If an ACN table or chart is available, the ACN can be calculated by taking into account the aircraft weight, the pavement type, and the subgrade category. For runways that have been evaluated under the ACN/PCN system, the PCN will be shown as a five-part code (e.g. PCN 80 R/B/W/T). Details of the coded format are as follows:

- (1) The PCN NUMBER—The reported PCN indicates that an aircraft with an ACN equal or less than the reported PCN can operate on the pavement subject to any limitation on the tire pressure.
- (2) The type of pavement:
  - R Rigid
  - F Flexible
- (3) The pavement subgrade category:
  - A High
  - B Medium
  - C Low
  - D Ultra-low

- (4) The maximum tire pressure authorized for the pavement:
  - W High, no limit
  - X Medium, limited to 217 psi
  - Y Low, limited to 145 psi
  - Z Very low, limited to 73 psi
- (5) Pavement evaluation method:T Technical evaluation
  - U By experience of aircraft using the payement

NOTE: Prior permission from the airport controlling authority is required when the ACN of the aircraft exceeds the published PCN or aircraft tire pressure exceeds the published limits.

#### RUNWAY LIGHTING

Lights are in operation sunset to sunrise. Lighting available by prior arrangement only or operating part of the night and/or pilot controlled lighting with specific operating hours are indicated under airport or military remarks. At USN/USMC facilities lights are available only during airport hours of operation. Since obstructions are usually lighted, obstruction lighting is not included in this code. Unlighted obstructions on or surrounding an airport will be noted in airport or military remarks. Runway lights nonstandard (NSTD) are systems for which the light fixtures are not FAA approved L-800 series: color, intensity, or spacing does not meet FAA standards. Nonstandard runway lights, VASI, or any other system not listed below will be shown in airport remarks or military service. Temporary, emergency or limited runway edge lighting such as flares, smudge pots, lanterns or portable runway lights will also be shown in airport remarks or military service. Types of lighting are shown with the runway or runway end they serve.

NSTD—Light system fails to meet FAA standards.

LIRL-Low Intensity Runway Lights.

MIRL—Medium Intensity Runway Lights.

HIRL—High Intensity Runway Lights.

RAIL—Runway Alignment Indicator Lights.

REIL—Runway End Identifier Lights.

CL—Centerline Lights.

TDZL—Touchdown Zone Lights.

ODALS-Omni Directional Approach Lighting System.

AF OVRN-Air Force Overrun 1000' Standard

Approach Lighting System.

LDIN-Lead-In Lighting System.

MALS-Medium Intensity Approach Lighting System.

MALSF—Medium Intensity Approach Lighting System with Sequenced Flashing Lights.

MALSR—Medium Intensity Approach Lighting System with Runway Alignment Indicator Lights.

SALS—Short Approach Lighting System.

SALSF—Short Approach Lighting System with Sequenced Flashing Lights.

SSALS—Simplified Short Approach Lighting System.

SSALF—Simplified Short Approach Lighting System with Sequenced Flashing Lights.

SSALR—Simplified Short Approach Lighting System with Runway Alignment Indicator Lights.

ALSAF—High Intensity Approach Lighting System with Sequenced Flashing Lights.

ALSF1—High Intensity Approach Lighting System with Sequenced Flashing Lights, Category I, Configuration.

ALSF2—High Intensity Approach Lighting System with Se-

quenced Flashing Lights, Category II, Configuration. SF—Sequenced Flashing Lights.

OLS-Optical Landing System.

WAVE-OFF.

NOTE: Civil ALSF2 may be operated as SSALR during favorable weather conditions. When runway edge lights are positioned more than 10 feet from the edge of the usable runway surface a remark will be added in the "Remarks" portion of the airport entry. This is applicable to Air Force, Air National Guard and Air Force Reserve Bases, and those joint civil/military airfields on which they are tenants.

#### VISUAL GLIDESLOPE INDICATORS

APAP—A sys	stem of panels, which may or may not be lighted, used for	or alignme	ent of approach path.
PNIL	APAP on left side of runway	PNIR	APAP on right side of runway
PAPI—Precis	sion Approach Path Indicator		
P2L	2-identical light units placed on left side of	P4L	4-identical light units placed on left side of
	runway		runway
P2R	2-identical light units placed on right side of	P4R	4-identical light units placed on right side of
	runway		runway
PVASI—Puls	sating/steady burning visual approach slope indicator, ne	ormally a	single light unit projecting two colors.
PSIL	PVASI on left side of runway	PSIR	PVASI on right side of runway

S2R

2-box SAVASI on right side of runway

TRCV—Tri-color visual approach slope indicator, normally a single light unit projecting three colors.

SAVASI—Simplified Abbreviated Visual Approach Slope Indicator S2L 2-box SAVASI on left side of runway

TRIL	TRCV on left side of runway	TRIR	TRCV on right side of runway
VASI—Visua	l Approach Slope Indicator		
V2L	2-box VASI on left side of runway	V6L	6-box VASI on left side of runway
V2R	2-box VASI on right side of runway	V6R	6-box VASI on right side of runway
V4L	4-box VASI on left side of runway	V12	12-box VASI on both sides of runway
V4R	4-box VASI on right side of runway	V16	16-box VASI on both sides of runway

NOTE: Approach slope angle and threshold crossing height will be shown when available; i.e., -GA 3.5° TCH 37'.

#### PILOT CONTROL OF AIRPORT LIGHTING

Key Mike	Function
7 times within 5 seconds	Highest intensity available
5 times within 5 seconds	Medium or lower intensity
	(Lower REIL or REIL-Off)
3 times within 5 seconds	Lowest intensity available
	(Lower REIL or REIL-Off)

Available systems will be indicated in the airport or military remarks, e.g., ACTIVATE HIRL Rwy 07–25, MALSR Rwy 07, and VASI Rwy 07—122.8.

Where the airport is not served by an instrument approach procedure and/or has an independent type system of different specification installed by the airport sponsor, descriptions of the type lights, method of control, and operating frequency will be explained in clear text. See AIM, "Basic Flight Information and ATC Procedures," for detailed description of pilot control of airport lighting.

When available, runway slope data will only be provided for those airports with an approved FAA instrument approach procedure. Runway slope will be shown only when it is 0.3 percent or greater. On runways less than 8000 feet, the direction of the slope up will be indicated, e.g., 0.3% up NW. On runways 8000 feet or greater, the slope will be shown (up or down) on the runway end line, e.g., RWY 13: 0.3% up., RWY 21: Pole. Rgt tfc. 0.4% down.

#### RUNWAY END DATA

Information pertaining to the runway approach end such as approach lights, touchdown zone lights, runway end identification lights, visual glideslope indicators, displaced thresholds, controlling obstruction, and right hand traffic pattern, will be shown on the specific runway end. "Rgt tfc"—Right traffic indicates right turns should be made on landing and takeoff for specified runway end.

#### LAND AND HOLD SHORT OPERATIONS (LAHSO)

LAHSO is an acronym for "Land and Hold Short Operations." These operations include landing and holding short of an intersection runway, an intersecting taxiway, or other predetermined points on the runway other than a runway or taxiway. Measured distance represents the available landing distance on the landing runway, in feet.

Specific questions regarding these distances should be referred to the air traffic manager of the facility concerned. The Aeronautical Information Manual contains specific details on hold–short operations and markings.

#### RUNWAY DECLARED DISTANCE INFORMATION

TORA—Take-off Run Available. The length of runway declared available and suitable for the ground run of an aeroplane take-off

TODA—Take-off Distance Available. The length of the take-off run available plus the length of the clearway, if provided.

ASDA—Accelerate-Stop Distance Available. The length of the take-off run available plus the length of the stopway, if provided. LDA—Landing Distance Available. The length of runway which is declared available and suitable for the ground run of an aeroplane landing.

# (22) ARRESTING GEAR/SYSTEMS

.. ....

Arresting gear is shown as it is located on the runway. The a–gear distance from the end of the appropriate runway (or into the overrun) is indicated in parentheses. A–Gear which has a bi–direction capability and can be utilized for emergency approach end engagement is indicated by a (B). The direction of engaging device is indicated by an arrow. Up to 15 minutes advance notice may be required for rigging A–Gear for approach and engagement. Airport listing may show availability of other than US Systems. This information is provided for emergency requirements only. Refer to current aircraft operating manuals for specific engagement weight and speed criteria based on aircraft structural restrictions and arresting system limitations.

Following is a list of current systems referenced in this publication identified by both Air Force and Navy terminology:

BI-DIRECTIONAL CABLE (B)

12

<u>TYPE</u> <u>DESCRIPTION</u>

BAK-9 Rotary friction brake.

BAK-12A Standard BAK-12 with 950 foot run out, 1-inch cable and 40,000 pound weight setting. Rotary

friction brake.

BAK-12B Extended BAK-12 with 1200 foot run, 1¼ inch Cable and 50,000 pounds weight setting. Rotary

friction brake.

E28 Rotary Hydraulic (Water Brake).
M21 Rotary Hydraulic (Water Brake) Mobile.

The following device is used in conjunction with some aircraft arresting systems:

BAK-14 A device that raises a hook cable out of a slot in the runway surface and is remotely positioned

for engagement by the tower on request. (In addition to personnel reaction time, the system

requires up to five seconds to fully raise the cable.)

H A device that raises a hook cable out of a slot in the runway surface and is remotely positioned

for engagement by the tower on request. (In addition to personnel reaction time, the system

requires up to one and one-half seconds to fully raise the cable.)

UNI-DIRECTIONAL CABLE

TYPE DESCRIPTION

MB60 Textile brake—an emergency one-time use, modular braking system employing the tearing of

specially woven textile straps to absorb the kinetic energy.

E5/E5-1/E5-3 Chain Type. At USN/USMC stations E-5 A-GEAR systems are rated, e.g., E-5 RATING-13R-1100

HW (DRY), 31L/R-1200 STD (WET). This rating is a function of the A-GEAR chain weight and length and is used to determine the maximum aircraft engaging speed. A dry rating applies to a stabilized surface (dry or wet) while a wet rating takes into account the amount (if any) of wet overrun that is not capable of withstanding the aircraft weight. These ratings are published under

Military Service.

FOREIGN CABLE

TYPE DESCRIPTION US EQUIVALENT

44B–3H Rotary Hydraulic) (Water Brake)

CHAG Chain E-5

UNI-DIRECTIONAL BARRIER

TYPE DESCRIPTION

MA-1A Web barrier between stanchions attached to a chain energy absorber.

BAK-15 Web barrier between stanchions attached to an energy absorber (water squeezer, rotary friction,

chain). Designed for wing engagement.

NOTE: Landing short of the runway threshold on a runway with a BAK–15 in the underrun is a significant hazard. The barrier in the down position still protrudes several inches above the underrun. Aircraft contact with the barrier short of the runway threshold can cause damage to the barrier and substantial damage to the aircraft.

OTHER

TYPE DESCRIPTION

EMAS Engineered Material Arresting System, located beyond the departure end of the runway, consisting of

high energy absorbing materials which will crush under the weight of an aircraft.

# 23 MILITARY SERVICE

Specific military services available at the airport are listed under this general heading. Remarks applicable to any military service are shown in the individual service listing.

# 24 JET AIRCRAFT STARTING UNITS (JASU)

The numeral preceding the type of unit indicates the number of units available. The absence of the numeral indicates ten or more units available. If the number of units is unknown, the number one will be shown. Absence of JASU designation indicates non-availability.

The following is a list of current JASU systems referenced in this publication:

USAF JASU (For variations in technical data, refer to T.O. 35–1–7.)

**ELECTRICAL STARTING UNITS:** 

A/M32A-86 AC: 115/200v, 3 phase, 90 kva, 0.8 pf, 4 wire

DC: 28v, 1500 amp, 72 kw (with TR pack)

MC-1A AC: 115/208v, 400 cycle, 3 phase, 37.5 kva, 0.8 pf, 108 amp, 4 wire

DC: 28v, 500 amp, 14 kw

MD-3 AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire

DC: 28v, 1500 amp, 45 kw, split bus

MD-3A AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire

DC: 28v, 1500 amp, 45 kw, split bus

MD-3M AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire

DC: 28v, 500 amp, 15 kw

AC: 120/208y, 400 cycle, 3 phase, 62.5 kya, 0.8 pf, 175 amp, "WYE" neutral ground, 4 wire, 120y, MD-4 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 303 amp, "DELTA" 3 wire, 120v, 400 cycle, 1 phase, 62.5

kva. 0.8 pf. 520 amp. 2 wire

AIR STARTING UNITS

ΔM32-95 150 + -5 lb/min (2055 + -68 cfm) at 51 + -2 psiaAM32A-95 150 +/- 5 lb/min @ 49 +/- 2 psia (35 +/- 2 psig)

LASS 150 +/- 5 lb/min @ 49 +/- 2 psia

MA-1A 82 lb/min (1123 cfm) at 130° air inlet temp, 45 psia (min) air outlet press

MC-1 15 cfm, 3500 psia MC-1A 15 cfm, 3500 psia MC-2A 15 cfm, 200 psia

MC-11 8,000 cu in cap, 4000 psig, 15 cfm

COMBINED AIR AND ELECTRICAL STARTING UNITS:

AGPU AC: 115/200v, 400 cycle, 3 phase, 30 kw gen

DC: 28v, 700 amp

AIR: 60 lb/min @ 40 psig @ sea level

AM32A-60\* AIR: 120 + - 4 lb/min (1644 + - 55 cfm) at 49 + - 2 psia

AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire, 120v, 1 phase, 25 kva

DC: 28v, 500 amp, 15 kw

AIR: 150 + -5 lb/min (2055 + -68) cfm at 51 + -9 psia ΔM324-604

AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v. 200 amp. 5.6 kw

AM32A-60B\* AIR: 130 lb/min, 50 psia

AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire

DC: 28v, 200 amp, 5.6 kw

\*NOTE: During combined air and electrical loads, the pneumatic circuitry takes preference and will limit the amount of electrical power available.

USN IASU

FLECTRICAL STARTING UNITS:

NC-8A/A1 DC: 500 amp constant, 750 amp intermittent, 28v;

AC: 60 kva @ .8 pf, 115/200v, 3 phase, 400 Hz. NC-10A/A1/B/C DC: 750 amp constant, 1000 amp intermittent, 28v:

AC: 90 kva, 115/200v, 3 phase, 400 Hz.

AIR STARTING UNITS:

GTC-85/GTE-85 120 lbs/min @ 45 psi. MSU-200NAV/A/U47A-5 204 lbs/min @ 56 psia.

WELLS AIR START 180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. Simultaneous multiple start capability.

SYSTEM

COMBINED AIR AND ELECTRICAL STARTING UNITS:

NCPP-105/RCPT 180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. 700 amp, 28v DC. 120/208v, 400 Hz AC,

30 kva.

JASU (ARMY)

28v, 7.5 kw, 280 amp. 59R2-1R

ELECTRICAL STARTING UNITS (DND):

CF12 AC 115/200v, 140 kva, 400 Hz, 3 phase CF13 AC 115/200v, 60 kva, 400 Hz, 3 phase

CE14 AC/DC 115/200v, 140 kva, 400 Hz, 3 phase, 28vDC, 1500 amp CF15 DC 22-35v, 500 amp continuous 1100 amp intermittent CF16 DC 22-35v, 500 amp continuous 1100 amp intermittent soft start

AIR STARTING UNITS (DND):

ASA 45.5 psig, 116.4 lb/min COMBINED AIR AND ELECTRICAL STARTING UNITS (DND)

AC 120/208v, 60 kva, 400 Hz, 3 phase DC 28v, 75 amp CEA1

AIR 112.5 lb/min, 47 psig

ELECTRICAL STARTING UNITS (OTHER)

C-26 28v 45kw 115-200v 15kw 380-800 Hz 1 phase 2 wire

C-26-B, C-26-C 28v 45kw: Split Bus: 115-200v 15kw 380-800 Hz 1 phase 2 wire

DC 28v/10kw

AIR STARTING UNITS (OTHER):

40 psi/2 lb/sec (LPAS Mk12, Mk12L, Mk12A, Mk1, Mk2B) Α4

MA-1 150 Air HP, 115 lb/min 50 psia MA-2 250 Air HP, 150 lb/min 75 psia

CARTRIDGE:

MXU-4A USAF



Fuel available through US Military Base supply, DESC Into-Plane Contracts and/or reciprocal agreement is listed first and is followed by (Mil). At commercial airports where Into-Plane contracts are in place, the name of the refueling agent is shown. Military fuel should be used first if it is available. When military fuel cannot be obtained but Into-Plane contract fuel is available, Government aircraft must refuel with the contract fuel and applicable refueling agent to avoid any breach in contract terms and conditions. Fuel not available through the above is shown preceded by NC (no contract). When fuel is obtained from NC sources, local purchase procedures must be followed. The US Military Aircraft Identaplates DD Form 1896 (Jet Fuel), DD Form 1897 (Avgas) and AF Form 1245 (Avgas) are used at military installations only. The US Government Aviation Into-Plane Reimbursement (AIR) Card (currently issued by AVCARD) is the instrument to be used to obtain fuel under a DESC Into-Plane Contract and for NC purchases if the refueling agent at the commercial airport accepts the AVCARD. A current list of contract fuel locations is available online at <a href="https://www.desc.dla.mil/Static/ProductsAndServices.asp">www.desc.dla.mil/Static/ProductsAndServices.asp</a>; click on the Commercial Airports button.

See legend item 14 for fuel code and description.

# 26 SUPPORTING FLUIDS AND SYSTEMS—MILITARY

ADI

Anti-Detonation Injection Fluid—Reciprocating Engine Aircraft.

W Water Thrust Augmentation—Jet Aircraft.

WAI Water-Alcohol Injection Type, Thrust Augmentation—Jet Aircraft.

SP Single Point Refueling.

PRESAIR Air Compressors rated 3,000 PSI or more.

De-Ice Anti-icing/De-icing/Defrosting Fluid (MIL-A-8243).

OXYGEN:

LPOX Low pressure oxygen servicing.
HPOX High pressure oxygen servicing.
LHOX Low and high pressure oxygen servicing.

LOX Liquid oxygen servicing.

OXRB Oxygen replacement bottles. (Maintained primarily at Naval stations for use in acft where oxygen can be

replenished only by replacement of cylinders.)

OX Indicates oxygen servicing when type of servicing is unknown.

NOTE: Combinations of above items is used to indicate complete oxygen servicing available;

LHOXRB Low and high pressure oxygen servicing and replacement bottles;

LPOXRB Low pressure oxygen replacement bottles only, etc.

NOTE: Aircraft will be serviced with oxygen procured under military specifications only. Aircraft will not be serviced with medical oxygen.

#### NITROGEN:

CODE

LPNIT — Low pressure nitrogen servicing.

HPNIT — High pressure nitrogen servicing.

LHNIT — Low and high pressure nitrogen servicing.

Linkii — Low and night pressure introgen service

GRADE TYPE

# 27 OIL-MILITARY

US AVIATION OILS (MIL SPECS):

CODE	drade, TTE
0-113	1065, Reciprocating Engine Oil (MIL-L-6082)
0-117	1100, Reciprocating Engine Oil (MIL-L-6082)
0-117+	1100, 0-117 plus cyclohexanone (MIL-L-6082)
0-123	1065, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type III)
0-128	1100, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type II)
0-132	1005, Jet Engine Oil (MIL-L-6081)
0-133	1010, Jet Engine Oil (MIL-L-6081)
0-147	None, MIL-L-6085A Lubricating Oil, Instrument, Synthetic
0-148	None, MIL-L-7808 (Synthetic Base) Turbine Engine Oil
0-149	None, Aircraft Turbine Engine Synthetic, 7.5c St
0-155	None, MIL-L-6086C, Aircraft, Medium Grade
0-156	None, MIL-L-23699 (Synthetic Base), Turboprop and Turboshaft Engines

JOAP/SOAP Joint Oil Analysis Program. JOAP support is furnished during normal duty hours, other times on request.

(JOAP and SOAP programs provide essentially the same service, JOAP is now the standard joint service

supported program.)

# 28 TRANSIENT ALERT (TRAN ALERT)—MILITARY

Tran Alert service is considered to include all services required for normal aircraft turn-around, e.g., servicing (fuel, oil, oxygen, etc.), debriefing to determine requirements for maintenance, minor maintenance, inspection and parking assistance of transient aircraft. Drag chute repack, specialized maintenance, or extensive repairs will be provided within the capabilities and priorities of the base. Delays can be anticipated after normal duty hours/holidays/weekends regardless of the hours of transient maintenance operation. Pilots should not expect aircraft to be serviced for TURN-AROUNDS during time periods when servicing or maintenance manpower is not available. In the case of airports not operated exclusively by US military, the servicing indicated by the remarks will not always be available for US military.

aircraft. When transient alert services are not shown, facilities are unknown. NO PRIORITY BASIS—means that transient alert services will be provided only after all the requirements for mission/tactical assigned aircraft have been accomplished.

# (29) AIRPORT REMARKS

The Attendance Schedule is the months, days and hours the airport is actually attended. Airport attendance does not mean watchman duties or telephone accessibility, but rather an attendant or operator on duty to provide at least minimum services (e.g., repairs, fuel, transportation).

Airport Remarks have been grouped in order of applicability. Airport remarks are limited to those items of information that are determined essential for operational use, i.e., conditions of a permanent or indefinite nature and conditions that will remain in effect for more than 30 days concerning aeronautical facilities, services, maintenance available, procedures or hazards, knowledge of which is essential for safe and efficient operation of aircraft. Information concerning permanent closing of a runway or taxiway will not be shown. A note "See Special Notices" shall be applied within this remarks section when a special notice applicable to the entry is contained in the Special Notices section of this publication.

Parachute Jumping indicates parachute jumping areas associated with the airport. See Parachute Jumping Area section of this publication for additional Information.

Landing Fee indicates landing charges for private or non-revenue producing aircraft. In addition, fees may be charged for planes that remain over a couple of hours and buy no services, or at major airline terminals for all aircraft.

Note: Unless otherwise stated, remarks including runway ends refer to the runway's approach end.

# **30** MILITARY REMARKS

Military Remarks published at a joint Civil/Military facility are remarks that are applicable to the Military. At Military Facilities all remarks will be published under the heading Military Remarks. Remarks contained in this section may not be applicable to civil users. The first group of remarks is applicable to the primary operator of the airport. Remarks applicable to a tenant on the airport are shown preceded by the tenant organization, i.e., (A) (AF) (N) (ANG), etc. Military airports operate 24 hours unless otherwise specified. Airport operating hours are listed first (airport operating hours will only be listed if they are different than the airport attended hours or if the attended hours are unavailable) followed by pertinent remarks in order of applicability. Remarks will include information on restrictions, hazards, traffic pattern, noise abatement, customs/agriculture/immigration, and miscellaneous information applicable to the Military.

#### Type of restrictions:

CLOSED: When designated closed, the airport is restricted from use by all aircraft unless stated otherwise. Any closure applying to specific type of aircraft or operation will be so stated. USN/USMC/USAF airports are considered closed during non-operating hours. Closed airports may be utilized during an emergency provided there is a safe landing area.

OFFICIAL BUSINESS ONLY: The airfield is closed to all transient military aircraft for obtaining routine services such as fueling, passenger drop off or pickup, practice approaches, parking, etc. The airfield may be used by aircraws and aircraft if official government business (including civilian) must be conducted on or near the airfield and prior permission is received from the airfield manager.

AF OFFICIAL BUSINESS ONLY OR NAVY OFFICIAL BUSINESS ONLY: Indicates that the restriction applies only to service indicated.

PRIOR PERMISSION REQUIRED (PPR): Airport is closed to transient aircraft unless approval for operation is obtained from the appropriate commander through Chief, Airfield Management or Airfield Operations Officer. Official Business or PPR does not preclude the use of US Military airports as an alternate for IFR flights. If a non-US military airport is used as a weather alternate and requires a PPR, the PPR must be requested and confirmed before the flight departs. The purpose of PPR is to control volume and flow of traffic rather than to prohibit it. Prior permission is required for all aircraft requiring transient alert service outside the published transient alert duty hours. All aircraft carrying hazardous materials must obtain prior permission as outlined in AFJI 11–204, AR 95–27, OPNAVINST 3710.7.

Note: OFFICIAL BUSINESS ONLY AND PPR restrictions are not applicable to Special Air Mission (SAM) or Special Air Resource (SPAR) aircraft providing person or persons on aboard are designated Code 6 or higher as explained in AFJMAN 11–213, AR 95–11, OPNAVINST 3722–8J. Official Business Only or PPR do not preclude the use of the airport as an alternate for IFR flights.

## ③1) WEATHER DATA SOURCES

Weather data sources will be listed alphabetically followed by their assigned frequencies and/or telephone number and hours of operation.

ASOS—Automated Surface Observing System. Reports the same as an AWOS-3 plus precipitation identification and intensity, and freezing rain occurrence (future enhancement).

AWOS-Automated Weather Observing System

AWOS-A—reports altimeter setting (all other information is advisory only).

AWOS-1—reports altimeter setting, wind data and usually temperature, dewpoint and density altitude.

AWOS-2-reports the same as AWOS-1 plus visibility.

AWOS-3—reports the same as AWOS-1 plus visibility and cloud/ceiling data.

See AIM, Basic Flight Information and ATC Procedures for detailed description of AWOS.

HIWAS—See RADIO AIDS TO NAVIGATION

LAWRS—Limited Aviation Weather Reporting Station where observers report cloud height, weather, obstructions to vision, temperature and dewpoint (in most cases), surface wind, altimeter and pertinent remarks.

LLWAS—indicates a Low Level Wind Shear Alert System consisting of a center field and several field perimeter anemometers. SAWRS—identifies airports that have a Supplemental Aviation Weather Reporting Station available to pilots for current weather information.

SWSL—Supplemental Weather Service Location providing current local weather information via radio and telephone.

TDWR—indicates airports that have Terminal Doppler Weather Radar.

WSP-indicates airports that have Weather System Processor.

When the automated weather source is broadcast over an associated airport NAVAID frequency (see NAVAID line), it shall be indicated by a bold ASOS, AWOS, or HIWAS followed by the frequency, identifier and phone number, if available.



Airport terminal control facilities and radio communications associated with the airport shall be shown. When the call sign is not the same as the airport name the call sign will be shown. Frequencies shall normally be shown in descending order with the primary frequency listed first. Frequencies will be listed, together with sectorization indicated by outbound radials, and hours of operation. Communications will be listed in sequence as follows:

Single Frequency Approach (SFA), Common Traffic Advisory Frequency (CTAF), Automatic Terminal Information Service (ATIS) and Aeronautical Advisory Stations (UNICOM) or (AUNICOM) along with their frequency is shown, where available, on the line following the heading "COMMUNICATIONS." When the CTAF and UNICOM frequencies are the same, the frequency will be shown as CTAF/LINICOM 122.8.

The FSS telephone nationwide is toll free 1–800–WX–BRIEF (1–800–992–7433). When the FSS is located on the field it will be indicated as "on arpt". Frequencies available at the FSS will follow in descending order. Remote Communications Outlet (RCO) providing service to the airport followed by the frequency and FSS RADIO name will be shown when available.

FSS's provide information on airport conditions, radio aids and other facilities, and process flight plans. Airport Advisory Service (AAS) is provided on the CTAF by FSS's for select non-tower airports or airports where the tower is not in operation.

(See AIM, Para 4-1-9 Traffic Advisory Practices at Airports Without Operating Control Towers or AC 90-42C.)

Aviation weather briefing service is provided by FSS specialists. Flight and weather briefing services are also available by calling the telephone numbers listed.

Remote Communications Outlet (RCO)—An unmanned air/ground communications facility that is remotely controlled and provides UHF or VHF communications capability to extend the service range of an FSS.

Civil Communications Frequencies-Civil communications frequencies used in the FSS air/ground system are operated on 122.0, 122.2, 123.6; emergency 121.5; plus receive-only on 122.1.

- a. 122.0 is assigned as the Enroute Flight Advisory Service frequency at selected FSS RADIO outlets.
- b. 122.2 is assigned as a common enroute frequency.
- c. 123.6 is assigned as the airport advisory frequency at select non-tower locations. At airports with a tower, FSS may provide airport advisories on the tower frequency when tower is closed.
- d. 122.1 is the primary receive-only frequency at VOR's.
- e. Some FSS's are assigned 50 kHz frequencies in the 122–126 MHz band (eg. 122.45). Pilots using the FSS A/G system should refer to this directory or appropriate charts to determine frequencies available at the FSS or remoted facility through which they wish to communicate.

Emergency frequency 121.5 and 243.0 are available at all Flight Service Stations, most Towers, Approach Control and RADAR facilities.

Frequencies published followed by the letter "T" or "R", indicate that the facility will only transmit or receive respectively on that frequency. All radio aids to navigation (NAVAID) frequencies are transmit only.

#### TERMINAL SERVICES

SFA—Single Frequency Approach.

CTAF—A program designed to get all vehicles and aircraft at airports without an operating control tower on a common frequency.

ATIS—A continuous broadcast of recorded non-control information in selected terminal areas.

D-ATIS—Digital ATIS provides ATIS information in text form outside the standard reception range of conventional ATIS via landline & data link communications and voice message within range of existing transmitters.

AUNICOM—Automated UNICOM is a computerized, command response system that provides automated weather, radio check capability and airport advisory information selected from an automated menu by microphone clicks.

UNICOM—A non-government air/ground radio communications facility which may provide airport information.

PTD—Pilot to Dispatcher.

APP CON—Approach Control. The symbol (R) indicates radar approach control.

TOWER—Control tower.

GCA—Ground Control Approach System.

GND CON—Ground Control.

GCO—Ground Communication Outlet—An unstaffed, remotely controlled, ground/ground communications facility. Pilots at uncontrolled airports may contact ATC and FSS via VHF to a telephone connection to obtain an instrument clearance or close a VFR or IFR flight plan. They may also get an updated weather briefing prior to takeoff. Pilots will use four "key clicks" on the

VHF radio to contact the appropriate ATC facility or six "key clicks" to contact the FSS. The GCO system is intended to be used only on the ground.

DEP CON—Departure Control. The symbol (R) indicates radar departure control.

CLNC DEL-Clearance Delivery.

PRE TAXI CLNC-Pre taxi clearance.

VFR ADVSY SVC—VFR Advisory Service. Service provided by Non-Radar Approach Control.

Advisory Service for VFR aircraft (upon a workload basis) ctc APP CON.

COMD POST—Command Post followed by the operator call sign in parenthesis.

PMSV—Pilot-to-Metro Service call sign, frequency and hours of operation, when full service is other than continuous.

PMSV installations at which weather observation service is available shall be indicated, following the frequency and/or

hours of operation as "Wx obsn svc 1900–0000Z‡" or "other times" may be used when no specific time is given. PMSV facilities manned by forecasters are considered "Full Service". PMSV facilities manned by weather observers are listed as "Limited Service".

OPS—Operations followed by the operator call sign in parenthesis.

CON

RANGE

FLT FLW-Flight Following

MEDIVAC

NOTE: Communication frequencies followed by the letter "X" indicate frequency available on request.

# 33 AIRSPACE

 $Information\ concerning\ Class\ B,\ C,\ and\ part-time\ D\ and\ E\ surface\ area\ airspace\ shall\ be\ published\ with\ effective\ times.$ 

Class D and E surface area airspace that is continuous as established by Rulemaking Docket will not be shown.

CLASS B—Radar Sequencing and Separation Service for all aircraft in CLASS B airspace.

CLASS C—Separation between IFR and VFR aircraft and sequencing of VFR arrivals to the primary airport.

TRSA—Radar Sequencing and Separation Service for participating VFR Aircraft within a Terminal Radar Service Area.

Class C, D, and E airspace described in this publication is that airspace usually consisting of a 5 NM radius core surface area that begins at the surface and extends upward to an altitude above the airport elevation (charted in MSL for Class C and Class D). Class E surface airspace normally extends from the surface up to but not including the overlying controlled airspace.

When part-time Class C or Class D airspace defaults to Class E, the core surface area becomes Class E. This will be formatted as:

AIRSPACE: CLASS C svc "times" ctc APP CON other times CLASS E:

0

AIRSPACE: CLASS D svc "times" other times CLASS E.

When a part-time Class C, Class D or Class E surface area defaults to Class G, the core surface area becomes Class G up to, but not including, the overlying controlled airspace. Normally, the overlying controlled airspace is Class E airspace beginning at either 700' or 1200' AGL. This will be formatted as:

 $\textbf{AIRSPACE: CLASS C} \text{ svc ''times'' ctc } \textbf{APP CON} \text{ other times CLASS G, with CLASS E 700' (or 1200') AGL \& abv: } \textbf{AIRSPACE: CLASS C} \textbf{APP CON} \text{ other times CLASS G, with CLASS E 700' (or 1200') AGL \& abv: } \textbf{AIRSPACE: CLASS C} \textbf{APP CON} \text{ other times CLASS G, with CLASS E 700' (or 1200') AGL & abv: } \textbf{AIRSPACE: CLASS C} \textbf{APP CON} \text{ other times CLASS G, with CLASS E 700' (or 1200') AGL & abv: } \textbf{AIRSPACE: CLASS C} \textbf{APP CON} \text{ other times CLASS G, with CLASS E 700' (or 1200') AGL & abv: } \textbf{AIRSPACE: CLASS C} \textbf{APP CON} \text{ other times CLASS G, with CLASS E 700' (or 1200') AGL & abv: } \textbf{AIRSPACE: CLASS C} \textbf{APP CON} \text{ other times CLASS C, with CLASS E 700' (or 1200') AGL & abv: } \textbf{AIRSPACE: CLASS C, with C, with Class C, with C, with$ 

0

AIRSPACE: CLASS D svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv:

or


AIRSPACE: CLASS E svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv.

NOTE: AIRSPACE SVC "TIMES" INCLUDE ALL ASSOCIATED ARRIVAL EXTENSIONS. Surface area arrival extensions for instrument approach procedures become part of the primary core surface area. These extensions may be either Class D or Class E airspace and are effective concurrent with the times of the primary core surface area. For example, when a part-time Class C, Class D or Class E surface area defaults to Class G, the associated arrival extensions will default to Class G at the same time. When a part-time Class C or Class D surface area defaults to Class E, the arrival extensions will remain in effect as Class E airspace.

NOTE: CLASS E AIRSPACE EXTENDING UPWARD FROM 700 FEET OR MORE ABOVE THE SURFACE, DESIGNATED IN CONJUNCTION WITH AN AIRPORT WITH AN APPROVED INSTRUMENT PROCEDURE.


Class E 700′ AGL (shown as magenta vignette on sectional charts) and 1200′ AGL (blue vignette) areas are designated when necessary to provide controlled airspace for transitioning to/from the terminal and enroute environments. Unless otherwise specified, these 700′/1200′ AGL Class E airspace areas remain in effect continuously, regardless of airport operating hours or surface area status. These transition areas should not be confused with surface areas or arrival extensions.

(See Chapter 3, AIRSPACE, in the Aeronautical Information Manual for further details)



The Airport/Facility Directory lists, by facility name, all Radio Aids to Navigation that appear on National Aeronautical Charting Office Visual or IFR Aeronautical Charts and those upon which the FAA has approved an Instrument Approach Procedure, with exception of selected TACANs. Military TACAN information will be published for Military facilities contained in this publication. All VOR, VORTAC, TACAN, ILS and MLS equipment in the National Airspace System has an automatic monitoring and shutdown feature in the event of malfunction. Unmonitored, as used in this publication, for any navigational aid, means that monitoring personnel cannot observe the malfunction or shutdown signal. The NAVAID NOTAM file identifier will be shown as "NOTAM FILE IAD" and will be listed on the Radio Aids to Navigation line. When two or more NAVAIDS are listed and the NOTAM file identifier is different from that shown on the Radio Aids to Navigation line, it will be shown with the NAVAID listing. NOTAM file identifiers for ILSs and its components (e.g., NDB (LOM) are the same as the associated airports and are not repeated. Automated Surface Observing System (ASOS), Automated Weather Observing System (AWOS), and Hazardous Inflight Weather Advisory Service (HIWAS) will be shown when this service is broadcast over selected NAVAIDs.

NAVAID information is tabulated as indicated in the following sample:



Restriction within the normal altitude/range of the navigational aid (See primary alphabetical listing for restrictions on VORTAC and VOR/DME).

Note: Those DME channel numbers with a (Y) suffix require TACAN to be placed in the "Y" mode to receive distance information

HIWAS—Hazardous Inflight Weather Advisory Service is a continuous broadcast of inflight weather advisories including summarized SIGMETs, convective SIGMETs, AIRMETs and urgent PIREPs. HIWAS is presently broadcast over selected VOR's and will be implemented throughout the conterminous U.S.

ASR/PAR—Indicates that Surveillance (ASR) or Precision (PAR) radar instrument approach minimums are published in the U.S. Terminal Procedures. Only part-time hours of operation will be shown.

#### RADIO CLASS DESIGNATIONS

VOR/DME/TACAN Standard Service Volume (SSV) Classifications

SSV Class	Altitudes	Distance
		(NM)
(T) Terminal	1000' to 12,000'	25
(L) Low Altitude	1000' to 18,000'	40
(H) High Altitude	1000' to 14,500'	40
	14,500' to 18,000'	100
	18,000' to 45,000'	130
	45.000' to 60.000'	100

NOTE: Additionally, (H) facilities provide (L) and (T) service volume and (L) facilities provide (T) service. Altitudes are with respect to the station's site elevation. Coverage is not available in a cone of airspace directly above the facility.

#### CONTINUED ON NEXT PAGE

#### CONTINUED FROM PRECEDING PAGE

The term VOR is, operationally, a general term covering the VHF omnidirectional bearing type of facility without regard to the fact that the power, the frequency protected service volume, the equipment configuration, and operational requirements may vary between facilities at different locations.

*	
AB	Automatic Weather Broadcast.
DF	Direction Finding Service.
DME	UHF standard (TACAN compatible) distance measuring equipment.
DME(Y)	placed in the "Y" mode to receive DME.
GS	Glide slope.
H	Non-directional radio beacon (homing), power 50 watts to less than 2,000 watts (50 NM at all altitudes).
HH	Non-directional radio beacon (homing), power 2,000 watts or more (75 NM at all altitudes).
H-SAB	Non-directional radio beacons providing automatic transcribed weather service.
ILS	Instrument Landing System (voice, where available, on localizer channel).
IM	Inner marker.
ISMLS	Interim Standard Microwave Landing System.
LDA	Localizer Directional Aid.
LMM	Compass locator station when installed at middle marker site (15 NM at all altitudes).
LOM	Compass locator station when installed at outer marker site (15 NM at all altitudes).
MH	Non-directional radio beacon (homing) power less than 50 watts (25 NM at all altitudes).
MLS	Microwave Landing System.
MM	Middle marker.
OM	Outer marker.
S	Simultaneous range homing signal and/or voice.
SABH	Non-directional radio beacon not authorized for IFR or ATC. Provides automatic weather broadcasts.
SDF	Simplified Direction Facility.
TACAN	UHF navigational facility-omnidirectional course and distance information.
VOR	VHF navigational facility-omnidirectional course only.
VOR/DME	Collocated VOR navigational facility and UHF standard distance measuring equipment.
VORTAC	Collocated VOR and TACAN navigational facilities.
W	Without voice on radio facility frequency.
Z	VHF station location marker at a LF radio facility.

#### ILS FACILITY PEFORMANCE CLASSIFICATION CODES

Codes define the ability of an ILS to support autoland operations. The two portions of the code represent Official Category and farthest point along a Category I, II, or III approach that the Localizer meets Category III structure tolerances.

Official Category: I. II. or III: the lowest minima on published or unpublished procedures supported by the ILS.

Farthest point of satisfactory Category III Localizer performance for Category I, II, or III approaches: A-4 NM prior to runway threshold, B-3500 ft prior to runway threshold, C-glide angle dependent but generally 750–1000 ft prior to threshold, T-runway threshold, D-3000 ft after runway threshold, and E-2000 ft prior to stop end of runway.

ILS information is tabulated as indicated in the following sample:



#### FREQUENCY PAIRING PLAN AND MLS CHANNELING

		INL	COLINOI I AIN	ING I LAN AND	IIILO UIIAIIIL	LINU		
MLS	VHF	TACAN	MLS	VHF	TACAN	MLS	VHF	TACAN
CHANNEL	FREQUENCY	CHANNEL	CHANNEL	FREQUENCY	CHANNEL	CHANNEL	FREQUENCY	CHANNEL
500	108.10	18X	568	109.45	31Y	636	114.15	88Y
502	108.30	20X	570	109.55	32Y	638	114.25	89Y
504	108.50	22X	572	109.65	33Y	640	114.35	90Y
506	108.70	24X	574	109.75	34Y	642	114.45	91Y
508	108.90	26X	576	109.85	35Y	644	114.55	92Y
510	109.10	28X	578	109.95	36Y	646	114.65	93Y
512	109.30	30X	580	110.05	37Y	648	114.75	94Y
514	109.50	32X	582	110.15	38Y	650	114.85	95Y
516	109.70	34X	584	110.25	39Y	652	114.95	96Y
518	109.90	36X	586	110.35	40Y	654	115.05	97Y
520	110.10	38X	588	110.45	41Y	656	115.15	98Y
522	110.30	40X	590	110.55	42Y	658	115.25	99Y
524	110.50	42X	592	110.65	43Y	660	115.35	100Y
526	110.70	44X	594	110.75	44Y	662	115.45	101Y
528	110.90	46X	596	110.85	45Y	664	115.55	102Y
530	111.10	48X	598	110.95	46Y	666	115.65	103Y
532	111.30	50X	600	111.05	47Y	668	115.75	104Y
534	111.50	52X	602	111.15	48Y	670	115.85	105Y
536	111.70	54X	604	111.25	49Y	672	115.95	106Y
538	111.90	56X	606	111.35	50Y	674	116.05	107Y
540	108.05	17Y	608	111.45	51Y	676	116.15	108Y
542	108.15	18Y	610	111.55	52Y	678	116.25	109Y
544	108.25	19Y	612	111.65	53Y	680	116.35	110Y
546	108.35	20Y	614	111.75	54Y	682	116.45	111Y
548	108.45	21Y	616	111.85	55Y	684	116.55	112Y
550	108.55	22Y	618	111.95	56Y	686	116.65	113Y
552	108.65	23Y	620	113.35	80Y	688	116.75	114Y
554	108.75	24Y	622	113.45	81Y	690	116.85	115Y
556	108.85	25Y	624	113.55	82Y	692	116.95	116Y
558	108.95	26Y	626	113.65	83Y	694	117.05	117Y
560	109.05	27Y	628	113.75	84Y	696	117.15	118Y
562	109.15	28Y	630	113.85	85Y	698	117.25	119Y
564	109.25	29Y	632	113.95	86Y			
566	109.35	30Y	634	114.05	87Y			

#### FREQUENCY PAIRING PLAN AND MLS CHANNELING

The following is a list of paired VOR/ILS VHF frequencies with TACAN channels and MLS channels.

VHF Frequency	MLS Channel	TACAN Channel	VHF Frequency	MLS Channel	TACAN Channel	VHF Frequency	MLS Channel
134.5	-	19Y	108.25	544	25X	108.80	-
134.55	-	20X	108.30	502	25Y	108.85	556
135.4	-	20Y	108.35	546	26X	108.90	508
135.45	-	21X	108.40	-	26Y	108.95	558
135.5	-	21Y	108.45	548	27X	109.00	-
135.55	-	22X	108.50	504	27Y	109.05	560
108.00	-	22Y	108.55	550	28X	109.10	510
108.05	540	23X	108.60	-	28Y	109.15	562
108.10	500	23Y	108.65	552	29X	109.20	-
108.15	542	24X	108.70	506	29Y	109.25	564
108.20	-	24Y	108.75	554	30X	109.30	512
	FREQUENCY 134.5 134.55 135.4 135.4 135.5 135.55 108.00 108.05 108.10 108.15	FREQUENCY 134.5 134.55 135.4 135.45 135.5 135.55 108.00 108.05 540 108.10 500 108.15 542	FREQUENCY         CHANNEL         CHANNEL           134.5         -         19Y           134.55         -         20X           135.4         -         20Y           135.45         -         21X           135.5         -         21Y           135.55         -         22X           108.00         -         22Y           108.05         540         23X           108.10         500         23Y           108.15         542         24X	FREQUENCY         CHANNEL         CHANNEL         FREQUENCY           134.5         -         19Y         108.25           134.55         -         20X         108.30           135.4         -         20Y         108.35           135.45         -         21X         108.40           135.5         -         21Y         108.45           136.55         -         22X         108.50           108.00         -         22Y         108.55           108.05         540         23X         108.60           108.10         500         23Y         108.65           108.15         542         24X         108.70	FREQUENCY         CHANNEL         CHANNEL         FREQUENCY         CHANNEL           134.5         -         19Y         108.25         544           134.55         -         20X         108.30         502           135.4         -         20Y         108.35         546           135.45         -         21X         108.40         -           135.5         -         21Y         108.45         548           135.55         -         22X         108.50         504           108.00         -         22Y         108.55         550           108.05         540         23X         108.60         -           108.10         500         23Y         108.65         552           108.15         542         24X         108.70         506	FREQUENCY         CHANNEL         CHANNEL         FREQUENCY         CHANNEL         CHANNEL           134.5         -         19Y         108.25         544         25X           134.55         -         20X         108.30         502         25Y           135.4         -         20Y         108.35         546         26X           135.45         -         21X         108.40         -         26Y           135.5         -         21Y         108.45         548         27X           135.55         -         22X         108.50         504         27Y           108.00         -         22Y         108.55         550         28X           108.05         540         23X         108.60         -         28Y           108.10         500         23Y         108.65         552         29X           108.15         542         24X         108.70         506         29Y	FREQUENCY         CHANNEL         CHANNEL         FREQUENCY         CHANNEL         CHANNEL         FREQUENCY           134.5         -         19Y         108.25         544         25X         108.80           134.55         -         20X         108.30         502         25Y         108.85           135.4         -         20Y         108.35         546         26X         108.90           135.45         -         21X         108.40         -         26Y         108.95           135.5         -         21Y         108.45         548         27X         109.00           135.55         -         22X         108.50         504         27Y         109.05           108.00         -         22Y         108.55         550         28X         109.10           108.05         540         23X         108.60         -         28Y         109.15           108.10         500         23Y         108.65         552         29X         109.20           108.15         542         24X         108.70         506         29Y         109.25

30Y	TACAN Channel	VHF Frequency	MLS Channel	TACAN Channel	VHF Frequency	MLS Channel	TACAN Channel	VHF Frequency	MLS Channel
31X						-			
32X 109.50 514 64Y 133.75 - 97X 115.00 - 654 33X 109.60 - 66Y 133.80 - 98X 115.10 - 654 33X 109.60 - 66Y 133.95 - 98X 115.10 - 656 33X 109.60 - 66Y 133.95 - 98X 115.10 - 656 34X 109.70 516 66Y 133.95 - 99X 115.20 - 658 34X 109.75 574 67X 134.00 - 99Y 115.25 658 35X 109.80 - 67Y 134.05 - 100X 115.30 - 658 35X 109.80 - 67Y 134.05 - 100X 115.30 - 660 36X 109.90 518 68Y 134.10 - 100Y 115.26 660 36X 109.90 518 68Y 134.10 - 100Y 115.30 - 662 37X 110.00 - 69Y 134.25 - 100X 115.50 - 662 37X 110.00 - 69Y 134.25 - 100X 115.50 - 663 38X 109.80 - 70Y 112.35 - 100X 115.50 - 664 38X 110.10 520 70Y 112.35 - 100X 115.50 - 664 38X 110.10 520 70Y 112.35 - 100X 115.50 - 664 38X 110.10 520 70Y 112.35 - 100X 115.50 - 664 39X 110.25 584 72X 112.50 - 100X 115.70 668 40X 110.30 522 72Y 112.55 - 100X 115.70 668 40X 110.30 522 72Y 112.55 - 100X 115.80 666 40X 110.30 522 72Y 112.55 - 100X 115.80 666 40X 110.30 522 72Y 112.55 - 100X 115.80 670 41X 110.45 588 74X 112.60 - 109X 115.85 670 41X 110.65 590 75X 112.80 - 109X 115.85 670 41X 110.65 590 75X 112.80 - 109X 115.80 670 41X 110.50 524 74Y 112.75 - 100X 115.95 672 42Y 110.55 590 75X 112.80 - 100X 115.95 672 42Y 110.55 590 75X 112.80 - 100X 115.95 672 44Y 110.50 524 77X 112.95 - 100X 115.95 672 44Y 110.50 524 76X 112.80 - 100Y 116.05 674 44X 110.70 526 76X 112.80 - 100Y 116.55 684 46X 110.90 528 78X 113.90 - 110Y 116.05 674 44X 110.70 526 76Y 112.95 - 100X 116.05 674 44X 110.70 536 80Y 113.35 620 113X 116.00 - 100Y 116.55 684 46X 110.90 528 78X 113.10 - 110Y 116.55 684 46X 110.90 528 78X 113.10 - 110Y 116.55 684 47X 111.00 - 586 76Y 112.95 - 100Y 116.55 684 48X 111.00 - 588 78X 113.10 - 110Y 116.55 684 48X 111.00 - 588 78X 113.10 - 110Y 116.55 684 48X 111.00 - 588 78X 113.30 - 110Y 116.55 684 48X 111.00 - 588 78X 113.50 - 110X 116.50 - 58X 116.10 - 58X 117.7						-			-
32Y	31Y	109.45	568	64X	133.70	-	96Y	114.95	652
33X 109.60 - 66Y 133.85 - 98X 115.10 - 33Y 109.65 572 66X 133.90 - 98Y 115.15 656  34X 109.70 516 66Y 133.95 - 99X 115.20 - 34Y 109.75 574 67X 134.00 - 99Y 115.25 658  35X 109.80 - 67Y 134.05 - 100X 115.30 - 35Y 109.85 576 68X 134.10 - 100Y 115.35 660  36X 109.90 518 68Y 134.15 - 101X 115.40 - 36Y 109.95 578 68X 134.20 - 101Y 115.45 662  37X 110.00 - 69Y 134.25 - 102X 115.50 - 37Y 110.05 580 70X 112.30 - 102X 115.50 - 37Y 110.05 580 70X 112.30 - 102X 115.50 - 37Y 110.05 580 70X 112.30 - 102X 115.50 - 38Y 10.15 582 71X 112.40 - 103X 115.60 - 38Y 10.15 582 71X 112.40 - 103X 115.60 - 38Y 110.15 582 71X 112.40 - 103X 115.60 - 39Y 110.25 584 72X 112.50 - 104X 115.70 668  40X 110.30 522 72Y 112.55 - 104X 115.70 668  40X 110.30 522 72Y 112.55 - 104X 115.80 670 110.35 588 73X 112.60 - 105X 115.80 670 110.41 110.45 588 74X 112.75 - 106X 115.80 670 110.41 110.45 588 74X 112.75 - 106X 115.80 670 110.41 110.55 590 75Y 112.85 - 106X 115.80 670 110.41 110.55 590 75Y 112.85 - 106X 115.80 670 110.41 110.55 590 75Y 112.85 - 106X 115.80 670 110.41 110.55 590 75Y 112.85 - 106X 115.80 670 110.41 110.55 590 75Y 112.85 - 106X 115.80 670 110.41 110.55 590 75Y 112.85 - 106X 115.80 674 110.55 590 75Y 112.85 - 106X 115.55 678 110.65 592 76X 112.80 - 106Y 116.55 678 110.65 598 78Y 113.15 - 110Y 116.65 68 110Y 116.55 684 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 688 110.75 689 110.75 689 11	32X	109.50	514	64Y	133.75	-	97X	115.00	-
38X 109.65 572 66K 133.90 - 98Y 115.5 656 34X 109.70 516 66Y 133.95 - 99X 115.20 - 34Y 109.75 574 67X 134.00 - 99Y 115.25 658 35X 109.80 - 67Y 134.05 - 100X 115.30 - 35Y 109.85 576 68K 134.10 - 100Y 115.35 660 36X 109.90 518 68X 134.10 - 100Y 115.35 660 36X 109.90 518 68X 134.20 - 101Y 115.45 662 37X 110.00 - 69Y 134.25 - 102X 115.50 - 37Y 110.05 580 70X 112.30 - 102Y 115.55 664 38K 110.10 520 70Y 112.35 - 103X 115.60 - 38K 110.10 520 70Y 112.35 - 103X 115.65 664 38K 110.10 520 70Y 112.35 - 103X 115.65 664 39X 110.20 71Y 112.45 - 104X 115.70 668 40X 110.30 522 72Y 112.55 - 106X 115.80 - 40X 110.30 522 72Y 112.55 - 106X 115.80 - 41X 110.40 - 73Y 112.60 - 106Y 115.75 668 41X 110.40 - 73Y 112.65 - 106X 115.90 - 41X 110.45 588 74X 112.70 - 106Y 115.75 672 42X 110.50 524 74Y 112.75 - 107X 116.00 - 42X 110.50 592 76X 112.80 - 107Y 116.05 674 43X 110.60 - 75Y 112.85 - 106X 115.90 - 44X 110.70 526 76Y 112.95 - 106X 116.30 - 674 44X 110.70 526 76Y 112.95 - 106X 116.30 - 674 44X 110.70 526 76Y 112.95 - 106X 116.30 - 674 44X 110.70 526 76Y 112.95 - 106X 116.30 - 674 44X 110.70 526 76Y 112.95 - 106X 116.00 - 674 44X 110.70 526 76Y 112.95 - 106X 116.30 - 674 44X 110.70 526 76Y 112.95 - 106X 116.50 - 674 44X 110.70 526 76Y 112.95 - 106X 116.50 - 674 44X 110.70 526 76Y 112.95 - 106X 116.50 - 674 44X 110.70 526 76Y 112.95 - 106X 116.50 - 674 44X 110.70 526 76Y 112.95 - 106X 116.50 - 678 44X 110.80 - 77Y 113.05 - 110X 116.00 - 674 44X 110.70 526 76Y 112.95 - 106X 116.50 - 678 45Y 110.85 596 78X 113.10 - 110Y 116.55 680 46X 110.90 528 78Y 113.15 - 111X 116.40 - 682 47Y 111.05 500 80Y 113.95 622 114X 116.70 - 688 50X 111.30 532 88Y 113.50 - 114Y 116.75 688 50X 111.30 532 88Y 113.50 - 114Y 116.75 688 50X 111.30 532 88Y 113.55 622 114X 116.70 - 694 53X 111.60 - 88Y 113.85 632 119X 117.10 - 565 50Y 111.55 618 88X 113.80 - 117Y 117.05 698 50X 111.30 532 88Y 114.55 642 119X 117.75 698 50X 111.50 534 84Y 113.75 622 114X 117.70 - 1695 50X 111.95 618 88X 113.80 - 117Y 117.05 698 50X 111.85 616 88X 113.80 - 117Y 117.05 698 50X 111.95 618	32Y	109.55	570	65X	133.80	-	97Y	115.05	654
34X         109.70         516         66Y         133.95         -         99X         115.20         -           38X         109.80         -         67Y         134.00         -         99Y         115.25         658           38X         109.85         576         68X         134.10         -         100X         115.30         -           36X         109.95         578         68X         134.15         -         101X         115.40         -           37Y         110.00         -         69Y         134.25         -         102Y         115.55         664           38X         110.10         520         70Y         112.35         -         102Y         115.55         664           38Y         110.15         582         71X         112.40         -         103Y         115.65         666           39X         110.20         -         71Y         112.45         -         104Y         115.75         688           40X         110.30         522         72Y         112.55         -         104Y         115.75         688           40X         110.35         586         73X         112.65	33X	109.60	-	65Y	133.85	-	98X	115.10	-
38X 109.80 - 67Y 134.05 - 100X 115.25 658 38X 109.85 - 66Y 134.05 - 100X 115.35 668 38X 109.85 576 68X 134.10 - 100Y 115.35 668 38X 109.95 578 69X 134.20 - 101Y 115.45 662 37X 110.00 - 69Y 134.25 - 102X 115.55 664 38X 110.00 - 590 70X 112.30 - 102Y 115.55 664 38X 110.10 520 70Y 112.35 - 103X 115.65 664 38X 110.10 520 70Y 112.35 - 103X 115.65 664 38X 110.10 520 70Y 112.35 - 103X 115.65 664 38X 110.10 580 70X 112.40 - 103Y 115.65 666 39X 110.25 584 71X 112.45 - 104X 115.75 668 40X 110.35 586 73X 112.60 - 104Y 115.75 668 40X 110.35 586 73X 112.60 - 105Y 115.85 670 41X 110.40 - 73Y 112.55 - 105X 115.80 - 104X 115.70 688 41Y 110.45 588 74X 112.70 - 106Y 115.95 672 42X 110.55 590 75X 112.80 - 107Y 116.00 - 42Y 110.55 590 75X 112.80 - 107Y 116.00 674 43X 110.60 - 75Y 112.85 - 106X 115.90 - 104X 115.76 676 44X 110.70 526 76Y 112.95 - 106X 115.90 - 104X 110.55 676 44X 110.70 526 76Y 112.95 - 106X 115.90 - 104X 115.70 674 44X 110.75 594 77X 113.00 - 106Y 115.95 672 44X 110.55 590 75X 112.80 - 107Y 116.00 - 43Y 110.65 592 76X 112.90 - 108Y 116.15 676 44X 110.75 594 77X 113.00 - 109Y 116.20 - 44X 110.75 594 77X 113.00 - 109Y 116.20 - 44X 110.75 594 77X 113.00 - 109Y 116.25 678 48X 110.80 - 77Y 113.25 - 110X 116.30 - 45Y 110.85 596 78X 113.10 - 110Y 116.55 680 46X 110.90 528 78Y 113.15 - 111X 116.40 - 47Y 110.05 598 79X 113.20 - 111Y 116.45 682 47X 111.00 - 79Y 113.25 - 112X 116.50 - 44X 110.70 526 600 80X 113.30 - 112Y 116.55 684 48X 111.10 530 80Y 113.35 620 113X 116.60 - 15Y 115 116.50 -	33Y	109.65	572	66X	133.90	-	98Y	115.15	656
SSK	34X	109.70	516	66Y	133.95	-	99X	115.20	-
38Y         109.85         576         68X         134.10         -         100Y         115.35         660           36Y         109.95         578         69X         134.20         -         101Y         115.45         662           37X         110.00         69Y         134.25         -         101Y         115.55         664           38X         110.10         520         70Y         112.35         -         102Y         115.55         664           38X         110.15         582         71X         112.40         -         103Y         115.60         -           39X         110.25         584         72X         112.50         -         104X         115.70         -           40X         110.35         586         73X         112.60         -         105Y         115.80         -           40X         110.35         586         73X         112.60         -         105Y         115.80         -           41X         110.40         -         73Y         112.65         -         106X         115.90         -           41X         110.45         588         74X         112.70         -	34Y	109.75	574	67X	134.00	-	99Y	115.25	658
36X         109.90         518         68Y         134.20         -         101X         115.40         -           36Y         109.95         578         69X         134.20         -         101Y         115.50         -           37Y         110.05         580         70X         112.30         -         102X         115.55         664           38X         110.15         582         71X         112.40         -         103X         115.65         666           39X         110.20         -         71Y         112.45         -         104Y         115.75         668           39X         110.25         584         72X         112.50         -         104Y         115.75         668           40X         110.30         522         72Y         112.55         -         105X         115.80         -           40Y         110.35         586         73X         112.65         -         106X         115.85         67           41X         110.40         -         73Y         112.65         -         106X         115.85         67           42X         110.50         524         74Y         112.	35X	109.80	-	67Y	134.05	-	100X	115.30	-
38Y         109.95         578         69X         134.25         -         102X         115.50         -           37Y         110.05         580         70X         112.30         -         102X         115.55         664           38X         110.10         520         70Y         112.35         -         103X         115.60         -           38Y         110.15         582         71X         112.40         -         103Y         115.65         666           39X         110.25         584         72X         112.50         -         104X         115.76         -           40X         110.30         522         72Y         112.55         -         106X         115.80         -           40Y         110.35         586         73X         112.60         -         105Y         115.85         670           41X         110.40         -         73Y         112.65         -         106X         115.95         672           42Y         110.55         588         74X         112.70         -         106Y         115.95         672           42Y         110.55         590         75X         11	35Y	109.85	576	68X	134.10	-	100Y	115.35	660
37X         110.00         -         69Y         134.25         -         102Y         115.55         664           38X         110.10         520         70Y         112.35         -         103X         115.60         -           38Y         110.15         582         71X         112.40         -         103Y         115.60         -           39X         110.25         584         72X         112.50         -         104X         115.70         -           39Y         110.25         584         72X         112.50         -         104Y         115.75         668           40X         110.30         522         72Y         112.55         -         105X         115.80         -           40Y         110.35         586         73X         112.60         -         105Y         115.85         670           41X         110.40         -         73Y         112.65         -         106X         115.90         -           42X         110.50         524         74X         112.75         -         107X         116.00         -           43X         110.60         -         75Y         112.85 <td>36X</td> <td>109.90</td> <td>518</td> <td>68Y</td> <td>134.15</td> <td>-</td> <td>101X</td> <td>115.40</td> <td>-</td>	36X	109.90	518	68Y	134.15	-	101X	115.40	-
37Y         110.05         580         70X         112.35         -         103X         115.60         -           38Y         110.15         582         71X         112.40         -         103X         115.65         666           39X         110.20         -         71Y         112.45         -         104X         115.75         668           39X         110.25         584         72X         112.50         -         104X         115.75         668           40X         110.35         586         73X         112.60         -         105Y         115.86         -           40Y         110.35         586         73X         112.60         -         105Y         115.86         -           41Y         110.40         -         73Y         112.65         -         106Y         115.95         672           42X         110.55         580         75X         112.75         -         107X         116.00         -           42Y         110.55         590         75X         112.80         -         107Y         116.05         674           43X         110.65         592         76X         112.		109.95	578		134.20	-		115.45	662
38X         110.10         520         70Y         112.35         -         103X         115.65         666           39X         110.25         582         71X         112.40         -         103Y         115.65         666           39X         110.25         584         72X         112.50         -         104X         115.70         -           39Y         110.35         586         73X         112.60         -         105X         115.80         -           40Y         110.35         586         73X         112.60         -         105Y         115.86         670           41X         110.40         -         73Y         112.65         -         106X         115.90         -           42X         110.50         524         74X         112.75         -         107X         116.00         -           42X         110.55         590         75X         112.80         -         107Y         116.00         -           43X         110.65         592         76X         112.95         -         108X         116.10         -           43X         110.65         592         76X         112.95						-			
38Y         110.15         582         71X         112.40         .         103Y         115.65         666           39Y         110.20         -         71Y         112.45         -         104X         115.75         668           40X         110.30         522         72Y         112.55         -         105X         115.80         -           41X         110.40         -         73Y         112.65         -         106X         115.80         -           41X         110.40         -         73Y         112.65         -         106X         115.90         -           41X         110.40         -         73Y         112.65         -         106X         115.90         -           41X         110.60         -         75X         112.80         -         107X         116.00         -           42X         110.55         590         75X         112.85         -         108X         116.10         -           43X         110.60         -         75Y         112.85         -         108X         116.10         -           44X         110.75         594         77X         113.00						-			664
39X         110.20         .         71Y         112.45         .         104X         115.75         668           40X         110.30         522         72Y         112.55         .         105X         115.80         .           40Y         110.35         586         73X         112.60         .         105Y         115.85         .           41X         110.40         .         73Y         112.65         .         106Y         115.90         .           41Y         110.45         588         74X         112.75         .         107X         116.00         .           42X         110.55         590         75X         112.80         .         107Y         116.00         .           43X         110.60         .         75Y         112.85         .         108X         116.10         .           43X         110.60         .         75Y         112.85         .         108X         116.10         .           43X         110.60         .         77Y         113.00         .         109Y         116.25         678           44X         110.70         528         78Y         113.00						-			
39Y			582			-			666
40X         110.30         522         72Y         112.55         .         105X         115.80         .           40Y         110.35         586         73X         112.60         .         105Y         115.85         670           41X         110.40         .         73Y         112.65         .         106Y         115.90         .           41Y         110.50         588         74X         112.75         .         106Y         116.90         .           42Y         110.55         590         75X         112.85         .         107Y         116.00         .           43X         110.60         .         75Y         112.85         .         108X         116.10         .           43X         110.65         592         76X         112.90         .         108Y         116.20         .           44X         110.70         526         76Y         112.95         .         109X         116.25         676           44X         110.75         594         77X         113.00         .         1109X         116.20         .           45Y         110.85         596         78X         113.10 <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>-</td>			-			-			-
40V         110.35         586         73X         112.65         -         106X         115.90         -           41X         110.40         -         73Y         112.65         -         106X         115.90         -           41Y         110.45         588         74X         112.70         -         106Y         115.95         672           42X         110.50         524         74Y         112.75         -         107X         116.00         -           43X         110.60         -         75Y         112.85         -         108X         116.10         -           43Y         110.65         592         76X         112.95         -         109X         116.15         676           44X         110.70         526         76Y         112.95         -         109X         116.15         676           44X         110.75         594         77X         113.00         -         109Y         116.25         678           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           47X         110.95         598         79X         113.						-			
41X         110.40         -         73Y         112.65         -         106X         115.90         -           41Y         110.45         588         74X         112.70         -         106Y         115.95         672           42X         110.55         590         75X         112.80         -         107Y         116.05         -           43X         110.65         592         76X         112.90         -         108Y         116.15         676           44X         110.70         526         76Y         112.95         -         109X         116.15         676           44X         110.70         526         76Y         112.95         -         109X         116.25         678           44X         110.75         594         77X         113.00         -         100X         116.30         -           45Y         110.80         -         77Y         113.05         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         111X         116.40         -           47Y         111.05         60         80X         113.20<						-			
41Y         110.45         588         74X         112.70         -         106Y         115.95         672           42X         110.50         524         74Y         112.75         -         107X         116.00         -           43X         110.60         -         75Y         112.80         -         107Y         116.05         674           43X         110.60         -         75Y         112.85         -         108X         116.10         -           43Y         110.65         592         76X         112.90         -         108X         116.15         676           44X         110.70         526         76Y         112.95         -         109X         116.20         -           45X         110.80         -         77Y         113.05         -         110X         116.25         678           45X         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.95         598         79X         113.20         -         111Y         116.45         682           47X         111.05         600         80X         113.			586			-			670
42X         110.50         524         74Y         112.75         -         107X         116.00         -           42Y         110.55         590         75X         112.80         -         107Y         116.05         674           43X         110.65         592         76X         112.90         -         108Y         116.15         676           44X         110.75         594         77X         113.00         -         109Y         116.25         678           45X         110.80         -         77Y         113.05         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.90         528         78Y         113.20         -         111X         116.40         -           47X         111.05         600         80X         113.20         -         1112Y         116.50         -           47X         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.15         602         81X         1			_			-			
42Y         110.55         590         75X         112.80         -         107Y         116.05         674           43X         110.60         -         75Y         112.85         -         108X         116.10         -           43Y         110.65         592         76X         112.95         -         109X         116.15         676           44X         110.70         526         76Y         112.95         -         109X         116.20         -           44Y         110.75         594         77X         113.00         -         109Y         116.20         -           45X         110.80         -         77Y         113.05         -         110X         116.30         -           46X         110.95         598         79X         113.10         -         110Y         116.35         680           46X         110.95         598         79X         113.20         -         111Y         116.45         682           47X         111.00         -         79Y         113.25         -         112X         116.50         -           48X         111.10         530         80Y         113.35 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>672</td>						-			672
43X         110.60         -         75Y         112.85         -         108X         116.10         -           43Y         110.65         592         76X         112.90         -         108Y         116.15         676           44X         110.75         594         77X         113.00         -         109Y         116.20         -           45X         110.80         -         77Y         113.05         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.90         528         78Y         113.15         -         111X         116.40         -           46Y         110.95         598         79X         113.20         -         111Y         116.45         682           47X         111.00         -         79Y         113.25         -         112X         116.50         -           48X         111.15         600         80X         113.30         -         112Y         116.55         684           48Y         111.25         602         81X         113.40 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td></td>						-			
43Y         110.65         592         76X         112.90         -         108Y         116.20         -           44X         110.70         526         76Y         112.95         -         109Y         116.20         -           45X         110.80         -         77Y         113.00         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.90         528         78Y         113.15         -         111X         116.40         -           46Y         110.95         598         79X         113.25         -         111Y         116.45         682           47X         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.10         530         80Y         113.30         -         112Y         116.65         686           49X         111.20         -         81Y         113.40         -         113Y         116.65         686           50X         111.35         606         83X         113.			590			-			674
44X         110.70         526         76Y         112.95         -         109X         116.25         678           44Y         110.75         594         77X         113.05         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.90         528         78Y         113.15         -         111X         116.40         -           46Y         110.95         598         79X         113.20         -         111Y         116.45         682           47X         111.00         -         79Y         113.25         -         112X         116.50         -           47Y         111.05         600         80X         113.35         620         113X         116.60         -           48X         111.15         602         81X         113.40         -         113Y         116.65         684           49X         111.25         604         82X         113.50         -         114Y         116.70         -           49Y         111.25         604         82X         11						-			
44Y         110.75         594         77X         113.00         -         109Y         116.25         678           45X         110.80         -         77Y         113.05         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.90         528         78Y         113.15         -         111X         116.40         -           46Y         110.95         598         79X         113.25         -         111Y         116.50         -           47Y         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.10         530         80Y         113.35         620         113X         116.65         686           49X         111.20         -         81Y         113.45         622         114X         116.70         -           49Y         111.25         604         82X         113.55         624         115X         116.80         -           50Y         111.35         606         83X						-			
45X         110.80         -         77Y         113.05         -         110X         116.30         -           45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46Y         110.95         598         79X         113.20         -         111Y         116.40         -           47Y         111.00         -         79Y         113.25         -         111Y         116.50         -           47Y         111.00         600         80X         113.30         -         112Y         116.50         -           47Y         111.10         530         80Y         113.35         620         113X         116.60         -           48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.25         604         82X         113.50         -         114Y         116.70         -           49Y         111.25         604         82X         113.50         -         114Y         116.70         -           50X         111.30         532         82Y         113.55 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td></td> <td></td> <td>_</td>						-			_
45Y         110.85         596         78X         113.10         -         110Y         116.35         680           46X         110.90         528         78Y         113.15         -         111X         116.40         -           46Y         110.95         598         79X         113.20         -         111Y         116.45         682           47X         111.00         -         79Y         113.25         -         112X         116.50         -           47Y         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.20         -         81Y         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.55         624         115X         116.75         688           50X         111.35         606         83X         113.50         -         115Y         116.85         690           51X         111.40         -         83X						-			678
46X         110.90         528         78Y         113.15         -         111X         116.40         -           46Y         110.95         598         79X         113.20         -         111Y         116.50         -           47X         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.10         530         80Y         113.35         620         113X         116.60         -           48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.20         -         81Y         113.45         622         114X         116.70         -           49Y         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.55         624         115X         116.80         -           50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y						-			-
46Y         110.95         598         79X         113.20         -         111Y         116.45         682           47X         111.00         -         79Y         113.25         -         112X         116.50         -           47Y         111.05         600         80X         113.30         -         112Y         116.50         -           48X         111.10         530         80Y         113.35         620         113X         116.60         -           48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.50         -         114Y         116.75         688           50X         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         11.45         608         84X         1						-			680
47X         111.00         -         79Y         113.25         -         112X         116.50         -           47Y         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.10         530         80Y         113.35         620         113X         116.60         -           48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.20         -         81Y         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.50         -         114Y         116.75         688           50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.45         608         84X         113.70         -         116Y         116.85         690           51X         111.45         608         84X         113.70         -         116Y         116.85         690           52X         111.50         534         84Y <t< td=""><td></td><td></td><td></td><td></td><td></td><td>-</td><td></td><td></td><td>- 692</td></t<>						-			- 692
47Y         111.05         600         80X         113.30         -         112Y         116.55         684           48X         111.10         530         80Y         113.35         620         113X         116.60         -           48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.20         -         81Y         113.45         622         114X         116.70         -           49Y         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.35         606         83X         113.50         -         114Y         116.75         688           50X         111.35         606         83X         113.65         624         115X         116.80         -90           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y			598			-			082
48X         111.10         530         80Y         113.35         620         113X         116.60         -           48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.20         -         81Y         113.45         622         114X         116.70         -           49Y         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.55         624         115X         116.80         -           50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y         113.60         -         115Y         116.85         690           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X			600			-			691
48Y         111.15         602         81X         113.40         -         113Y         116.65         686           49X         111.20         -         81Y         113.45         622         114X         116.70         -           49Y         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.55         624         115X         116.80         -           50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.70         -         116Y         116.95         692           52X         111.55         610         85X         113.80         -         117Y         117.00         -           53X         111.60         -         85Y						620			
49X         111.20         -         81Y         113.45         622         114X         116.70         -           49Y         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.55         624         115X         116.80         -           50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.85         630         118X         117.10         -           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td></t<>									_
49Y         111.25         604         82X         113.50         -         114Y         116.75         688           50X         111.30         532         82Y         113.55         624         115X         116.80         -           50Y         111.35         606         83X         113.65         626         115Y         116.85         690           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.85         630         118X         117.10         -           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.95         632         118X         117.10         -           54Y         111.75         614         87X									
50X         111.30         532         82Y         113.55         624         115X         116.80         -           50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.80         -         117Y         117.05         694           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.90         -         118Y         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.25         698           55X         111.80         -         87Y									
50Y         111.35         606         83X         113.60         -         115Y         116.85         690           51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.80         -         117Y         117.05         694           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.90         -         118Y         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y <t< td=""><td></td><td></td><td></td><td></td><td></td><td>624</td><td></td><td></td><td>-</td></t<>						624			-
51X         111.40         -         83Y         113.65         626         116X         116.90         -           51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.80         -         117Y         117.05         694           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.95         632         119X         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X									690
51Y         111.45         608         84X         113.70         -         116Y         116.95         692           52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.80         -         117Y         117.05         694           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.90         -         118Y         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.05         634         120X         117.30         -           55Y         111.80         -         87Y         114.05         634         120X         117.30         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X						626			
52X         111.50         534         84Y         113.75         628         117X         117.00         -           52Y         111.55         610         85X         113.80         -         117Y         117.05         694           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.95         632         119X         117.20         -           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X <t< td=""><td></td><td></td><td>608</td><td></td><td></td><td>-</td><td></td><td></td><td>692</td></t<>			608			-			692
52Y         111.55         610         85X         113.80         -         117Y         117.05         694           53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.90         -         118Y         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.10         -         120Y         117.35         -           56Y         111.95         618         89X         114.20         -         121Y         117.40         -           57Y         112.00         -         89Y         114.						628			-
53X         111.60         -         85Y         113.85         630         118X         117.10         -           53Y         111.65         612         86X         113.90         -         118Y         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X         114.25         638         122X         117.50         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         11									694
53Y         111.65         612         86X         113.90         -         118Y         117.15         696           54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X         114.20         -         121Y         117.45         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         114.30         -         122Y         117.55         -           58X         112.10         -         90Y         114.35			-			630			-
54X         111.70         536         86Y         113.95         632         119X         117.20         -           54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X         114.20         -         121Y         117.45         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         114.35         640         123X         117.60         -           58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40			612						696
54Y         111.75         614         87X         114.00         -         119Y         117.25         698           55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X         114.20         -         121Y         117.45         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         114.30         -         122Y         117.55         -           58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40         -         123Y         117.65         -           59X         112.20         -         91Y         114.45						632			-
55X         111.80         -         87Y         114.05         634         120X         117.30         -           55Y         111.85         616         88X         114.10         -         120Y         117.35         -           56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X         114.20         -         121Y         117.45         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         114.30         -         122Y         117.55         -           58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40         -         123Y         117.65         -           59X         112.20         -         91Y         114.45         642         124X         117.70         -           59Y         112.25         -         92X         114.50									698
56X         111.90         538         88Y         114.15         636         121X         117.40         -           56Y         111.95         618         89X         114.20         -         121Y         117.45         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         114.30         -         122Y         117.55         -           58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40         -         123Y         117.65         -           59X         112.20         -         91Y         114.45         642         124X         117.70         -           59Y         112.25         -         92X         114.50         -         124Y         117.75         -           60X         133.30         -         92Y         114.55         644         125X         117.80         -           60Y         133.36         -         93X         114.60						634			-
56Y         111.95         618         89X         114.20         -         121Y         117.45         -           57X         112.00         -         89Y         114.25         638         122X         117.50         -           57Y         112.05         -         90X         114.30         -         122Y         117.55         -           58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40         -         123Y         117.65         -           59X         112.20         -         91Y         114.45         642         124X         117.70         -           59Y         112.25         -         92X         114.50         -         124Y         117.75         -           60X         133.30         -         92Y         114.55         644         125X         117.80         -           60Y         133.35         -         93X         114.60         -         125Y         117.85         -           61X         133.40         -         93Y         114.65	55Y	111.85	616	88X	114.10	-	120Y	117.35	-
57X     112.00     -     89Y     114.25     638     122X     117.50     -       57Y     112.05     -     90X     114.30     -     122Y     117.55     -       58X     112.10     -     90Y     114.35     640     123X     117.60     -       58Y     112.15     -     91X     114.40     -     123Y     117.65     -       59X     112.20     -     91Y     114.45     642     124X     117.70     -       59Y     112.25     -     92X     114.50     -     124Y     117.75     -       60X     133.30     -     92Y     114.55     644     125X     117.80     -       60Y     133.35     -     93X     114.60     -     125Y     117.85     -       61X     133.40     -     93Y     114.65     646     126X     117.90     -       61Y     133.45     -     94X     114.75     648	56X	111.90	538	88Y	114.15	636	121X	117.40	-
57Y         112.05         -         90X         114.30         -         122Y         117.55         -           58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40         -         123Y         117.65         -           59X         112.20         -         91Y         114.45         642         124X         117.70         -           59Y         112.25         -         92X         114.50         -         124Y         117.75         -           60X         133.30         -         92Y         114.55         644         125X         117.80         -           60Y         133.35         -         93X         114.60         -         125Y         117.85         -           61X         133.40         -         93Y         114.65         646         126X         117.90         -           62X         133.50         -         94Y         114.75         648	56Y	111.95	618	89X	114.20	-	121Y	117.45	-
58X         112.10         -         90Y         114.35         640         123X         117.60         -           58Y         112.15         -         91X         114.40         -         123Y         117.65         -           59X         112.20         -         91Y         114.45         642         124X         117.70         -           59Y         112.25         -         92X         114.50         -         124Y         117.75         -           60X         133.30         -         92Y         114.55         644         125X         117.80         -           60Y         133.35         -         93X         114.60         -         125Y         117.85         -           61X         133.40         -         93Y         114.65         646         126X         117.90         -           61Y         133.45         -         94X         114.75         648         126Y         117.95         -           62X         133.50         -         94Y         114.75         648         126Y         117.95         -	57X	112.00	-	89Y	114.25	638	122X	117.50	-
58Y     112.15     -     91X     114.40     -     123Y     117.65     -       59X     112.20     -     91Y     114.45     642     124X     117.70     -       59Y     112.25     -     92X     114.50     -     124Y     117.75     -       60X     133.30     -     92Y     114.55     644     125X     117.80     -       60Y     133.35     -     93X     114.60     -     125Y     117.85     -       61X     133.40     -     93Y     114.65     646     126X     117.90     -       61Y     133.45     -     94X     114.70     -     126Y     117.95     -       62X     133.50     -     94Y     114.75     648	57Y	112.05	-	90X	114.30	-	122Y	117.55	-
59X         112.20         -         91Y         114.45         642         124X         117.70         -           59Y         112.25         -         92X         114.50         -         124Y         117.75         -           60X         133.30         -         92Y         114.55         644         125X         117.80         -           60Y         133.35         -         93X         114.60         -         125Y         117.85         -           61X         133.40         -         93Y         114.65         646         126X         117.90         -           61Y         133.45         -         94X         114.70         -         126Y         117.95         -           62X         133.50         -         94Y         114.75         648         -	58X	112.10	-	90Y	114.35	640	123X	117.60	-
59Y     112.25     -     92X     114.50     -     124Y     117.75     -       60X     133.30     -     92Y     114.55     644     125X     117.80     -       60Y     133.35     -     93X     114.60     -     125Y     117.85     -       61X     133.40     -     93Y     114.65     646     126X     117.90     -       61Y     133.45     -     94X     114.70     -     126Y     117.95     -       62X     133.50     -     94Y     114.75     648	58Y	112.15	-	91X	114.40	-	123Y	117.65	-
60X     133.30     -     92Y     114.55     644     125X     117.80     -       60Y     133.35     -     93X     114.60     -     125Y     117.85     -       61X     133.40     -     93Y     114.65     646     126X     117.90     -       61Y     133.45     -     94X     114.70     -     126Y     117.95     -       62X     133.50     -     94Y     114.75     648	59X	112.20	-	91Y	114.45	642	124X	117.70	-
60Y     133.35     -     93X     114.60     -     125Y     117.85     -       61X     133.40     -     93Y     114.65     646     126X     117.90     -       61Y     133.45     -     94X     114.70     -     126Y     117.95     -       62X     133.50     -     94Y     114.75     648	59Y	112.25	-	92X	114.50	-	124Y	117.75	-
61X 133.40 - 93Y 114.65 646 126X 117.90 - 61Y 133.45 - 94X 114.70 - 126Y 117.95 - 62X 133.50 - 94Y 114.75 648	60X	133.30	-	92Y	114.55	644	125X	117.80	-
61Y 133.45 - 94X 114.70 - 126Y 117.95 - 62X 133.50 - 94Y 114.75 648	60Y	133.35	-	93X	114.60	-	125Y	117.85	-
62X 133.50 - 94Y 114.75 648	61X	133.40	-		114.65	646	126X	117.90	-
	61Y	133.45	-	94X	114.70	-	126Y	117.95	-
62Y 133.55 - 95X 114.80 -			-			648			
	62Y	133.55	-	95X	114.80	-			

# 35 COMM/NAV/WEATHER REMARKS:

These remarks consist of pertinent information affecting the current status of communications, NAVAIDs and weather.

BARNES MUNI (See WESTFIELD/SPRINGFIELD)

BARNSTABLE MUNI-BOARDMAN/POLANDO FLD (See HYANNIS)

#### BARRE/BARRE PLAINS

TANNER-HILLER (8B5) 4 SW UTC-5(-4DT) N42°21.38′ W72°07.81′ 584 S2 FUEL 100LL, MOGAS TPA-1584(1000) NOTAM FILE BDR

RWY 06-24: H3027X40 (ASPH) S-9

RWY 06: Thid dsplcd 150'. Trees.

L-33C, 34J

AIRPORT REMARKS: Attended Mon-Fri 1300-2300Z‡, Sat 1300-2100Z‡, Sun unattended. Gliders opr from arpt on intermittent basis. Gliders and powered acft follow left hand tfc pat on both rwys. Fuel avbl PPR 508-867-3585. Arpt CLOSED SS-SR.

COMMUNICATIONS: CTAF/UNICOM 123.0

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.

GARDNER (L) VOR/DME 110.6 GDM Chan 43 N42°32.76′ W72°03.49′ 210° 11.8 NM to fld. 1280/14W. COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport FSS (BDR) 1-866-293-5149.

BEDDS N42°28.79′ W71°23.32′ NOTAM FILE BED.

NDB (LOM) 332 BE 114° 4.5 NM to Laurence G. Hanscom Fld.

#### BEDFORD

LAURENCE G HANSCOM FLD (BED) O NE UTC-5(-4DT) N42°28.20′ W71°17.34′

NEW YORK 133 B S4 **FUEL** 100LL, JET A OX 1, 2, 3, 4 TPA—See Remarks LRA Class I, ARFF Index A COPTER H-11D, 12K, L-33D, 34J

RWY 11-29: H7001X150 (ASPH-GRVD) S-78, D-100, ST-127, DT-190 HIRL

IAP. AD

Ç

O.C

Œ

a

Œ

RWY 11: MALSR. PAPI(P4L)-GA 3.0° TCH 62'. Hill. RWY 29: MALSR. PAPI(P4R)-GA 3.0°TCH 52'. Rgt tfc acft over

12 500 lbs RWY 05-23: H5106X150 (ASPH-GRVD) S-72, D-117, ST-149.

DT-207 MIRL

RWY 05: REIL. VASI(V4L)-GA 3.75° TCH 62'. Trees.

RWY 23: REIL, VASI(V4R)-GA 3.25° TCH 53', Trees.

#### LAND AND HOLD SHORT OPERATIONS

NOTAM FILE BED

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 05	11-29	3000
RWY 11	05-23	2650
RWY 29	05-23	3650

AIRPORT REMARKS: Attended continuously. Birds and wildlife on and invof arpt. PPR for all acft carrying explosives, call 781-869-8000. No practice low apchs/touch and go ldg for acft 12,500 lbs and over, and Igt acft between 0400-1200Z‡. Unlighted 215 ft AGL obstruction 1000 ft south of apch end Rwv 11. Noise rules in effect, helicopters operating within controlled airspace are required to main-tain highest possible altitude. Surcharge for each ldg and/or departure 0400-1200Z‡. Be alert for small acft parked

on ramps. TPA 1133 (1000) fixed wing; 1633 (1500) turbojet; 1933 (1800) heavy jet acft. CLOSED to Part 121 air carrier ops with over 60 seats except 24 hour PPR call 781-869-8000. Twys N and B clsd to air carrier acft. Twy G between Rwy 11-29 and Rwy 05-23 restricted—no acft with wingspans greater than 118'. Twys F, J, M, N, R, S, T clsd greater than 118' wingspan. ACTIVATE MIRL Rwy 05-23, HIRL Rwy 11-29, MALSR Rwy 11 and 29, and twy lgts—118.5. Commercial and transient ldg fee. Flight Notification Service (ADCUS) available. User pays customs cost.

WEATHER DATA SOURCES: ASOS (781) 274-9733. LAWRS.

COMMUNICATIONS: CTAF 118.5 ATIS 124.6 781-274-6283. UNICOM 122.95

(R) BOSTON APP/DEP CON 124.4

HANSCOM TOWER 118.5 (1200-0400Z‡) GND CON 121.7 **CLNC DEL** 121.85

AIRSPACE: CLASS D svc 1200-0400Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE LWM.

LAWRENCE (L) VOR/DME 112.5 LWM Chan 72 N42°44.42' W71°05.69' 223° 18.4 NM to fld. 302/15W. SHAKER HILL NDB (MHW) 251 SKR N42°27.35′ W71°10.71′ 296° 5 NM to fld. NOTAM FILE BED. Unmonitored indefinitely. Unusable beyond 10 NM.

BEDDS NDB (LOM) 332 BE N42°28.79′ W71°23.32′ 114° 4.5 NM to fld. Unmonitored when twr clsd.

ILS/DMF 111 15 I-BED Chan 48(Y) Rwv 11 Class IA. LOM BEDDS NDB, ILS unmonitored when twr clsd. Middle marker unmonitored 24 hours daily.

ILS/DME 111.15 I-ULJ Chan 48(Y) Rwv 29. Class IB.

NE, 22 OCT 2009 to 17 DEC 2009

NFW YORK

RWY 24: Thid dsplcd 200'. Trees.

```
BERKLEY
```

MYRICKS (1M8) 3 SE UTC-5(-4DT) N41°50.34′ W71°01.59′

71 S2 **FUEL** 100LL NOTAM FILE BDR

RWY 09-27: 2466X50 (TURF)

RWY 09: Tree. RWY 27: Trees.

AIRPORT REMARKS: Attended dalgt hours. Aerial banner pickup and drop ops on and in vicinity of arpt.

COMMUNICATIONS: CTAF: 122.9

**BEVERLY MUNI** (BVY) 3 NW UTC-5(-4DT) N42°35.05′ W70°54.97′
107 B S4 **FUEL** 100LL, JET A OX 3, 4 LRA NOTAM FILE BVY

RWY 16-34: H5001X100 (ASPH) S-30, D-55, DT-103

MIRL 0.5% up NW

RWY 16: MALS. PAPI(P4L)—GA 3.5° TCH 40'. Thid dspicd 239'.

Trees.

RWY 34: REIL.

**RWY 09-27**: H4755X100 (ASPH) S-30, D-114, ST-145, DT-180

MIRL 0.4% up E

RWY 09: Tree. RWY 27: Thid dsplcd 250'. Trees.

LAND AND HOLD SHORT OPERATIONS

 LANDING
 HOLD SHORT POINT
 DIST AVBL

 RWY 09
 16-34
 3450

 RWY 16
 09-27
 4000

AIRPORT REMARKS: Attended 1200Z‡-dusk. Fuel svc 1100-0300Z‡, after hours by prior req only on 978-774-2070. Birds frequently on and invof arpt; occasional deer or coyote on rwy. Rwy safety areas have drop offs and/or rough terrain. East ramp sfc rough with loose stones. Twy A east 800' clsd indef. Noise sensitive arpt. Voluntary compliance requested of all acft exceeding 75 DB to not land/depart arpt 0400-1200Z‡. Noise abatement procedures in effect ctc arpt manager 978-921-6072. All arrival/departure acft follow manufacturers recommended

procedures for quiet ops and minimum noise. Noise sensitive area

off end of Rwy 09 and south of Rwy 09. No tiedown ropes on public transient parking. Transient acft must use anti-theft device when acft unattended. Parking—west side transient at North Atlantic Air. East side transient parking for small acft located on north end of East Ramp, larger acft by south end of East Ramp. Rwy 16 NSTD MALS—800°. ACTIVATE MIRL Rwy 09–27 and Rwy 16–34; MALS Rwy 16 and REIL Rwy 34—CTAF; when twr clsd ACTIVATE PAPI Rwy 16—CTAF. Overnight parking fee. Flight Notification Service (ADCUS) available.

WEATHER DATA SOURCES: ASOS (978) 921-5042. LAWRS.
COMMUNICATIONS: CTAF 125.2 ATIS 119.2 UNICOM 122.95

R BOSTON APP/DEP CON 124.4

TOWER 125.2 (15 May-31 Oct 1200-0200Z‡; 1 Nov-14 May 1200-0100Z‡) GND CON 121.6

AIRSPACE: CLASS D svc 15 May-31 Oct 1200-0200Z‡, 1 Nov-14 May 1200-0100Z‡ other times CLASS G. Radio aids to navigation: Notam file bvy.

 LAWRENCE (L) VOR/DME
 112.5
 LWM
 Chan 72
 N42°44.42′ W71°05.69′
 155° 12.3 NM to fld. 302/15W.

 TOP N42°37.16′ W70°57.41′
 156° 2.8 NM to fld. Unmonitored.

ILS/DME 110.5 I-BVY Chan 42 Rwy 16. LOC only.

COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not available at tower. Between 0300–1200Z‡ close flight plan with Boston twr—121.6.

**BOGEY** N41°42.97′ W70°12.18′ NOTAM FILE HYA.

NDB (LOM) 342 HY 246° 4.5 NM to Barnstable Muni-Boardman/Polando Fld. Unmonitored when twr clsd.

**BOSTON** N42°21.45′ W70°59.37′ NOTAM FILE BOS.

NEW YORK Copter

H-11D. 12K. L-33D. 34J


(H) VOR/DME 112.7 BOS Chan 74 at General Edward Lawrence Logan Intl. 20/16W. VOR portion unusable:

277°-024° byd 25 NM blo 3000′

DME unusable 277°-024° byd 35 NM blo 2500′

NEW YORK Copter H-11d, 12k, L-33d IAP, AD

NEW YORK



```
BOSTON
```

```
GENERAL EDWARD LAWRENCE LOGAN INTL (BOS) 1 E UTC-5(-4DT)
```

N42°21 78' W71°00 39'

NEW YORK COPTER

Rwy 4R-22L: 10005 X 150

Rwy 15L-33R: 2557 X 100

Rwy 15R-33L: 10083 X 150

20 B S4 FUEL 100LL JET A OX 1, 2, 3, 4 LRA Class I, ARFF Index E H-10J, 11D, 12K, L-33D, 34J IAP AN NOTAM FILE BOS

RWY 15R-33L: H10083X150 (ASPH-GRVD) S-200, D-200, ST-175. DT-400 DDT-800 HIRI CI

RWY 15R: MALSR. TDZL. PAPI(P4L)-GA 3.0° TCH 60'. Thid dspicd 880' Trees

RWY 33L: MALSR. TDZL. PAPI(P4R)-GA 3.0° TCH 57'. Boat.

RWY 04R-22L: H10005X150 (ASPH-GRVD) S-200, D-200, ST-175, DT-400, DDT-800 HIRL CL

RWY 04R: ALSF2. TDZL. PAPI(P4L)-GA 3.0° TCH 67'. Thid dsplcd

RWY 22L: MALSF. PAPI(P4L)-GA 3.0° TCH 55'. Thid dspicd 1199'.

RWY 04L-22R: H7861X150 (ASPH-GRVD) S-200, D-200, ST-175. DT-400, DDT-800 HIRL

RWY 04L: REIL. PAPI(P4L)-GA 3.0°TCH 50'. Boat.

RWY 22R: PAPI(P4L)—GA 3.0° TCH 50', Thid dsplcd 815', Boat, RWY 09-27: H7000X150 (ASPH-GRVD) S-200, D-200, ST-175,

DT-400, DDT-800 HIRL CL

RWY N9. Boat

RWY 27: REIL. PAPI(P4L)-GA 3.0° TCH 71'. Boat.

RWY 14-32: H5000X100 (ASPH-GRVD) S-75, D-200, ST-175,

HIRI DT-400, DDT-875

RWY 32: REIL. PAPI (P4L)-GA 3.0° TCH 45'. RWY 14: Bldg.

RWY 15L-33R: H2557X100 (ASPH) S-200, D-200, ST-175, DT-400, DDT-800 MIRL

#### LAND AND HOLD SHORT OPERATIONS

LANDING	HOLD SHORT POINT	DIST AVBL
RWY 04L	15L-33R	5250
RWY 15R	09-27	6800
RWY 22L	09–27	6400
RWY 27	04R-22L	5650
DECTING CEAD/CV	CTEM	

ARRESTING GEAR/SYSTEM

RWY 04L: EMAS 190'X170' RWY 15R: EMAS 158'X170'

AIRPORT REMARKS: Attended continuously. Birds on and invof arpt. Numerous cranes on and invof arpt up to and including 250' MSL. Between 0500-1100Z‡ Rwy 15R is preferential night rwy for tkf and Rwy 33L is preferential ngt rwy for ldg. Rwy 14-32 undirectional, no ldgs Rwy 14, no takeoffs Rwy 32. International ramp arrivals must obtain a gate assignment from international ramp control before entering ramp area. No remaining overnight parking for non-tenant charter acft without prior Massport permission. ASDE-X surveillance system in use, pilots should operate transponders with mode C on all twys and rwys. Terminal E; North and South Cargo arrivals ctc Massport Gate Control on 131.1 before entering/departing ramp area. Pilots should complete all calculations prior to pushback from gate. For noise abatement procedures call 617-561-1636 Mon-Fri 1400-2200Z‡. Touchdown and rollout rwy visual range Rwy 04L avbl. Touchdown and rollout rwy visual range Rwy 22R avbl. Ldg fee. Flight Notification Service (ADCUS) available. NOTE: See Special Notices—Intersection Departures During Period of Darkness and Continuous Power Facilities, NOTE: See Special Notices—Boston Runway 27 Noise Abatement Departure Procedures. NOTE: See Special Notices—Land and Hold Short Lights.

WEATHER DATA SOURCES: ASOS (617) 567-5762. LLWAS. TDWR.

BOSTON RCO 122.4 122.1R 112.7T (BRIDGEPORT RADIO)

R BOSTON APP CON 127.2 (South) 120.6 (West) 118.25 (North) (R)BOSTON DEP CON 133.0

BOSTON TOWER 128.8 (ARR/DEP Rwys 04L-22R, 15R-33L, 15L-33R, 14-32) 124.725 (Helicopters) 128.8 132.225 (ARR/DEP Rwys 04R-22L, 09-27) GND CON 121.9 121.75

PRE-TAXI CLNC 121.65 **GATE CON 134.05** 

AIRSPACE: CLASS B See VFR Terminal Area chart

RADIO AIDS TO NAVIGATION: NOTAM FILE BOS.

BOSTON (H) VOR/DME 112.7 BOS Chan 74 N42°21.45′ W70°59.37′ at fld. 20/16W.

LYNDY NDB (HW) 382 LQ N42°27.12′ W70°57.80′ 215° 5.7 NM to fld. Unusable 165°-035° byd 20 NM.

HULLZ NDB (LOM) 346 LI N42°18.19′ W70°55.31′ 330° 5.2 NM to fld.

MILTT NDB (LOM) 375 BO N42°16.43′ W71°02.95′ 036° 5.7 NM to fld.

ILS/DME 110.3 I-BOS Chan 40 Rwy 04R. Class IIIE. LOM MILTT NDB.

ILS/DME 110.3 I-LON Chan 40 Rwy 22L. LOM LYNDY NDB.

ILS 110.7 I-LIP Rwv 33L. Class IIE. LOM HULLZ NDB. Loc unusable bvd 33° left side of course.

ILS/DME 111.3 I-DGU Chan 50 Rwy 27. Class IE.

ILS/DME 110.7 I-MDC Chan 44 Rwy 15R

COMM/NAV/WEATHER REMARKS: DME Channel 40 located 2171' from stop end Rwy 04R and 260' left of centerline is common to Rwv 22L.

CAPE COD (See MARSTON MILLS)

CAPE COD CGAS (See FALMOUTH)

**CHATHAM MUNI** (CQX) 2 NW UTC-5(-4DT) N41°41.30′ W69°59.37′

68 B S4 **FUEL** 100LL NOTAM FILE CQX

RWY 06-24: H3001X100 (ASPH) S-30 MIRL 0.4% up NE RWY 06: Trees. RWY 24: PAPI(P2R). Tank.

AIRPORT REMARKS: Attended 1300Z‡-dusk. ACTIVATE MIRL Rwy 06-24—122.95. Be aware of hi-speed military jet and heavy helicopter tfc in vicinity of Cape Cod CGAS. Birds primarily gulls frequently on or in vicinity of arpt. Recommended minimum altitude 2000 ft AGL from Northeast to Southeast of arpt over national seasonre.

WEATHER DATA SOURCES: ASOS 135.875 (508) 945–5034.

COMMUNICATIONS: CTAF/UNICOM 122.8


R CAPE APP/DEP CON 118.2 (1100-0400Z‡ May 15-Sep 30; 1100-0300Z‡ Oct 1-May 14) CLNC DEL 127.3

BOSTON CENTER APP/DEP CON 128.75 (0400-1100Z‡ Jun 15-Sept 15; 0300-1100Z‡ Sept 16-Jun 14)

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.

MARCONI (H) VORW/DME 114.7 LFV Chan 94 N42°01.03′ W70°02.24′ 190° 19.8 NM to fld. 152/16W. HIWAS NAUSET NDB (MHW) 279 CQX N41°41.51′ W69°59.39′ at fld.

NDB unusable 220°-280° byd 20 NM.



CHESTER N42°17.48′ W72°56.96′ NOTAM FILE BTV.

(L) VOR/DME 115.1 CTR Chan 98 311° 17.3 NM to Pittsfield Muni. 1600/13W.

H-10I, 11D, L-33C, 34J

**NEW YORK** 

NEW YORK

L-33B. 34J

NEW YORK

NEW YORK

L-33D

RCO 122.1R 115.1T (BURLINGTON RADIO)

CRANLAND (See HANSON)

DALTON N42°28.26′ W73°10.21′ NOTAM FILE PSF.

NDB (MHW) 370 DXT 259° 6.1 NM to Pittsfield Muni.

Unusable beyond 12 NM.

 DUNCA
 N42°16.47′ W72°01.20′
 NOTAM FILE ORH.
 NEW YORK

 NDB (LOM) 279
 RS
 109° 6.4 NM to Worcester Rgnl.
 L-330, 34J

**EDGARTOWN** 

KATAMA AIRPARK (1B2) 2 S UTC-5(-4DT) N41°21.51′ W70°31.47′

18 S2 FUEL 100LL TPA-1018 (1000) NOTAM FILE BDR

RWY 03-21: 3700X50 (TURF)

RWY 03: Thid dspicd 245'. Road. RWY 21: Thid dspicd 300'. Pole.

RWY 06-24: 2700X50 (TURF)

RWY 06: Thid dspicd 300'. Road. RWY 24: Road.

RWY 17-35: 2600X50 (TURF)

RWY 17: Thid dsplcd 200'. Building.

AIRPORT REMARKS: Attended May 15–Sep 15 dawn–dusk. Be aware of hi-speed military jet and heavy helicopter tfc vicinity of Cape Cod CGAS. Rwy 03 and 21 and 06 and 17 dsplcd thlds marked with flush white paving blocks.

COMMUNICATIONS: CTAF/UNICOM 122.8

COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport FSS (BDR) 1-866-293-5149.

```
FAI MOIITH
```

CAPE COD CGAS (FMH) (KFMH) ANG (ARNG CG) 1E UTC-5(-4DT) N41°39.51' W70°31.291' NEW YORK 131 B TPA—See Remarks NOTAM FILE BDR H-10J, 11D, 12K, L-33D Not insp. RWY 14-32: H9500X200 (PEM) S-65, T-160, ST-175, TT-330 PCN 26 F/A/W/T HIRL ΙΔΡ ΠΙΔΡ ΔΠ RWY 14: PAPI(P4L)-GA 2.5°. RWY 32: SALSE, PAPI(P4L). **RWY 05–23**: H8000X200 (PEM) S–65, T–160, ST–175, TT–330 PCN 33 F/A/W/T RWY 05: AF OVRN. PAPI(P4L)—GA 2.5°. RWY 23: ALSF1. PAPI(P4L). MILITARY SERVICE: LGT PAPI glide slope 2.5°. Rwy 23 and Rwy 32 ILS and PAPI glide slope not coincidental. MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Info. RSTD Former OTIS ANG ramp clsd. ANG apron is the only apron capable of accepting C5 at gross weight. CAUTION Many Igt acft transiting area. Extensive bird activity vicinity all rwys especially during low ceiling and wet wx. Deer crossing rwys especially dusk and dawn. TFC PAT Rectangular 1300(1169), overhead 1800(1669), Army acft tfc pat alt NSTD, Rotary/Wing 800(669), Fixed Wing 1300(1169). MISC First 350' Rwy 05 conc, remaining 7650' asph. First 2800' Rwy 14 and first 500' Rwy 32 conc. mid portion asph. ARNG Opr Mon-Fri 1200-2000Z±. Limited svc may be avbl Sat-Sun with prior coordination C508-968-5850, DSN 557-5850, Ctc YANKEE OPS 10 min prior to arrival on 242.4, 46.85, 138.5. Fit briefing reg prior to ops in R4101, PPR reg for all acft destined for ARNG ramp, Ctc USCG OPS C508-968-6360/6361 C800-673-1056. Ctc OSA F/W DET C608-968-5291/5292 to coordinate JOSAC pax arrival and departute. CG PPR reg for Coast Guard ramp: Itd syc may be avbl with prior coordination C508-968-6360/6361, DSN 557-6360/6361, or C800-673-1056, Arr acft ctc Cape Cod Air 345.0, 122.975 or 164.55 15 minutes prior to arrival. Ltd Fuel avbl dependent on CG SAR ops. Boarding ramps not avbl. COMMUNICATIONS: SFA PTD 372.2 ATIS 120.475 236.825 (Mon-Fri 1200-0400Z±, Sat-Sun, and hol 1300-2100Z±) R APP CON 118.2 118.75 284.6 (North) 126.3 318.1 (South) Remarks: Opr 5 May-30 Sep, 1100-0400Z‡, 1 Oct-14 May 1100-0300Z‡, other times ctc BOSTON CENTER APP CON 132.9 387.1 COAST GUARD TOWER 121.0 291.1 236.6 GND CON 124.15 275.8

R DEP CON 284.6 291.1 (North) 318.1 (South) Remarks: 15 May-30 Sep. 1100-0400Z‡, 1 Oct-14 May 1100-0300Z‡), other times ctc BOSTON CENTER DEP CON 132.9 387.1 ARNG 242.4 46.85 138.5 ANG BASE OPS 372.2

CG CAPE COD AIR 122.975 164.55 345.0 (164.55 VHF-FM), Remarks: (345.0 Opr Mon-Fri 1230-2030Z# except

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.

OTIS (L) TACAN Chan 105 FMH (115.8) N41°39.58' W70°30.84' at fld. 120/15W. No NOTAM MP Mon 1500-1600Z±.

ILS Y 110.1 I-FMH Rwy 23. Back course unusable. No NOTAM MP Tue and Thu 1230-1430Z‡. ILS 109.9 I-BNX Rwy 32. Back course unusable. No NOTAM MP Tue and Thu 1230-1430Z‡. \_\_\_\_\_\_

FALMOUTH AIRPARK (5B6) 4 NE UTC-5(-4DT) N41°35.14′ W70°32.42′

NEW YORK

43 B S2 FUEL 100LL TPA-1043(1000) NOTAM FILE BDR

RWY 07-25: H2298X40 (ASPH) S-4 LIRL

RWY 07: TRCV(TRIL). Trees. Rgt tfc. RWY 25: TRCV(TRIL). Trees.

AIRPORT REMARKS: Attended Jun-Aug, Thu-Mon 1300-2130Z‡, Sep-May irregularly. CAUTION: Turf around Rwy 07-25 soft after rain. Be aware of hi speed military jet and heavy helicopter tfc vicinity of Cape Cod CGAS. Airport CLOSED to acft exceeding 5000 lbs published maximum gross weight. Transient ops daytime only. No night transient tkfs or Idgs. ACTIVATE LIRL Rwy 07-25 and TRIL Rwys 07 and 25-122.7. Prop-locks required for all acft remaining overnight.

COMMUNICATIONS: CTAF/UNICOM 122.8

COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport FSS (BDR) 1-866-293-5149.

 $\textbf{FITCHBURG MUNI} \hspace{0.3cm} \text{(FIT)} \hspace{0.3cm} 3 \hspace{0.1cm} \text{SE} \hspace{0.3cm} \text{UTC} - 5 (-4 \text{DT}) \hspace{0.3cm} \text{N42°33.25'} \hspace{0.1cm} \text{W71°45.54'} \\$ 

348 B S4 **FUEL** 100LL, JET A OX 3 TPA-1350(1002) NOTAM FILE FIT

**RWY 14–32:** H4510X100 (ASPH) S–30, D–41 MIRL 0.3% up NW

RWY 14: VASI(V2L)—GA 3.0°. Trees.

RWY 32: REIL. Thid dsplcd 242'. Trees.

**RWY 02–20**: H3504X75 (ASPH) S–30, D–41 0.5% up N

RWY 02: Thid dspicd 567'. Trees. RWY 20: Thid dspicd 459'. Trees.

AIRPORT REMARKS: Attended 1300Z‡-dusk. Sfc winds less than 5 kts preferred Rwy 32. ACTIVATE VASI Rwy 14; MIRL Rwy 14–32; REIL Rwy 32—123.0. Rotating bcn not avbl during dalgt IFR conditions. Twy lgts last third of twy to Rwy 20 unlgtd. Ldg fee for corporate and commercial flights only.

WEATHER DATA SOURCES: ASOS 135.175 (978) 343-9121 COMMUNICATIONS: CTAF/UNICOM 122.7

RCO 118.025 (BRIDGEPORT RADIO)

R BOSTON APP/DEP CON 124.4

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.

**GARDNER (L) VOR/DME** 110.6 GDM Chan 43 N42°32.76′ W72°03.49′ 102° 13.3 NM to fld. 1280/14W

NDB (MHW) 365 FIT N42°33.06′ W71°45.43′ at fld. NDB located 1207′ from apch end Rwy 32; offset 565′ left of centerline

COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport FSS (BDR) 1-866-293-5149.

GARDNER N42°32.76′ W72°03.49′ NOTAM FILE BDR.

(L) **YOR/DME** 110.6 GDM Chan 43 097° 1.9 NM to Gardner Muni. 1280/14W.

RCO 122.1R 110.6T (BRIDGEPORT RADIO)

**GARDNER MUNI** (GDM) 2 SW UTC-5(-4DT) N42°32.99′ W72°00.96′

955 B S2 **FUEL** 100LL NOTAM FILE BDR

RWY 18-36: H2999X75 (ASPH) S-25 MIRL 1.0% up N

RWY 18: Trees. RWY 36: Trees.

AIRPORT REMARKS: Attended irregularly. No radio controlled aircraft on and invof arpt. ACTIVATE MIRL Rwy 18–36—122.8.

COMMUNICATIONS: CTAF/UNICOM 122.8


RCO 122.1R 110.6T (BRIDGEPORT RADIO)

R BOSTON CENTER APP/DEP CON 123.75

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.

(L) VOR/DME 110.6 GDM Chan 43 N42°32.76′ W72°03.49′ 097° 1.9 NM to fld. 1280/14W.

COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport FSS (BDR) 1-866-293-5149.



NEW YORK

L-33C. 34J

NEW YORK

NEW YORK

L-33C. 34J

H-11D, 12J, L-33C, 34J

IAP 63 Drive-in ව ව ව **3** 3 Theater ଫ ଫ ଫ G G €3 €3 ้อเ €3 C3 C3 **C3** €3 €3 €3 C3 C3 €3 43 03 (3 a 3 €3

#### GENERAL EDWARD LAWRENCE LOGAN INTL (See BOSTON)

GOZZR N42°15.59′ W71°44.12′ NOTAM FILE ORH.

NDB (LOM) 417 EK 289° 6.3 NM to Worchester Rgnl.

**NEW YORK** 

NEW YORK

L-33B, 341

**NEW YORK** 

NFW YORK

NEW YORK

COPTER

COPTER

COP3BB

#### **GREAT BARRINGTON**

WALTER J. KOLADZA (GBR) 2 W UTC-5(-4DT) N42°11.05′ W73°24.19′

739 B S4 FUEL 100LL NOTAM FILE BTV

RWY 11-29: H2579X50 (ASPH) S-8 LIRL

RWY 11: REIL. Thid dspicd 170'. Trees.

RWY 29: VASI(NSTD)—GA 3.0° TCH 13'. Thid dspicd 75'. Trees. AIRPORT REMARKS: Attended dalgt hours. Arpt lgts opr dusk-0400Z‡.

Deer and birds on and invof arpt. Practice VFR GPS Rwy 11 not authorized when Rwv 29 is in use for student tfc. Touch and go ldg not authorized. Rwy 11 lgtd thld relocated 170 ft; 2409 ft of rwy usable for ngt ops. ACTIVATE LIRL Rwy 11-29; VASI Rwy 29; REIL Rwv 11 and rotating bcn-121.6. VASI OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122.8


ALBANY APP/DEP CON 132.825

RADIO AIDS TO NAVIGATION: NOTAM FILE BTV.

CHESTER (L) VOR/DME 115.1 CTR Chan 98 N42°17.48' W72°56.96' 266° 21.2 NM to fld. 1600/13W.

GREAT BARRINGTON NDB (MHW) 395 GBR N42°10.98'

W73°24.24' at fld. Unusable byd 15 NM.



GREAT BARRINGTON N42°10 98' W73°24 24' NOTAM FILE BTV

NDB (MHW) 395 GBR at Walter J. Koladza Unusable byd 15 NM.

HAGET N42°38.65′ W71°11.83′ NOTAM FILE LWM.

NDB (LOM) 402 LW 052° 5.5 NM to Lawrence Muni.

HALIFAX

MONPONSETT POND SPB (MA6) 2 NW UTC-5(-4DT) N42°00.59′ W70°50.59′

52 S2 FUEL 100LL NOTAM FILE BDR

WATERWAY 17-35: 4600X500 (WATER)

WATERWAY 17: Trees. WATERWAY 35: Rgt tfc.

WATERWAY 10-28: 3200X300 (WATER)

WATERWAY 28: Trees. WATERWAY 10: P-line. Rgt tfc.

SEAPLANE REMARKS: Attended continuously.

COMMUNICATIONS: CTAF 122.9

HANSON

CRANLAND (28M) 3 SE UTC-5(-4DT) N42°01.51′ W70°50.29′

71 S2 FUEL 100LL NOTAM FILE BDR

RWY 18-36: H1860X60 (ASPH) S-8

RWY 18. Trees RWY 36: Thid dsplcd 507'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1400-2200Z±. Open excavation and 8' dirt mound north of Rwy 18-36.

COMMUNICATIONS: CTAF 122.9

COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport RADIO (BDR) 1-866-293-5149.

HARRIMAN-AND-WEST (See NORTH ADAMS)

NE. 22 OCT 2009 to 17 DEC 2009

HOPEDALE INDUSTRIAL PARK (1B6) 3 SE UTC-5(-4DT) N42°06.39′ W71°30.61′

269 B S2 FUEL 100LL NOTAM FILE BDR
RWY 18-36: H3172X90 (ASPH) S-12 LIRL 1.0% up N
RWY 18: Trees. RWY 36: Thid dsplod 110′. Trees.

AIRPORT REMARKS: Attended Mon-Fri dawn-dusk. Arpt CLOSED to transient acft SS-SR. Arpt CLOSED to transient student training.

Arpt CLOSED to jets and ngt Idgs except PPR call 508-478-1726.

Rwy 18 two story house 27′ AGL (291′ MSL) located

COMMUNICATIONS: CTAF/UNICOM 122.8

R BRADLEY APP/DEP CON 119.0


dusk-0300Z±.

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.

PUTNAM (H) VOR/DME 117.4 PUT Chan 121 N41°57.33′ W71°50.65′ 073° 17.5 NM to fld. 650/14W.

approximately 400' NW rwy thld. Rwy Igts and rotating bcn opr

COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport RADIO (BDR) 1-866-293-5149.



**HULLZ** N42°18.19′ W70°55.31′ NOTAM FILE BOS.

NDB (LOM) 346 LI 330° 5.2 NM to General Edward Lawrence Logan Intl.

HYANNIS N41°40.16′ W70°16.82′ RCO 126.425 (BRIDGEPORT RADIO) NEW YORK L-33D

NEW YORK

IAP. AD

#### **HYANNIS**

BARNSTABLE MUNI-BOARDMAN/POLANDO FLD (HYA) 1 N UTC-5(-4DT)

54 B S4 FUEL 100LL, JET A Class I, ARFF Index A NOTAM FILE HYA

(HYA) 1 N UIC-5(-4DI)

COPTER H-10J, 11D, 12K, L-33D

RWY 06-24: H5425X150 (ASPH-GRVD) S-30, D-108, ST-137 HIRL

**RWY 06:** REIL. PAPI(P4L)—GA 3.0° TCH 36'. Thid dspled 406'. **RWY 24:** MALSR. Train.

**RWY 15–33**: H5252X150 (ASPH–GRVD) S–30, D–108, ST–137

RWY 15: MALSR. P-line.

RWY 33: VASI(V4L)—GA 3.0° TCH 45'. Thid dspicd 150'. Tree.

LAND AND HOLD SHORT OPERATIONS

N41°40 16' W70°16 82'

 LANDING
 HOLD SHORT POINT
 DIST AVBL

 RWY 15
 06-24
 4150

 RWY 24
 15-33
 4650

RUNWAY DECLARED DISTANCE INFORMATION

 RWY 06:
 TORA-5425
 TODA-5425
 ASDA-5425
 LDA-5019

 RWY 15:
 TORA-5252
 TODA-5252
 ASDA-5252
 LDA-5252

 RWY 24:
 TORA-5425
 TODA-5425
 ASDA-5425
 LDA-5425

 RWY 33:
 TORA-5252
 TODA-5252
 ASDA-5252
 LDA-5102

 ARRESTING GEAR/SYSTEM

RWY 24: EMAS 200'X176'

AIRPORT REMARKS: Attended continuously. CLOSED to unscheduled air carrier ops with more than 9 passenger seats 0500–1100Z‡ except 1 hr PPR arpt manager 508–778–7770. Be aware of

hi-speed military jet and heavy helicopter tfc vicinity of Cape Cod

CGAS. Do not confuse Cape Cod CGAS-10 NM W-with

Barnstable Muni. Birds, deer, and coyotes on and invof arpt. Arpt

has noise abatement ctc arpt manager 508-778-7765. Touch and

go ops prohibited between 0200–1059Z‡ unless prior approval by arpt manager. Twy B from Rwy 33 to east ramp has soft shoulders and marked. Rwy 15 touchdown rwy visual range avbl. All transient and general aviation pilots must ctc arpt ops on frequency 122.95 prior to engine shutdown for airfield escort. ACTIVATE HIRL Rwy 06–24 and HIRL Rwy 15–33 and MALSR Rwys 15 and 24—CTAF. Ldg fee for all acft over 6000 lbs. WEATHER DATA SUBRCES. ASOS (508) 862–2601. LAWRS.

COMMUNICATIONS: CTAF 119.5 ATIS 123.8 (508-778-1143) UNICOM 122.95

HYANNIS RCO 126.425 (BRIDGEPORT RADIO)

R CAPE APP/DEP CON 118.2 (1100-0400Z‡) May 15-Sep 30, (1100-0300Z‡) Oct 1-May 14). CLNC DEL 125.15 BOSTON CENTER APP/DEP CON 128.75 (0400-1100Z‡) May 15-Sep 30, (0300-1100Z‡) Oct 1-May 14. HYANNIS TOWER 119.5 1100-0300Z‡. GND CON 121.9

AIRSPACE: CLASS D svc 1100-0300Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE MVY.

MARTHAS VINEYARD (L) VOR/DME 114.5 MVY Chan 92 N41°23.77′ W70°36.76′ 057° 22.2 NM to fld. 60/15W.

 $\textbf{BOGEY NDB (LOM)} \ \ 342 \quad \ \ \, \text{HY} \quad \ \, \text{N41}^{\circ}42.97' \ \text{W70}^{\circ}12.18' \qquad 246^{\circ} \ 4.5 \ \text{NM to fld.} \ \text{Unmonitored when twr clsd.}$ 

ILS/DME 108.95 I-BCU Chan 26(Y) Rwy 15. Class IB. (LOC only).

ILS 109.15 I—HYA Chan 28(Y) Rwy 24. Class IT. LOM BOGEY NDB. ILS unmonitored when twr clsd. COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not available at tower.

KATAMA AIRPARK (See EDGARTOWN)

LAURENCE G HANSCOM FLD (See BEDFORD)

LAWRENCE MIINI (LWM) 2 E UTC-5(-4DT) N42°43.03′ W71°07.41′

148 B S4 FUEL 100LL, JET A LRA NOTAM FILE LWM

**RWY 05-23**: H5001X150 (ASPH) S-45, D-62, DT-110

RWY 05: REIL. PAPI(P4L)-GA 3.0° TCH 55'.

RWY 23: REIL. VASI(V4L)-GA 3.7° TCH 54'. Trees.

RWY 14-32: H3900X100 (ASPH) S-30, D-34,

DT-53 MIRL 0.7% up SE

RWY 32: REIL. PAPI(P4L)-GA 4.0° TCH 32'. Thid dspicd 190'. Trees.

AIRPORT REMARKS: Attended 1200Z‡-0300Z‡. Lgtd stack 296' MSL 1/2 mile NW apch end Rwy 23. Birds frequently on or invof arpt: occasional deer on rwy. No transient touch and go ops Sat and Sun. Use reasonable efforts to maintain manufacturer's recommended rate of climb. Clsd tfc pattern initiate turn out at 700' AGL. Clsd tfc pattern opr limited to no more than 5 acft at a time. REIL Rwv 32 OTS indef. ACTIVATE HIRL Rwv 05-23: MIRL Rwy 14-32; REIL Rwys 05, 23 and 32; PAPI Rwys 05, 32-CTAF. Ldg Fee for acft registered to corporation only. Flight Notification Service (ADCUS) available

WEATHER DATA SOURCES: ASOS 126.75 (0300-1200Z‡) (978) 687-8017, LAWRS,

COMMUNICATIONS: CTAF 119.25 ATIS 126.75 RCO 122.1R 112.5T (BRIDGEPORT RADIO)

(R) BOSTON APP/DEP CON 124.4 CLNC DEL 126.15 (when twr clsd) TOWER 119.25 (1200-0300Z±) GND CON 124.3 CLNC DEL 124.3

AIRSPACE: CLASS D svc 1200-0300Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE LWM.

(L) VOR/DME 112.5 LWM Chan 72 N42°44.42′ W71°05.69′ 237° 1.9 NM to fld. 302/15W. DME unusable 160°-195° beyond 23 NM below 2500'.

HAGET NDB (LOM) 402 LW N42°38.65′ W71°11.83′ 052° 5.5 NM to fld.

ILS 111.7 LOM HAGET NDB. I-I WM Rwv 05. Class IB

LYNDY N42°27.12′ W70°57.80′ NOTAM FILE BOS.

NDB (HW) 382 LQ 215° 5.7 NM to General Edward Lawrence Logan Intl.

NDB unusable 165°-035° byd 20 NM.

**NEW YORK** COPTER L-33D

**NEW YORK** 

L-33D, 34J

COPTER

IAP

NEW YORK

H-11D, 12K, L-33D

COPTER

IAP, AD

MANSFIELD MUNI (1B9) 2 SE UTC-5(-4DT)N42°00.01′ W71°11.81′

122 B S4 FUEL 100LL NOTAM FILE BDR RWY 14-32: H3500X75 (ASPH) S-26 MIRL

RWY 14: Thid dspicd 507'. Trees. RWY 32: PAPI(P4L)—GA 4.0° TCH 38'. Thid dsplcd 236'. Trees.

RWY 04-22: 2200X100 (TURF)

RWY NA. Trees RWY 22. Trees

AIRPORT REMARKS: Attended 1300Z‡-dusk, Turf strip CLOSED winter months and after heavy rains. Deer on and in vicinity of arpt. No touch and go landings 0200-1300Z‡. Upon departure of Rwy 32 turn left to 290°. No right turns on departure from Rwv 32 until 1,000' MSL. Upon departure of Rwy 14 no left turns until 824 ft MSL. ACTIVATE MIRL Rwv 14-32-CTAF.

COMMUNICATIONS: CTAF/UNICOM 123.0

RCO 121.725 (BRIDGEPORT RADIO)

R BOSTON APP/DEP CON 124.1

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.

PUTNAM (H) VOR/DME 117.4 PUT Chan 121 N41°57.33' W71°50 65' 099° 29.1 NM to fld. 650/14W.

NDB (MHW) 220 IHM N42°00.17′ W71°11.83′ at fld. Unmonitored 0300-18007±.


COMM/NAV/WEATHER REMARKS: Cinc del thru Bridgeport RADIO (BDR) 1-866-293-5149.

MARCONI N42°01.03′ W70°02.24′ NOTAM FILE BDR

NEW YORK

(H) VORW/DME 114.7 LFV Chan 94 308° 8.9 NM to Provincetown Muni. 152/16W. HIWAS. H-10J, 11D, 12K, L-33D

€3 ⟨3 చెరిస్ట



IAP

<u> 4</u>

*(*3

**NEW YORK** 

03 03

€3 Ø Œ

€3

MARLBORO (9B1) 2 E UTC-5(-4DT) N42°20.59′ W71°30.54′ NFW YORK 285 S4 FUEL 100LL TPA-1385(1100) NOTAM FILE BDR COPTER RWY 14-32: H1659X45 (ASPH) S-9 RWY 14: Trees RWY 32. Trees AIRPORT REMARKS: Attended 1300Z‡-dusk. No touch and go landings. No ngt ops. No low apchs blo 500' AGL. COMMUNICATIONS: CTAF/UNICOM 122.8

COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport RADIO (BDR) 1-866-293-5149. MARSHFIELD MUNI-GEORGE HARLOW FLD (GHG) 2 E UTC-5(-4DT) N42°05.89′ W70°40.33′ **NEW YORK** 11 B S4 FUEL 100LL, JET A OX 1, 3 NOTAM FILE BDR COPTER RWY 06-24: H3001X75 (ASPH) S-12.5 MIRL L-33D RWY 06: REIL, PAPI(P4R)-GA 4.0° TCH 40', Trees. RWY 24. Trees AIRPORT REMARKS: Attended 1300Z‡-dusk. After hrs service by request. Birds and wildlife on and invof arpt, Extensive flt training €3 G G G G activity. Voluntary noise abatement procedures in effect. No touch 000 and go ldgs between 2100-0730 local. Security procedures in effect, All engine runups at midfield ramp, ACTIVATE MIRL Rwy C3 C3 06-24, REIL and PAPI Rwy 06-CTAF. €3 WEATHER DATA SOURCES: AWOS-3 120.0 (781) 837-0555. LAWRS G G a COMMUNICATIONS: CTAF/UNICOM 122.8 €3 Œ €3 (R) BOSTON APP/DEP CON 124.1 ) , G G G RADIO AIDS TO NAVIGATION: NOTAM FILE BOS. BOSTON (H) VOR/DME 112.7 BOS Chan 74 N42°21.45' · C3 • W70°59.37' 154° 21 NM to fld. 20/16W. \*a a a NDB (MHW) 368 IMR N42°05.87′ W70°40.52′ at fld NOTAM n FILE 3B2. NDB unmonitored. NDB located 800' inbound of AER હ હ

#### MARSTON MILLS

CAPE COD (2B1) 5 SE UTC-5(-4DT) N41°41.12′ W70°24.14′ 103 S2 FUEL 100LL TPA-803(700) NOTAM FILE BDR RWY 09-27: 2700X60 (TURF) RWY 09: Trees. RWY 27: Trees. RWY 17-35: 2060X60 (TURF)

COMM/NAV/WEATHER REMARKS: Cinc del thru Bridgeport RADIO (BDR)

RWY 17: Trees.

1-866-293-5149.

RWY 35: P-line.

06 550' northwest of centerline

RWY 05-23: 2035X50 (TURF)

RWY 23: Trees. RWY 05: Trees.

AIRPORT REMARKS: Attended dalgt hours. Parachute Jumping. Be aware of hi-speed military jet and heavy helicopter tfc vicinity of Cape Cod CGAS. Be alert for radio control airplanes NE corner air fld. PPR for Rwy 05-23 ops. Banner tow ops in progress Jun thru Aug north side of airfield. Glider tow ops during dalgt hours. Rwy 35 also has trees

COMMUNICATIONS: CTAF 122 9

COMM/NAV/WEATHER REMARKS: Cinc del thru Bridgeport RADIO (BDR) 1-866-293-5149.

MARTHAS VINEYARD (See VINEYARD HAVEN)

MILTT N42°16.43′ W71°02.95′ NOTAM FILE BOS.

NDB (LOM) 375 BO 036° 5.7 NM to General Edward Lawrence Logan Intl.

MINUTE MAN AIR FIELD (See STOW)

MONPONSETT POND SPB (See HALIFAX)

#### MONTAGUE

TURNERS FALLS (ØB5) 3 N UTC-5(-4DT) N42°35.48' W72°31.37' 356 B S4 FUEL 100LL NOTAM FILE BTV

RWY 16-34: H3013X75 (ASPH) S-30 MIRL 0.3% up SE RWY 16: Trees.


RWY 34: REIL. VASI(V2L)-GA 4.3°TCH 46'. Trees.

AIRPORT REMARKS: Attended 1330–2230Z‡. Parachute Jumping. Noise abatement procedures Rwy 34, calm wind rwy, wind 3–5 kts or less, heading of 335° after departure. Acft departing Rwy 34 will avoid overflight of residential and commercial areas by taking a heading of 335°. Rwy 34 REIL OTS indef. Rwy 34 VASI OTS indef. ACTIVATE MIRL Rwy 16–34; VASI Rwy 34 and REIL Rwy 34—CTAF.

COMMUNICATIONS: CTAF 123.0 UNICOM 123.0 (1300–2300Z‡) Boston Center App/Dep con 123.75

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.

**GARDNER (L) VOR/DME** 110.6 GDM Chan 43 N42°32.76′ W72°03.49′ 292° 20.8 NM to fld. 1280/14W.



**NEW YORK** 

L-33C, 34J

MYRICKS (See BERKLEY)

MASSACHUSETTS NANTUCKET MEM (ACK) 3 SE UTC-5(-4DT) N41°15.18′ W70°03.61′ NEW YORK 48 B FUEL 100LL. JET A Class I, ARFF Index B NOTAM FILE ACK H-10J, 12K, L-33D RWY 06-24: H6303X150 (ASPH) S-75, D-170, ST-175, DT-280 HIRL CL IAP, AD 0.3% up NE. RWY 06: MALSF. VASI(V4L)-GA 3.0°. Thid dspicd 551'. RWY 24: SSALR, TDZL, PAPI(P4L)-GA 3.0° TCH 48'. Œ €3 RWY 15-33: H4000X100 (ASPH) S-60, D-85, ST-108, DT-155 MIRL RWY 15: REIL. Building. RWY 33: REIL. VASI(V4R)-GA 3.0°TCH 43'. RWY 12-30: H2696X50 (ASPH) S-12.5 LAND AND HOLD SHORT OPERATIONS a HOLD SHORT POINT **DIST AVRI** DAILUNG RWY NG 15\_33 4300 **RWY 33** 06-24 3150 RUNWAY DECLARED DISTANCE INFORMATION RWY 06: TORA-6303 TODA-6303 ASDA-6303 LDA-5752 0 RWY 12: TORA-2696 TODA-2696 ASDA-2696 LDA-2696 RWY 15: TORA-4000 TODA-4000 ASDA-4000 IDA-4000 RWY 24: TORA-6303 TODA-6303 ASDA-6303 LDA-6303 RWY 30: TORA-2696 TODA-2696 ASDA-2696 LDA-2696 RWY 33: TORA-4000 TODA-4000 ASDA-4000 LDA-4000 AIRPORT REMARKS: Attended continuously. Be aware of hi-speed military iet and heavy helicopter tfc vicinity of Cape Cod CGAS. Deer and birds on and invof arpt. Rwy 12-30 VFR/Day use only aircraft under 12,500 lbs. Arpt has noise abatement procedures ctc Noise Officer 508-325-5300. PPR 2 hours for unscheduled air carrier ops with more than 9 passenger seat, call arpt manager 508-325-5300. Rwv 06 touchdown and rollout runway visual range avbl. Rwy 24 midpoint and rollout runway visual range avbl. When twr clsd ACTIVATE MALSF Rwy 06; SSALR Rwy 24; HIRL Rwy 06-24; MIRL Rwy 15-33; PAPI Rwy 24 and twy lgts—CTAF. VASI Rwy 06 and Rwy 33 opr 24 hrs. Rwy 24 SSALR unmonitored when twr clsd. Twy F between A and B clsd indef. Twy F prohibited to air carrier acft with more than 9 passenger seats when twr clsd. Fee for non-commercial acft parking over 2 hrs or over 6000 lbs. NOTE: See Special Notices-VFR Noise Abatement Procedures WEATHER DATA SOURCES: ASOS (508) 325-6082. LAWRS. COMMUNICATIONS: CTAF 118.3 ATIS 127.5 (508-228-5375) UNICOM 122.95 RCO 122.1R 116.2T (BRIDGEPORT RADIO) R CAPE APP/DEP CON 126.1 (1100-0400Z‡) May 15-Sept 30, (1100-0300Z‡) Oct 1-May 14. BOSTON CENTER APP/DEP CON 128.75 (0400-1100Z‡) May 15-Sept 30, (0300-1100Z‡) Oct 1-May 14. TOWER 118.3 May 15-Sep 30 (1100-0300Z‡), Oct 1-May 14 (1100-0200Z‡).

GND CON 121.7 CLNC DEL 119.375

AIRSPACE: CLASS D svc May 15-Sep 30 1100-0300Z‡, Oct 1-May 14 1100-0200Z‡ other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE ACK.

Chan 109 N41°16.91′ W70°01.60′ 236°2.3 NM to fld. 100/15W. (H) VOR/DME 116.2 ACK

WAIVS NDB (LOM) 248 AC N41°18.68' W69°59.21' 240° 4.8 NM to fld.

ILS/DME 109.1 I-ACK Chan 28 Class IE. LOM WAIVS NDB. ILS unmonitored when twr Rwy 24.

clsd.

ILS/DME 109.1 I-RNE Chan 28 Rwv 06. Class IE.

NAUSET N41°41.51′ W69°59.39′ NOTAM FILE BDR.

NEW YORK

L-33D

NDB (MHW) 279 CQX at Chatham Muni. NDB unusable 220°-280° byd 20 NM.

NEFOR N41°37.30′ W71°01.06′ NOTAM FILE EWB.

NDB (LOM) 274 EW 056°4.3 NM to New Bedford Rgnl.

NEW BEDFORD RGNL (EWB) 2 NW UTC-5(-4DT) N41°40.57′ W70°57.42′ 80 B S4 FUEL 100LL, JET A OX 3, 4 LRA NOTAM FILE EWB

RWY 14-32: H5000X150 (ASPH) S-33, D-48, DT-95 MIRL

RWY 14. Tree

RWY 32: REIL. VASI(V4L)-GA 3.0°TCH 52'. Trees.

RWY 05-23: H4997X150 (ASPH) S-30, D-108, ST-137, DT-195 HIRL 0.3% up NE

RWY 05: MALSR.

RWY 23: MALSR. VASI(V4L)-GA 3.1° TCH 31'. Thid dspicd 413'. AIRPORT REMARKS: Attended 1100-0500Z‡, Birds and deer on and invof arpt. When twr clsd ACTIVATE HIRL Rwy 05-23, MIRL Rwy 14-32, MALSR Rwys 05 and Rwy 23, REIL Rwy 32-CTAF, VASI

Rwys 23 and 32 ops 24 hours. Flight Notification Service (ADCUS) available

WEATHER DATA SOURCES: ASOS (508) 992-0195, LAWRS.

COMMUNICATIONS: CTAF 118.1 ATIS 126.85 508-994-6277. UNICOM 122.95

R PROVIDENCE APP/DEP CON 128.7 (1045-0500Z‡)

BOSTON CENTER APP/DEP CON 124.85 (0500-1045Z±)

TOWER 118.1 (1200-0300Z‡) GND CON 121.9 AIRSPACE: CLASS D svc 1200-0300Z tother times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE PVD.

PROVIDENCE (H) VORTACW 115.6 PVD Chan 103 N41°43.46′ W71°25.78′ 112° 21.4 NM to fld. 49/14W.

NEFOR NDB (LOM) 274 EW N41°37.30′ W71°01.06′ 056° 4.3 NM to fld.

ILS/DME 109.7 I-EWB Chan 34 Rwv 05. LOM NEFOR NDB. LOC backcourse and backcourse DME unusable byd 12 NM. LOC backcourse and backcourse DME unusable 15° left and right of course. Autopilot 

#### **NEWBURYPORT**

PLUM ISLAND (2B2) 1 SE UTC-5(-4DT) N42°47.72′ W70°50.37′

S2 FUEL 100LL TPA—See Remarks NOTAM FILE BDR

RWY 14-32: 2300X100 (TURF-GRVL)

RWY 14: Trees RWY 32: Trees

RWY 10-28: H2105X50 (ASPH) S-8

RWY 28: Thid dsplcd 300', Fence, RWY 10: Trees.

AIRPORT REMARKS: Attended Apr-Sep 1300-2300Z‡. Attended irregularly Oct-Mar. Ultralight pattern altitude 411(400). Rwy 10-28 outlined with reflectors.

COMMUNICATIONS: CTAF/UNICOM 123.0

R BOSTON APP/DEP CON 124.4

COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport RADIO (BDR) 1-866-293-5149.

#### NORTH ADAMS

HARRIMAN-AND-WEST (AQW) 3 W UTC-5(-4DT) N42°41.77′ W73°10.21′

654 B S6 FUEL 100LL, JET A OX 3 TPA-1654(1000) NOTAM FILE AQW

RWY 11-29: H4300X100 (ASPH) S-25 MIRL

RWY 11: Thid dspicd 1180'. Trees.

RWY 29: Thid dsplcd 800'. Trees.

AIRPORT REMARKS: Attended dawn-dusk. Mountain ranges 9,100 ft north at elev 1,894 ft; 4,300 ft north at elev 2,254 ft; 10,800 ft south at elev 2,951 ft; 12,800 ft south at elev 2,690 ft. Extensive glider operations sunrise-sunset surface-18,000 ft year round, primarily weekends and holidays. Deer and birds on and invof arpt, ACTIVATE MIRL Rwv 11-29-CTAF.

WEATHER DATA SOURCES: ASOS 134.775 (413) 664-6658.

COMMUNICATIONS: CTAF/UNICOM 122.8


RADIO AIDS TO NAVIGATION: NOTAM FILE BTV.


CAMBRIDGE (L) VORW/DME 115.0 CAM Chan 97 N42°59.66' W73°20.64' 171° 19.5 NM to fld. 1490/14W. HIWAS.

H-10J, 11D, 12J, L-33D IAP. AD

NEW YORK

**NEW YORK** 





NEW YORK

L-33C, 34J

**NEW YORK** 

COPTER L-33D. 34J

ΙΔΡ

NORTHAMPTON (7B2) 1 NE UTC-5(-4DT) N42°19.69′ W72°36.69′

121 B S2 FUEL 100LL NOTAM FILE BTV

RWY 14-32: H3365X50 (ASPH) S-7.5 HIRL

RWY 14: VASI(V4L)-GA 4.0° TCH 58'. Trees.


RWY 32: Thid dsplcd 250'. Trees.

AIRPORT REMARKS: Attended 1300-2300Z‡. Fuel is 24 hr self-serve. Arpt CLOSED to acft and helicopters certified for 12,500 pounds and over. Rwy 14 VASI unusable beyond 1° left of center line. ACTIVATE HIRL Rwy 14-32 and VASI Rwy 14-CTAF. Landing fee for commercial acft. Fee and PPR for commercial balloon ops. COMMUNICATIONS: CTAF/UNICOM 122.7

R BRADLEY APP/DEP CON 125.35 CLNC DEL 133.6

RADIO AIDS TO NAVIGATION: NOTAM FILE CEF.

BARNES (L) VORTAC 113.0 BAF Chan 77 N42°09.72' W72°42.97' 039° 11 NM to fld. 270/14W.



NORWOOD MEM (OWD) 2 E UTC-5(-4DT) N42°11.43′ W71°10.38′

49 B S4 FUEL 100LL JET A OX 4 NOTAM FILE OWD RWY 17-35: H4008X100 (ASPH) S-58, D-69, ST-88

RWY 17: PAPI(P4R)-GA 3.0° TCH 40'. Trees.

RWY 35: MALSF. PAPI(P4L)-GA 3.0° TCH 40'. Rgt tfc.

RWY 10-28: H3995X75 (ASPH) S-58, D-69, ST-88

RWY 10: PAPI (P4R)—GA 4.0° TCH 25'. Thid dsplcd 987'. Tower. RWY 28: Trees. Rgt tfc.

LAND AND HOLD SHORT OPERATIONS

LANDING HOLD SHORT POINT DIST AVRI **RWY 35** 10-28 3320

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡. 1349(1199) and 1349(1249) TV twr 8 NM NNW. 125' flagpole 1 mile NW of Rwy 17 apch. 1184(1063.5) twr 8.5 NM NNW. Rwy 28 and 35 rgt tfc for touch and go ldg only. All acft exceeding 87 effective perceived noise level in decibels or 75 decibels, as measured in Part 36 prohibited from using arpt. When twr clsd ACTIVATE MIRL Rwy 17-35, MALSF Rwy 35 and PAPI Rwy 10, Rwy 17, Rwy 35-CTAF. Ldg fee for transient acft with more than 5000 lbs max gross

WEATHER DATA SOURCES: ASOS (781) 762-4314, LAWRS. COMMUNICATIONS: CTAF 126.0 ATIS 119.95 (781-769-3825)

R BOSTON APP/DEP CON 124.1 TOWER 126.0 (Nov 1-Apr 30 1200-0100Z‡: May 1-Oct 31 1200-0300Z‡.) GND CON 121.8 CLNC DEL 121.8 AIRSPACE: CLASS D svc Nov 1-Apr 30 1200-0100Z‡, May 1-Oct 31 1200-0300Z‡ other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE BOS.

BOSTON (H) VOR/DME 112.7 BOS Chan 74 N42°21.45′ W70°59.37′ 235° 12.9 NM to fld. 20/16W. STOGE NDB (LOM) 397 OW N42°07.18' W71°07.70' 350° 4.7 NM to fld.

ILS/DME 108.3 I-OWD Chan 20 Rwy 35. LOM STOGE NDB, LOC only, LOC unmonitored when twr clsd.

**ORANGE MUNI** (ORE) 1 SE UTC-5(-4DT) N42°34.21′ W72°17.32′

555 B S2 **FUEL** 80, 100LL, JET A NOTAM FILE ORE **RWY 01–19**: H5000X75 (ASPH) S–25 MIRL 0.4% up S

RWY 01: Thid dsplcd 100'. Trees.

RWY 19: Thid dsplcd 850'. Trees.

**RWY 14–32**: H4801X75 (ASPH) S–25 MIRL 0.4% up SE

RWY 14: Thid dspicd 1477'. Trees.

RWY 32: Thid dsplcd 1659'. Trees.

AIRPORT REMARKS: Attended 1300–2200Z‡. Parachute Jumping. Parachute jumping weekends only. ACTIVATE MIRL Rwy 01–19 and Rwy 14–32—CTAF.

WEATHER DATA SOURCES: ASOS 135.675 (978) 544-6774.

**COMMUNICATIONS: CTAF/UNICOM 122.8** 


R BOSTON CENTER APP/DEP CON 123.75

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.

GARDNER (L) VOR/DME 110.6 GDM Chan 43 N42°32.76′ W72°03.49′ 292° 10.3 NM to fld. 1280/14W.

NDB (MHW) 205 ORE N42°34.12′ W72°17.17′ at fld. Unmonitored. Unusable beyond 15 NM.

COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport RADIO (BDR) 1-866-293-5149



**OTIS** N41°39.59′ W70°30.85′ NOTAM FILE BDR

(L) TACAN Chan 105 FMH (115.8) at CAPE COD CGAS fld. 120/15W.

No NOTAM MP Mon 1500-1600Z‡.

DME unusable:  $315^{\circ}$ – $100^{\circ}$  byd 25 NM blo 3000' AZIMUTH unusable:  $360^{\circ}$ – $075^{\circ}$  byd 30 NM blo 3000'

NEW YORK H-10J. 11D, 12K, L-33D

**NEW YORK** 

ΙΔΡ

H-10I, 11D, 12J, L-33B, 34I

NEW YORK

H-10I, 11D, 12J, L-33C, 34J

PLUM ISLAND (See NEWBURYPORT)

**PITTSFIELD MUNI** (PSF) 2 W UTC-5(-4DT) N42°25.61′ W73°17.58′

1194 B S4 FUEL 100LL, JET A OX 4 NOTAM FILE PSF

RWY 08-26: H5001X100 (ASPH-GRVD) S-44, D-54 MIRL 1.0% up W

RWY 08: Trees.

RWY 26: MALSF. VASI(V4L)-GA 3° TCH 55'. Trees. Rgt tfc.

**RWY 14–32**: H3496X100 (ASPH) S–25 MIRL 0.8% up NW

RWY 14: Trees. RWY 32: VASI(V2L)—GA 3°. Trees. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Fri 1200-0100Z‡, Sat

1300–2300Z‡, and Sun 1300–2300Z‡. For fuel after hours call 413–499–6017. Wildlife on and invof arpt. Landing and parking fees. All acft utilize twy systems A and C for Rwy 08–26. Twy A use rstd to acft with wingspan less than 79'. ACTIVATE MIRL Rwys 08–26 and 14–32 and MALSF Rwy 26—CTAF.

WEATHER DATA SOURCES: ASOS 135.375 (413) 499-3273.

COMMUNICATIONS: CTAF/UNICOM 122.7

RCO 122.05 (BURLINGTON RADIO)

ALBANY APP/DEP CON 132.825 CLNC DEL 128.6


RADIO AIDS TO NAVIGATION: NOTAM FILE BTV.

CHESTER (L) VOR/DME 115.1 CTR Chan 98 N42°17.48′ W72°56.96′ 311° 17.3 NM to fld. 1600/13W.

**DALTON NDB (MHW)** 370 DXT N42°28.26′ W73°10.21′ 259° 6.1 NM to fld. NOTAM FILE PSF.

Unusable byd 12 NM.

ILS/DME 108.3 I-EIF Chan 20 Rwy 26. LOC only. LOC unmonitored.



NEW YORK

NEW YORK

COPTER

L-33D

PLYMOUTH MUNI (PYM) 4 SW UTC-5(-4DT) N41°54.54′ W70°43.73′ 148 B S4 FUEL 100LL, JET A OX 2, 4 NOTAM FILE PYM

RWY 06-24: H4349X75 (ASPH) S-25 MIRL 0.3% up NE RWY 06: MALSF. PAPI(P4L)-GA 3.0° TCH 36'. Trees.

RWY 24: REIL. PAPI(P4L)—GA 4.0° TCH 40'. Trees.

RWY 15-33: H3351X75 (ASPH) S-25 MIRL 0.4% up NW RWY 15: Trees RWY 33: PAPI(P4L)-GA 3.0° TCH 37'. Tree.

AIRPORT REMARKS: Attended 1100-0300Z‡. No touch and go ldg 0200-1300Z‡. Be aware of hi-speed military jet and heavy helicopter tfc vicinity of Cape Cod CGAS. Be alert for deer on and invof rwys at night. ACTIVATE MIRL Rwy 06-24 and Rwy 15-33; MALSF Rwv 06 and REIL Rwv 24-122.9.

WEATHER DATA SOURCES: ASOS 135.625 (508) 746-8003.

COMMUNICATIONS: CTAF/UNICOM 123.0

R CAPE APP/DEP CON 118.2 (1100-0400Z‡) May 15-Sept 30; (1100-0300Z±) Oct 1-May 14. CLNC DEL 127.75


BOSTON CENTER APP/DEP CON 128.75 (0400-1100Z‡) May 15-Sept 30; (0300-1100Z‡) Oct 1-May 14.

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.

MARCONI (H) VORW/DME 114.7 LFV Chan 94 N42°01.03' W70°02.24' 274° 31.6 NM to fld. 152/16W. HIWAS. NDB (MHW) 257 FFF N41°50.85′ W70°48.16′ 058° 5 NM to

fld. NOTAM FILE PYM. Unmonitored 0700-1500Z‡. Unusable byd 15 NM.

I-PYM ILS/DME 109.35 Chan 30(Y) Rwv 06.



PROVINCETOWN MUNI (PVC) 2 NW UTC-5(-4DT) N42°04.32′ W70°13.28′

9 B S2 FUEL 100LL NOTAM FILE PVC RWY 07-25: H3500X100 (ASPH) S-25 HIRL

RWY 07: MALSF, REIL, PAPI(P4R)-GA 3.0°TCH 40'.

RWY 25: REIL. PAPI(P4L)-GA 3.0° TCH 40'. Trees. Rgt tgc. AIRPORT REMARKS: Attended May-Oct, dalgt hours; Nov-Apr, Mon-Sat

1100-2300Z‡, Sun 1600-2330Z‡. Check with arpt ops on fuel availability, 508-487-0241. No ultralight ops permitted May 1-Sep 30. Coyote and deer on and invof arpt-especially at ngt. ACTIVATE MALSF Rwy 07 and HIRL Rwy 07-25-122.85. Be aware of hi-speed military and heavy helicopter traffic in vicinity of Cape Cod CGAS. Parking fee.

WEATHER DATA SOURCES: AWOS-3 119.025 (508) 487-6435.

COMMUNICATIONS: CTAF/UNICOM 122.8

ILS/DME 111.1

(R) CAPE APP/DEP CON 118.2 (1100-0400Z‡ May 15-Sep 30; 1100-0300Z‡ Oct 1-May 14) CLNC DEL 120.65

BOSTON CENTER APP/DEP CON 128.75 (0400-1100Z‡ Jun 15-Sept 15; 0300-1100Z Sept 16-Jun 14)

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.


MARCONI (H) VORW/DME 114.7 LFV Chan 94 N42°01.03' W70°02.24' 308° 8.9 NM to fld. 152/16W. HIWAS.

NDB (MHW) 389 PVC N42°04.13' W70°13.41' at fld. NOTAM FILE PVC.

I-VQ0 Chan 48 Rwy 07.

SHAKER HILL N42°27.35′ W71°10.71′ NOTAM FILE BED.

NDB (MHW) 251 SKR 296° 5 NM to Laurence G Hanscom Fld. Unmonitored indefinitely. Unusable byd 10 NM.




NEW YORK COPTER L-33D. 34J R BRADLEY APP/DEP CON 119.0

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.

W71°50.65′ 329° 12.3 NM to fld. 650/14W.

COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport RADIO (BDR) 1-866-293-5149.



 SPENCER
 (6ØM)
 2 NE
 UTC-5(-4DT)
 N42°17.43′ W71°57.88′
 NEW YORK

 1040
 S4
 FUEL
 100LL
 TPA—1840(800)
 NOTAM FILE BDR

 RWY 01-19:
 1949X50 (ASPH)
 LIRL

 RWY 01:
 Trees.
 RWY 19:
 Trees.

 AIRPORT REMARKS:
 Attended Mon-Sat 1400-2300Z‡.
 ACTIVATE LIRL Rwy 01-19—CTAF.

 COMMUNICATIONS:
 CTAF/UNICOM 123.0

 COMM/NAV/WEATHER REMARKS:
 Cinc del thru Bridgeport RADIO (BDR) 1-866-293-5149.

#### MASSACHUSETTS SPRINGFIELD/CHICOPEE WESTOVER ARB/METROPOLITAN (CEF)(KCEF) CIV/MIL/AFRC 3 NE UTC-5(-4DT) NEW YORK N42°11.64′ W72°32.09′ H-10I, 11D, 12J, L-33C, 34J 241 B FUEL 100LL, JET A TPA-See Remarks Class I, ARFF Index E NOTAM FILE CEF ΠΙΔΡ ΔΠ RWY 05-23: H11597X301 (ASPH) S-155, ST-175, D-250, DT-380, TDT 840, DDT-840 PCN 44 F/A/W/T HIRL RWY 05: ALSF1. PAPI(P4L)-GA 3.0°. TCH 72'. Thid dspicd 1201'. Rgt tfc. RWY 23: ALSF1. PAPI(P4L)-GA 3.0°. TCH 64'. RWY 15-33: H7082X150 (ASPH) S-95, D-170, DT-175, TDT-630, DDT-630 PCN 30 F/B/W/T HIRL RWY 15: PAPI(P4L)—GA 3.0° TCH 76'. RWY 33: PAPI(P4L)-GA 3.0° TCH 75'. Rgt tfc. MILITARY SERVICE: JASU (A/M32A-86) 2(MA-1A) 2(MC-1A) 3(LASS) FUEL J8(MiI) (NC-100LL, JET A) FLUID SP PRESAIR De-Ice (Not avbl for frost/snow removal except AFRC/AMC missions.) LHOX LOX LHNIT **III** 0-148-156 TRAN ALERT Opr Sun-Sat 1200-0400Z except holidays. AIRPORT REMARKS: Attended 1200-0400Z‡. Fuel operating hrs 1100-0300Z‡ weekdays, 1100-1900Z‡ weekends except holidays, Arpt CLOSED 0400-1200Z‡, Bird hazard, Unlit obstruction west side Rwy 05 clear zone, ARNG no obstruction lgt. Strobe lgt located atop stacks 4000' left Rwy 23 thld; occasional steam cloud, VMC departing acft remain at or blo 1000 ft until past departure end of rwy to ensure separation from VFR overhead and clsd pattern tfc. First 1000' each end Rwy 05-23 concrete and middle 9600' is asphalt. Rwy 05-23 1000' overrun both ends of rwy. Transient parking area unlighted. Vehicle traffic on Sierra twy uncontrolled by twr. Uncontrolled vehicular tfc on ramps and twys. Twy S clsd at intersection of Twy N. Airfield Igts avbl only during operating hours. Rotating bcn clear side is split clear lgt. Daylight turned on when airfield is IFR. Heavy VFR tfc blo 10,000 ft along river and highway 5 NM SW of airfield. Extensive hang glider and glider activity in the Mt. Greylock area approximately 45 NM NW of field. Light acft tfc, hang glider operations and hot air ballooning activity along river W and NW of arpt. Expect delay or full stop Idg when local or tactical training missions are in progress. Westover ARB is a joint-use airfield. IFR tkf and ldg minimums as prescribed by USAF regulations apply. Call arpt manager at C413-593-5543 for clarification. Civilian training limited to low apphs only. Compass rose clsd to ngt ops for all acft, areas not lgtd. TPA rectangular light acft 1000(759), large acft 2000(1759), overhead 2500(2259). PAPI all rwys provides proper TCH for height Group 4 acft only. Rwy 23 PAPI unusable byd 6° right. PAPI off during opr hr periods of no tfc. Ldg fee. MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remarks. RSTD PPR DSN 589-2951, C413-557-2951, fax extension 2156. AMC, AMC-GAINED and AFRC acft opr restricted during Bird Watch Conditions Moderate (tkf or Idg permissions only when dep/arr route avoid identified bird activity, no local traffic pattern activity) and Severe (tkf and ldg prohibited without OG/CC approval), ctc PTD/ATIS for current Bird Watch Condition Code. Continue opr by non-AFRC mil or civil acft during Bird Watch Condition Severe or Moderate are at their own discretion and will be strongly advised to discontinue opr. No transient C-5 acft arrivals authorized unless approved by 439th OG/CC DSN 589-2204. Circling to Rwy 05 not allowed due to noise abatement restrictions unless approved by 439 OG/CC. CAUTION Potential for hydroplaning after any precipitation. Ponding at intersection Rwy 05-23 and Rwy 15–33 measured in ½10 th inches. See NOTAMS for KCEF. Uncontrolled vehicles on ramps and twys. NS ABTMT No practice apch for transient acft Sun 0300-0400Z‡, 1200-1700Z‡ unless approved by 439 OG/DO only. CSTMS/AG/IMG AvbI thru Base OPS 24 hr prior coordination required, DSN 589-2917/2951. Ctc PTD 2 hr prior to Idg via direct air/ground communications or telephone patch. MISC Advise twr of drag chute deployment prior to ldg. Tran aircrews ctc Base OPS 30 minutes prior to ldg with intentions. Base OPS does not have COMSEC avbl for tran aircrews. Tran aircrews should plan to arrive with appropriate amount of COMSEC to complete mission. No U-drive vehicles avbl. ctc transportation for all reg DSN 589-3855. COMMUNICATIONS: CTAF 134.85 ATIS 114.0 138.1 (1200-0400Z‡) UNICOM 123.0 (R) BRADLEY APP/DEP CON 125.35 281.5 TOWER 134.85 348.75 (1200-0400Z±) GND CON 118.35 275.8 COMD POST 439 AW (CASINO ROYALE) 252.1 (Opr 24 hours) PMSV METRO 274.75 Full svc 1100-0400Z‡, DSN 589-2879, other times ctc 15th OWS DSN 576-9702. Ngt obsn Itd due to high ints security Igt. AfId WX is monitored by AN/FMQ-19 Automated Observing System and augmented by human observer during full svc hrs. AIRSPACE: CLASS D syc effective 1200-04007t other times CLASS G RADIO AIDS TO NAVIGATION: NOTAM FILE CEF. BARNES (L) VORTAC 113.0 BAF Chan 77 N42°09.72'W72°42.97' 091° 8.3 NM to fld. 270/14W. (L) VORTACW 114.0 CEF Chan 87 N42°11.85′ W72°31.58′ at fld. 241/14W, NOTAM FILE CEF, No

NOTAM MP; VOR MP Tue 1400-1600Z‡, TACAN MP Thu 1400-1600Z‡. VOR unusable: 051°-129° byd 20 NM blo 4000′ 221°-299° byd 20 NM blo 4500′ 130°-220° byd 20 NM blo 5000′ 300°-050° byd 12 NM blo 4500' TACAN unusable: 300°-051° byd 25 NM blo 7000′ 052°-201° byd 25 NM blo 8000′ 202°-299° byd 25 NM blo 6000′ No NOTAM MP Mon. Wed. Fri 1400-1600Z±. ILS 109.9 I–GW J Rwy 05. IIS 109 9 I-CFF Rwv 23 Monitored 1200-0400Z±. No NOTAM MP Mon. Wed. Fri 1400-1600Z±. COMM/NAV/WEATHER REMARKS: Twr ops extensions/irregular hours by NOTAM. ATIS No NOTAM MP Thu 1400-1600Z†.

STERLING (3B3) 2 SW UTC-5(-4DT) N42°25.56′ W71°47.57′ NEW YORK 459 B S2 FUEL 100LL NOTAM FILE BDR L-33C, 34J RWY 16-34: H3086X40 (ASPH) S-8 LIRL (NSTD) Helipad H1: 50 X 50 RWY 16: Thid dspicd 150'. Trees. **(3** a RWY 34: Thid dsplcd 500'. Tree. a Œ AIRPORT REMARKS: Attended Thu-Sun 1300-2300Z‡. Glider ops in n vicinity of arpt SR-SS daily. Intensive glider activity on weekends. 63 Rwy 16-34 NSTD LIRL; first 240' Rwy 16 unlgtd; first 240' Rwy a 34 unlgtd. ACTIVATE LIRL Rwy 16-34 and rotating bcn-CTAF. Rwy 63 ß Igts begin 200 ft down Rwy 16, and 300 ft down Rwy 34. a **COMMUNICATIONS: CTAF 122.9** RADIO AIDS TO NAVIGATION: NOTAM FILE BDR. n ~ GARDNER (L) VOR/DME 110.6 GDM Chan 43 N42°32.76' C W72°03.49' 135° 13.8 NM to fld. 1280/14W. 43 Œ COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport RADIO (BDR) Ø 1-866-293-5149. . . . . COT! HELIPAD H1: H50X50 (ASPH) STOGE N42°07.18′ W71°07.70′ NOTAM FILE OWD. NEW YORK NDB (LOM) 397° OW 350° 4.7 NM to Norwood Mem. L-33D, 34J STOW MINUTE MAN AIR FIELD (6B6) 2 N UTC-5(-4DT) N42°27.63′ W71°31.08′ **NEW YORK** 268 B S4 FUEL 100LL, MOGAS TPA—See Remarks NOTAM FILE BDR L-33C. 34J RWY 03-21: H2770X48 (ASPH) S-12.5 LIRL IAP RWY 21: REIL. Trees. RWY 12-30: 1600X70 (TURF-GRVL) 03 03 တြက်တက်ကြက် G C RWY 12. Trees RWY 30: Trees. G G G 03 03 03 AIRPORT REMARKS: Attended 1400-2100Z‡. Tree obstruction in apch, ପ୍ର ପ୍ର ପ୍ର primary and transition surfaces Rwy 03 and Rwy 12-30. Upwind a 0000 and crosswind apchs not recommended. Noise abatement **63** Œ (3 €3 procedures in effect notify arpt manager 978-897-3933 of Ġ ß छ छ Œ ß intention to opr between 0400-1100Z±. TPA for light acft €3 €3 C3 03 03 1300(1032). Helicopters use rgt tfc. Rotating bcn OTS €3 G<sup>G</sup> €3 CO €3 0400-1200Z±. ACTIVATE REIL Rwv 21-CTAF. ¢ €3 €3 COMMUNICATIONS: CTAF/UNICOM 122.8 Œ ⟨3 1600 X 70 C3 €3 R BOSTON APP/DEP CON 124.4 Œ O Č €3 C3 €3 G G G G G G €3 RADIO AIDS TO NAVIGATION: NOTAM FILE MHT. €3 €3 G 63 3 C3 C3 MANCHESTER (L) VOR/DME 114.4 MHT Chan 91 N42°52.11' ଫ୍ଟ୍ଟ ¢

03 03

C3 C3

€3

0000000

€3 €3

Ø

0000

€3

**3** 3 

¢

274° 5.9

G G G

TANNER—HILLER (See BARRE/BARRE PLAINS)

NM to fld NOTAM FILE BED

1-866-293-5149

W71°22.17' 210° 25.3 NM to fld. 469/15W.

BEDDS NDB (LOM) 332 BE N42°28.79' W71°23.32'

COMM/NAV/WEATHER REMARKS: Cinc del thru Bridgeport RADIO (BDR)

TAUNTON MUNI-KING FIELD (TAN) 3 E UTC-5(-4DT) N41°52.46′ W71°01.00′ NEW YORK 43 B S4 FIIFI 10011 NOTAM FILE BDR L-33D RWY 12-30: H3500X75 (ASPH) S-21 MIRL ΙΔΡ RWY 12. Trees RWY 30: REIL. VASI(V4L)-GA 3.6°TCH 45'. Trees. RWY 04-22: 1900X60 (TURF-GRVL) RWY 04: Trees RWY 22. Trees Park AIRPORT REMARKS: Attended Sep-May 1300-2200Z‡, Jun-Aug æ 1300-2300Z‡. Rwy 04-22 surface rough and loose stones. Avoid flying over the elementary school at the departure end of Rwy 30. €3 a Helicopters avoid overflight of densely populated areas west and **(3** n south of arpt. ACTIVATE MIRL Rwv 12-30: VASI Rwv 30 and Igtd 63 €3 G G 3 windsock-CTAF (3 (3 a ß WEATHER DATA SOURCES: ASOS 132.675 (508) 824-5005. €3 63 a COMMUNICATIONS: CTAF/UNICOM 122.7 a €3 Ø 63 R PROVIDENCE APP/DEP CON 128.7 (1045-0500Z‡) **3** Œ BOSTON CENTER APP/DEP CON 124.85 (0500-1045Z±) €3 RADIO AIDS TO NAVIGATION: NOTAM FILE PVD. a Œ PROVIDENCE (H) VORTACW 115.6 PVD Chan 103 N41°43.46' W71°25.78' 078° 20.6 NM to fld. 49/14W. TAN N41°52.59′ W71°01.02′ at fld NOTAM FILE BDR. Unmonitored. NDB unusable 090°-180° beyond 15 COMM/NAV/WEATHER REMARKS: Clnc del thru Bridgeport RADIO (BDR) 1-866-293-5149. TOPSFIELD N42°37.16′ W70°57.41′ NOTAM FILE BVY. NEW YORK NDB (MHW) 269 TOF 156° 2.8 NM to Beverly Muni. (Unmonitored). COPTER L-33D TURNERS FALLS (See MONTAGUE) **VINEYARD HAVEN** MARTHAS VINEYARD (MVY) 3 S UTC-5(-4DT) N41°23.58′ W70°36.86 NFW YORK B FUEL 100LL, JET A TPA-1068(1000) Class I, ARFF Index A NOTAM FILE MVY H\_101 121 1-330 RWY 06-24: H5504X100 (ASPH-GRVD) S-65, D-108, ST-137, DT-185 HIRL IAP, AD RWY 06: REIL. VASI(V4L)-GA 3.0°TCH 60'. Trees. RWY 24: MALSR. Rgt tfc. 3 RWY 15-33: H3297X75 (ASPH) S-31, D-45, DT-61 MIRI 0.3% up NW Ø €3 RWY 33: REIL. Trees. Rgt tfc. RWY 15: Trees. ß RUNWAY DECLARED DISTANCE INFORMATION RWY 15: TORA-3297 TODA-3297 ASDA-3297 LDA-3297 a ASDA-3297 RWY 33: TORA-3297 TODA-3297 IDA-3297 a AIRPORT REMARKS: Attended 1100-0300Z‡. Be aware of hi-speed €3 military jet and heavy helicopter tfc vicinity of Cape Cod CGAS. රා රා O C Arpt has noise abatement procedures, ctc ops 508-693-7022. 2 24 hr PPR for unscheduled air carrier ops with more than 9 Œ passenger seats call arpt manager 508-693-7022. Rwy 24 **(3** Tiedo 00°0 0 touchdown runway visual range avbl. Twy E clsd to acft with over 9 Area passengers, REIL Rwy 06 OTS indef. When twr clsd ACTIVATE HIRL ß n Rwy 06-24, MALSR Rwy 24, MIRL Rwy 15-33, REIL Rwy 33—CTAF. ACTIVATE REIL Rwy 06 (24 hours)—CTAF. Parking fee all acft. Ldg fee all acft over 6000 lbs. WEATHER DATA SOURCES: ASOS (508) 696-6988 COMMUNICATIONS: CTAF 121.4 ATIS 126.25 508-693-7685. IINICOM 122 95 RCO 122.1R 114.5T (BRIDGEPORT RADIO) R CAPE APP/DEP CON 134.65 133.75 119.7 (3000' to 14,000') (1100-0400Z‡) May 15-Sept 30 (1100-0300Z‡) Oct 1-May 14. CLNC DEL 119.7 (when twr clsd)  $\textbf{BOSTON CENTER APP/DEP CON } 128.75 \; (0400-1100Z\ddagger) \; \text{May } 15-\text{Sept } 30 \; (0300-1100Z\ddagger) \; \text{Oct } 1-\text{May } 14.$ VINEYARD TOWER 121.4 (May 15-Oct 31 1100-0300Z‡, Nov 1-May 14 1200-2200Z‡) GND CON 121.8 **CINC DEL** 121.8

AIRSPACE: CLASS D svc May 15-Oct 31 1100-0300Z‡, Nov 1-May 14 1200-2200Z‡ other times CLASS G.

Class 1F

at fld. 60/15W.

ILS unmonitored.

Chan 92 N41°23.77′ W70°36.76′

Rwv 24.

RADIO AIDS TO NAVIGATION: NOTAM FILE MVY.

MVY

Chan 24

I-MVY

(L) VOR/DME 114.5

**IIS/DMF** 108 7

WAIVS N41°18.68' W69°59.21' NOTAM FILE ACK. NDB (LOM) 248 AC 240° 4.8 NM to Nantucket Meml.

WALTER J. KOLADZA (See GREAT BARRINGTON)

#### WESTFIELD/SPRINGFIELD

BARNES MUNI (BAF) 3 N UTC-5(-4DT) N42°09.46′ W72°42.94′

271 B S4 FUEL 100LL, JET A OX 1, 2 TPA-See Remarks LRA

NEW YORK H-10I, 11D, 12J, L-33C, 34J ΙΔΡ ΔΠ

Class IV. ARFF Index A NOTAM FILE BAF RWY 02-20: H9000X150 (ASPH-GRVD) S-75, D-160, ST-175,

RWY 02: PAPI(P4L)-GA 3.0° TCH 50'. Trees.

RWY 20: MALSR. PAPI(P4L)-GA 3.0° TCH 50'. Trees.

RWY 15-33: H5000X100 (ASPH) S-51, D-60,

DT-155 MIRL 0.3% up NW.

RWY 15: Thid dspicd 490'. Trees.

RWY 33: PAPI(P4R)-GA 3.5° TCH 41'. Trees.


#### RUNWAY DECLARED DISTANCE INFORMATION

RWY 02: TORA-9000 TODA-9000 ASDA-9000 LDA-9000 RWY 15: TORA-5000 TODA-5000 ASDA-4508 LDA-4510 RWY 20: TORA-9000 TODA-9000 ASDA-8919 LDA-8919 RWY 33: TORA-5000 TODA-5000 ASDA-5000

AIRPORT REMARKS: Attended 1200-0100Z‡. Fuel avbl 1200-0100Z‡,

for svc after 0100Z‡ by prior arrangement or by phone 413-485-0053 or 413-562-4999. Severe downdraft apch end Rwy 33 when wind northwest in excess of 15 kts. Birds and other wildlife on and invof arpt. Twy G clsd to civilian ops. Acft and

helicopter noise abatement procedures in effect, ctc arpt manager



for complete noise abatement procedures at 413-572-6275. TPA 1300(1029) Igt acft, 1800(1529) heavy and military acft. Expect military overhead and clsd pattern tfc. No touch and go landing or practice low approaches 0300-1200Z±, PPR 24 hours for air carrier ops with more than 9 passenger seats call arpt manager 413-572-6275. Jet acft starting units avbl. When twr clsd ACTIVATE MALSR Rwy 20; HIRL Rwy 02-20; MIRL Rwy 15-33—CTAF, Landing fee for commercial, corporate and all acft over 5000 lbs. Flight Notification Service (ADCUS) available.

LDA-5000

WEATHER DATA SOURCES: ASOS (413) 568-2267. LAWRS.

COMMUNICATIONS: CTAF 118.9 ATIS 127.1 (413) 572-4561

RCO 122.1R 113.0T (BURLINGTON RADIO)

(R) BRADLEY APP/DEP CON 125.35 CLNC DEL 121.7 (0300-1200Z±)

WESTFIELD TOWER 118.9 (1200-0300Z±) GND CON 121.7

AIRSPACE: CLASS D svc 1200-0300Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE CEF.

(L) VORTAC 113.0 BAF Chan 77 N42°09.72' W72°42.97' at fld. 270/14W.

VORTAC unusable 310°-340° byd 25NM blo 6500'.

**IIS** 111 9 I-BAF Rwv 20 Class IA ILS unmonitored when twr clsd

WESTOVER ARB/METROPOLITAN (See SPRINGFIELD/CHICOPEE)

WORCESTER RGNL (ORH) 3 W UTC-5(-4DT) N42°16.04′ W71°52.54′ NEW YORK 1009 B S4 FUEL 100LL, JET A LRA Class I, ARFF Index B H-10I, 11D, 12J, L-33C, 34J NOTAM FILE ORH IAP, AD RWY 11-29: H7000X150 (ASPH-GRVD) S-60, D-108, ST-138. DT-164 HIRL CL RWY 11: MALSR. TDZL. Building. RWY 29: REIL. PAPI(P4L)-GA 3.0° TCH 54'. Tree. RWY 15-33: H5000X100 (ASPH-GRVD) S-60, D-108, ST-138, DT-164 MIRI RWY 15: REIL. VASI(V4L)-GA 3.0° TCH 35', Antenna. 63 RWY 33: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Tree. **(3** RUNWAY DECLARED DISTANCE INFORMATION RWY 11: TORA-7000 TODA-7000 ASDA-7000 LDA-7000 63 RWY 15: TORA-5000 TODA-5000 ASDA-5000 LDA-5000 7000 X 150 RWY 29: TORA-7000 TODA-7000 ASDA-7000 LDA-7000 a RWY 33: TORA-5000 TODA-5000 ASDA-5000 LDA-5000 යුදුය ය ARRESTING GEAR/SYSTEM RWY 11: EMAS 154'X 170' AIRPORT REMARKS: Attended continuously. Wildlife invof arpt, birds on and invof arpt. Use caution for arpt vehicles monitoring CTAF and opr on arpt during non-towered hrs. During snow removal ops 30 minutes PPR on frequency 120.5 during twr hrs or frequency 119.0 during non twr hrs or call 508-799-1325. ACTIVATE HIRL Rwy 11-29; MIRL Rwy 15-33; MALSR Rwy 11 and PAPI Rwy 29 and Rwy 33—CTAF, Rwy 11 and Rwy 29 touchdown and rollout RVR aybl, Transient acft ctc FBO on 122.95 for svcs. Ldg fee for multi-engine acft and larger. Flight Notification Service (ADCUS) available. WEATHER DATA SOURCES: ASOS (508) 795-7546. COMMUNICATIONS: CTAF 120.5 ATIS 126.55 508-757-0962

UNICOM 122.95

RCO 122.2 (BRIDGEPORT RADIO)

R BRADLEY APP/DEP CON 119.0 CLNC DEL 119.0 (0200-1130Z‡)

TOWER 120.5 (1130-0200Z‡) GND CON 123.85 CLNC DEL 128.65

AIRSPACE: CLASS D svc 1130-0200Z‡ other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE BDR.

GARDNER (L) VOR/DME 110.6 GDM Chan 43 N42°32.76′ W72°03.49′ 168° 18.6 NM to fld. 1280/14W.

DUNCA NDB (LOM) 279 RS N42°16.47′ W72°01.20′ 109° 6.4 NM to fld.

GOZZR NDB (LOM) 417 EK N42°15.59′ W71°44.12′ 289° 6.3 NM to fld.

ILS/DME 110.9 I—RSR Chan 46 Rwy 11. Class IT. LOM DUNCA NDB. ILS unmonitored when tower clsd. DME unusable byd 15 NM.

ILS/DME 110.9 I–EKW Chan 46 Rwy 29. Class IB. LOM GOZZR NDB. Unmonitored when twr clsd. GS unusable coupled apch blo 1226' MSL.

## INTENTIONALLY LEFT BLANK

## INTENTIONALLY LEFT BLANK

## 2009 U.S. & CANADIAN MILITARY AERIAL AIRCRAFT/PARACHUTE DEMONSTRATIONS

During CY 2009, the U.S. and Canadian Military Aerial Demonstration Teams (Thunderbirds, Blue Angels, Snowbirds, and Golden Knights) will be performing on the dates and locations listed below.

Pilots should expect Temporary Flight Restrictions (TFR) in accordance with 14 CFR Section 91.145, Management of aircraft operations in the vicinity of aerial demonstrations and major sporting events. The dimensions and effective times of the TFRs may vary based upon the specific aerial demonstration event and will be issued via the U.S. NOTAM system. Pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding these airspace restrictions.

The currently scheduled 2009 aerial demonstration locations, subject to change without notice, are:

DATE:		USAF Thunderbirds	USN Blue Angels	Canadian Snowbirds	USA Golden Knights
October	24-25		Fort Worth, TX		Fort Worth, TX
	24-25				Pinehurst, NC
	31		Houston, TX		
			•		
November	1		Houston, TX		
	7-8	Homestead AFB, FL	Jacksonville Beach, FL		
	13-14		NAS Pensacola, FL		
	14-15	Nellis AFB, NV			

Note: Dates and locations are scheduled "show dates" only and do not reflect arrival or practice date TFR periods that may precede the specific aerial demonstration events listed above. Again, pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding any airspace restrictions.



## Washington DC SFRA Special Terms & Procedures

#### Procedures for Traffic Pattern Work

**Towered Airport**: Request pattern work from tower; squawk 1234, remain in two-way communication with tower.

**Non-Towered Airport**: File DC SFRA flight plan; obtain and squawk discrete transponder code, communicate pattern position via published CTAF, and have ability to monitor VHF guard on 121.5 or UHF guard on 243.0

#### ATC Terms Specific to the DC SFRA:

**Security services**: Identification, communications and security tracking provided by an ATC facility in support of DOD, or other security elements. *NOTE*: Security services do not include basic radar services or any other ATC services.

**Transponder observed**: Used to inform a pilot that the aircraft's assigned beacon code and position has been observed. This transmission does *not* imply ATC services. It conveys only that the transponder reply has been observed and its position correlated for movement through security airspace.

**Remain on the code until you land**: Used when Potomac hands an inbound VFR flight off to the tower or authorizes change to advisory frequency for non-towered airports. It reminds pilots to remain on the assigned discrete transponder code until after landing. *NEVER squawk 1200 inside the DC SFRA*.

#### **Emergency Procedures:**

**Transponder failure**: An aircraft unable to transmit the ATC-assigned transponder code must contact ATC and comply with all instructions. If unable to contact ATC, the aircraft must exit the DC SFRA by the most direct lateral route.

**Intercepts**: Review interception procedures in the AIM. If you are intercepted, follow all instructions given by the intercepting aircraft. Monitor 121.5, provide call sign / position, and squawk 7700 unless otherwise directed.

#### **Potomac TRACON Telephone Numbers**

Area Name	Nearest major airport)	Telephone	
Shenandoah	Dulles (IAD)	1-866-709-4993 1-540-349-4097	
Mount Vernon	Reagan National (DCA) Andrews AFB (ADW)	1-866-599-3874 1-540-349-0493	
Chesapeake	Baltimore (BWI)	1-866-429-5882 1-540-349-8478	
James River	Richmond (RIC) Charlottesville (CHO)	1-866-640-4124 1-540-349-9697	



## Washington DC SFRA Standard Requirements

## Requirements to operate to/from, or within the DC SFRA (effective 0001 EST 17 February 2009)

- 1. Two-way radio
- 2. Operating transponder with altitude reporting (Mode C)
- 3. Flight plan appropriate to intended operation:

IFR: IFR flight plan

VFR: DC SFRA flight plan for all operations, except.

- Fringe airport egress (no flight plan required)
- Towered airport pattern work (make request to tower)
- Discrete transponder code for all operations, except:
  - Leesburg (JYO) ingress (1227) or egress (1226)
  - Fringe airport egress (1205)
  - Towered airport pattern work (1234)
- VFR speed restriction (≤ 180 KIAS in DC SFRA, & ≤ 230 KIAS from 30 NM - 60 NM from DCA VOR/DME unless otherwise authorized.)
- Communication with ATC for all operations, except.
  - Leesburg (JYO) ingress/egress: make CTAF calls
  - Fringe airport egress: monitor guard if able
  - Towered airport pattern work: talk to tower
  - Non-towered airport pattern work:
    - Make CTAF calls & monitor guard if able

**Activate**: A DC SFRA flight plan to enter/exit the DC SFRA under VFR activates when the pilot obtains a discrete transponder code *except*:

- Leesburg (JYO) ingress/egress: with CTAF calls
- Fringe airport egress: when pilot squawks 1205
- Towered airport pattern: with squawk & talk
- Non-towered airport pattern: with CTAF calls

**Closing**: The DC SFRA flight plan closes when the aircraft exits or lands at an airport inside the DC SFRA.

# Washington DC SFRA VFR Outbound Procedures\*

#### Step 1: Preflight—File a DC SFRA Flight Plan

- ALWAYS review NOTAMs for current TFR information.
- File DC SFRA flight plan.
  - "I would like to file a DC SFRA flight plan for VFR flight from (departure airport) to (appropriate exit gate)"
- If desired, file separate VFR flight plan (search-and-rescue) to be activated after exiting the DC SFRA.

#### Step 2: Pre-Takeoff — Activate DC SFRA Flight Plan


- Call ATC (tower, RCO, phone) for frequency & squawk.
   "Potomac Clearance, (call sign) at Tipton, VFR departure."
- Set assigned frequency & transponder code.
- Verify that Mode C (ALT) is on.

#### Step 3: After Takeoff—Communicate w/ ATC

- Establish radio contact with Potomac TRACON.
   "Potomac Departure, (call sign), off Tipton"
- Monitor assigned frequency
- Remain out of Class B unless explicitly cleared to enter.

#### Step 4: Exiting—Close DC SFRA Flight Plan

 Remain on frequency/squawk until ATC authorizes change; DC SFRA flight plan closes upon exiting the DC SFRA.



ALWAYS check NOTAMS!

# Washington DC SFRA VFR Inbound Procedures\*

#### Step 1: Preflight—File a DC SFRA Flight Plan

- ALWAYS review NOTAMs for current TFR information.
- File DC SFRA flight.

"I would like to file a DC SFRA flight plan for VFR flight from (appropriate entry gate) to (destination airport)."

#### Step 2: Before Entry - Activate DC SFRA Flight Plan

- Before entry, call Potomac to request transponder code.
   "Potomac Approach, (call sign), VFR inbound to Gaithersburg."
- Set assigned code and verify that Mode C (ALT) is on.
- Continue inbound unless otherwise instructed.
- Remain out of Class B unless explicitly cleared to enter.

#### Step 3: After Entry—Communicate w/ ATC

- Monitor Potomac TRACON.
- Remain out of Class B airspace unless explicitly cleared to enter.

#### Step 4: Arriving—Close DC SFRA Flight Plan

- Change to tower / advisory frequency when so instructed .
- Remain on assigned transponder code until you land.
- DC SFRA flight plan closes upon landing.

#### **Entry/Exit Filing Gates for DC SFRA Flight Plans**

Gate (Freq)	Defining Radials (DCA)		Visual Checkpoints	
WOOLY (132.775)	R-341	R-044	I-270	I-95
<b>PALEO</b> (132.775)	R-045	R-119	I-95	Abeam Chesa- peake Beach
<b>WHINO</b> (125.125)	R-120	R-172	Abeam Chesa- peake Beach	Northern boundary Wicomico River
<b>GRUBY</b> (125.125)	R-173	R-214	Northern boundary Wicomico River	Western boundary Potomac River / Widewater Beach
<b>BRV</b> (127.325)	R-215	R-236	Western boundary Potomac River / Widewater Beach	West side of Lunga Reservoir
FLUKY (127.325)	R-237	R-269	West side of Lunga Reservoir	VA Route 29
<b>JASEN</b> (127.325)	R-270	R-309	VA Route 29	VA Route 7
LUCKE (127.325)	R-310	R-339	VA Route 7	I-270

\*See page 1 for JYO ingress/egress & fringe airport egress procedures. For detailed information, see online DC SFRA course at www.faasafety.gov

#### EASTON. MARYLAND NOISE ABATEMENT PROCEDURE

When Easton Airport Traffic Control Tower is closed:

Departure RWY 22: Right turn and avoid overflight of Town of Easton. Departure RWY 04: Left turn at end of RWY to parallel HWY 50 until past mobile home park.

No intersection take offs. VFR Arrivals: Report the Miles River bridge, 2.7 miles southwest of the airport at 2000' MSL for sequence to all RWYS. Contact 410–770–8055.

#### **WEST ATLANTIC ROUTE SYSTEM (WATRS)**

Effective immediately, all operators entering New York Center's West Atlantic Route System (WATRS) southbound on ATS Routes L453, L454, L455, L456, L457, L459, L461, and L462, shall file and plan the following routing.

## SOUTHBOUND SOUTHBOUND WATRS PLUS ROUTE STRUCTURE ACCESS FROM NEW YORK METROPOLITAN AREA

All operators entering New York Center's West Atlantic Route System (WATRS) southbound on ATS routes: L453, L454, L455, L456, L457, L459, L461 AND L462 shall flight plan and file the following routes:

ATS ROUTE	WATRS ACCESS ROUTING (SOUTHBOUND ONLY)
For L453;	LINND-AZEZU-L453
For L453 VIA B24;	B24–AZEZU–L453
For L454;	LINND-ROLLE-ATUGI-L454
For L454 VIA B24;	B24-WEBBB-ROLLE-ATUGI-L454
For L455;	LINND-RESQU-UMEDA-L455
For L455 VIA B24;	B24-WEBBB-RESQU-UMEDA-L455
For L456;	LINND-SQUAD-DARUX-L456
For L456 VIA B24;	B24-WEBBB-RESQU-DARUX-L456
For L457;	LINND-RESQU-UMEDA-L457
For L457 VIA B24;	B24-WEBBB-RESQU-UMEDA-L457
For L459;	LINND-SQUAD-DARUX-L459
For L459 VIA B24;	B24-WEBBB-RESQU-DARUX-L459
For L461;	LINND-KINGG-KINER-L461
For L462;	LINND-KAYYT-L462
For L462 VIA ACK;	ACK-J97-LACKS-KAYYT-L462

## EASTBOUND TRANSITION TO NEW YORK OCEANIC CTA/FIR

#### **VIA: ORF AR9 ZIBUT**

All operators transitioning the New York Center West Atlantic Route System (WATRS) via ZIBUT intersection, en route to the New York Center North Atlantic MNPS airspace, are encouraged to flight plan via:

ZIBUT direct LARGE direct SLATN or JOBOC or DOVEY

Operators opting to flight plan via any other fix or latitude/longitude coordinates east of ZIBUT intersection shall expect no higher than FL290 and may be rerouted to accommodate WATRS non-radar traffic.

#### NOTE-This route may be filed bi-directionally

#### SPECIAL NOTICES

# NORTHBOUND NORTHBOUND WATRS PLUS ROUTE STRUCTURE ACCESS TO NEW YORK METROPOLITAN AREA

All northbound operators exiting New York Center's West Atlantic Route System (WATRS) on routes L453, L454, L455, L456, L457, L459, L461 AND L462 shall flight plan and file the following transition routes to join domestic routing:

ATS ROUTE	WATRS EXIT ROUTING (NORTHBOUND ONLY)
From L453;	AZEZU–BERGH
From L454;	OKONU-L454-BERGH
From L454 TO B24;	OKONU-L454-WEBBB-B24
From L455;	SAVIK-L455-BERGH
From L455 TO B24;	SAVIK-AZEZU-B24
From L456;	MARIG-BERGH
From L457;	OKONU-L457-BERGH
From L457 TO B24;	OKONU-L457-WEBBB-B24
From L459;	SAVIK-L459-BERGH
From L459 TO B24;	SAVIK-AZEZU-B24
From L461;	MARIG-BERGH
From L462;	KAYYT-BERGH or KAYYT-LACKS-ACK

# WAKE TURBULENCE FOR INTERSECTION DEPARTURES Teterboro Airport (TEB) Teterboro, New Jersey

Teterboro Airport Traffic Control Tower has been granted a waiver to the guidelines that require a 3-minute interval for a small aircraft departing from an intersection behind a preceding departing large aircraft. This waiver authorizes the tower to depart small aircraft from the intersection of RWY 01 and Twy Kilo without requiring a 3-minute interval behind a preceding large aircraft that departs from the end of the runway.

## AEROBATIC PRACTICE AREA Roxbury, Connecticut

Aerobatic practice area will be conducted between the altitudes of 2500 ft and 4500 ft MSL and performed within an approximate 2 mile radius of a point defined from the CARMEL VOR (CMK) as the 052 degree radial/21.9 GPS-DME fix. It is 8 NM NW of the Oxford, CT airport (OXC).

## SEARCH LIGHT DEMONSTRATION Baltimore, Maryland

Downtown, at the Inner Harbor Each evening, seven days per week

A vertical search light beam demonstration will be conducted at the Pier V Hotel, at Baltimore Inner Harbor, Baltimore, Maryland, BAL 028/7. Lat N39°17'24", Long W76°36'27". Search light beams are being radiated from the SFC upward. Flashblindness or cockpit illumination may occur at several miles distance. The Leesburg Automated Flight Service Station, 1–703–771–3696 is the FAA coordination facility.

## LASER BASED ATMOSPHERIC RESEARCH INTERVALE VILLAGE/MOUNT WASHINGTON VALLEY

#### **Bartlett, New Hampshire**

Laser based atmospheric research will be conducted at Intervale Village in the town of Bartlett, New Hampshire. The "Ground Winds" system is a research laser that will be located at Latitude 44°05′56.24" North, Longitude 071°09′31.25" West (NAD83), or BML 195 032. Laser research will be conducted continuously.

The laser light will project at a fixed 45° angle, as measured from the horizon, from the surface to 60,000 feet and beyond. When activated, the light will be at a fixed azimuth. However, the azimuth will periodically change. At 10,000 feet in altitude, the internal cone will only be 10 miles in diameter, but only projecting in one direction (azimuth) at any time. Avoid airborne hazard, this beam may be injurious to Pilots/Aircrews and passengers eyes within 9 nautical miles. The secondary effects of Flash blindness or Cockpit Illumination may occur at great distances. The Bostin Air Route Traffic Control Center, (603) 879–6655, is the FAA coordination facility.

## Laser Light Activity Canobie Lake Water Park, Salem, New Hampshire

Laser light shows are being conducted at the Canobie Lake Water Park in Salem, NH. Show orientation and laserbeam projections will be directed in all 360° directions. Laser light beams may be injurious to pilot's/passenger's eyes within 3,000 feet laterally of the light source and surface to 1,650 feet AMSL. The secondary effects of flash blindness or cockpit illumination may occur beyond these distances. The laser will be stationed at N42°47'32"/W071°14'44" (LWM 310/7.4 DME). Manchester ATCT 1–603–666–7591 will be the coordination facility.

#### LASER LIGHT DEMONSTRATION Atlantic City, New Jersey

Laser light demonstrations are being conducted at the Atlantic Park, downtown Atlantic City, New Jersey, 0001–0700 UTC, ACY VORTAC 145/8.5. Approximately: 39°21′31″N/74°26′15″W. Laser light beam may be injurious to pilots/passengers eyes within 100 feet above ground, 100 feet AMSL, 900 feet laterally of the light source. The secondary effects of flash blindness or cockpit illumination may occur beyond these distances. The Atlantic City ATCT, 609–641–3940, is the coordination facility.

## LASER LIGHT DEMONSTRATION Darien Lake Theme Park, Darien Center, New York

Laser light demonstrations are being conducted at the Darien Lake Theme Park, Darien Center, NY. The show orientation and laser beam projection are directed to the southern half of a circle form this site. Buffalo VOR/DME 100R/12NM. (42°56'04"N/78°23'30"W). Laser light beams may be injurious to pilot's/passenger's eyes within 2,800 feet of the light source, 1,600 feet above ground level. The secondary effect of flash blindness or cockpit illumination may occur beyond these distances. The Buffalo ATCT, 716–633–0664 is the FAA coordination facility.

## LASER LIGHT DEMONSTRATIONS DORNEY THEME PARK, DORNEYVILLE, PENNSYLVANIA

Laser light demonstrations are being conducted at the Dorney Theme Park, northwest of Dorneyville, PA. Show orientation and laserbeam projections directed to the southern quadrant from FJC 210D/10DME (N40°34'47"/W75°32'06"). Laser light beams may be injurious to pilot's/passenger's eyes within 2000 ft laterally of the light source, 500 ft AGL, 1100 ft AMSL. The secondary effects of flash blindness or cockpit illumination may occur beyond these distances. Allentown ATCT, 1–610–264–4539 is the FAA coordination facility.

#### MODEL AIRCRAFT ACTIVITY, HARFORD COUNTY MARYLAND

Radio controlled model aircraft operating to 800 feet AGL vicinity of N39°37'30" W76°18'35" in Harford County, Maryland.

# INTERSECTION DEPARTURES DURING PERIOD OF DARKNESS GENERAL EDWARD LAWRENCE LOGAN INTERNATIONAL AIRPORT (BOS) BOSTON. MASSACHUSETTS

Boston Logan International Airport Traffic Control Tower has been granted a waiver to the guideline that prohibits the control tower from taxiing an aircraft into "position and hold" at an intersection, between sunset and sunrise.

This waiver will allow the tower to taxi the aircraft into "position and hold" during period of darkness, at the intersections listed below

#### Runway O4R at Taxiway Charlie

#### Runway 22L at Taxiway Charlie

Aircraft shall not taxi into position and hold under the provisions of this waiver when the subject intersection is not visible from the tower. When the provisions of this waiver are being exercised, the affected runways shall be used for departures only. Intersection departures will continue to be utilized at other locations between sunset and sunrise. However, aircraft cannot be taxied into "position and hold" prior to takeoff clearance.

#### INTERSECTION DEPARTURES DURING PERIOD OF DARKNESS NEWARK LIBERTY INTERNATIONAL AIRPORT (EWR) NEWARK, NEW JERSEY

Newark International Airport Traffic Control Tower has been granted a waiver to the guidelines that prohibits the control tower from taxiing an aircraft into "position and hold" at an intersection, between sunset and sunrise.

This waiver allows the tower to taxi aircraft into "position and hold" during period of darkness, at the intersections listed

Runway 22R at Taxiway Whiskey Runway 22L at Taxiway Whiskey

Aircraft shall not taxi into position and hold under the provisions of this waiver when the subject intersection is not visible from the tower. When the provisions of this waiver are being exercised, the affected runways shall be used for departures only. Intersection departures will continue to be utilized at other locations between sunset and sunrise. However, aircraft cannot be taxied into "position and hold" prior to takeoff clearance.

#### INTERSECTION DEPARTURES DURING PERIOD OF DARKNESS JOHN F KENNEDY INTERNATIONAL AIRPORT (JFK) NEW YORK, NEW YORK

Kennedy Airport Traffic Control Tower has been granted a waiver to the guidelines that prohibits the control tower from taxiing an aircraft into "position and hold" at an intersection, between sunset and sunrise.

This waiver allows the tower to taxi aircraft into "position and hold" during period of darkness, at the intersections listed below.

Runway 13R at Taxiway Papa Delta Runway 22R at Taxiway Charlie Runway 31L at Taxiway Kilo Kilo Runway 31R at Taxiway Zulu Alpha

Aircraft shall not taxi into position and hold under the provisions of this waiver when the subject intersection is not visible from the tower. When the provisions of this waiver are being exercised, the affected runways shall be used for departures only. Intersection departures will continue to be utilized at other locations between sunset and sunrise. However, aircraft cannot be taxied into "position and hold" prior to takeoff clearance.

# INTERSECTION DEPARTURES DURING PERIOD OF DARKNESS PITTSBURGH INTERNATIONAL AIRPORT (PIT) PITTSBURGH. PENNSYLVANIA

Pittsburgh Airport Traffic Control Tower has been granted a waiver to the guidelines that prohibits the control tower from taxiing an aircraft into "position and hold" at an intersection, between sunset and sunrise.

This waiver allows the tower to taxi the aircraft into "position and hold" during periods of darkness, at the intersections listed below.

#### Runway 28L at Taxiway Papa

Aircraft shall not taxi into position and hold under the provisions of this waiver when the subject intersection is not visible from the tower. When the provisions of this waiver are being exercised, the affected runways shall be used for departures only. Intersection departures will continue to be utilized at other locations between sunset and sunrise. However, aircraft cannot be taxied into "position and hold" prior to takeoff clearance.

# INTERSECTING RUNWAY OPERATIONS NEWARK LIBERTY INTERNATIONAL AIRPORT (EWR) NEWARK, NEW JERSEY

Newark Liberty International (EWR) Airport Traffic Control Tower (ATCT) has been authorized to conduct intersecting runway operations to Runway 29 and Runway 04R whereby an aircraft arriving Runway 29 shall be through the intersection of Runway 04R prior to the arriving aircraft on Runway 04R reaching a point no closer than 5,000 feet from the intersection of both runways.

## LAND AND HOLD SHORT LIGHTS (for LAHSO) BOSTON-LOGAN AIRPORT, MASSACHUSETTS

Land and Hold Short lights have been installed on four runways at Boston–Logan Airport (BOS). These in–pavement lighting systems will remain on/flashing whenever LAHSO is expected to be conducted to that particular runway. Flight crews should also expect to see these lights on/flashing even when authorized the full length of the runway for landing, or when utilizing that runway for departure.

Land and Hold Short lights have been installed at the following locations:

Runway 22L (Short of Runway 27/09)

Runway 4L (Short of Runway 33R/15L)

Runway 27 (Short of Runway 22L/04R)

Runway 15R (Short of Runway 09/27)

#### **CHARLESTON. WEST VIRGINIA**

Mine blasting approximately 25 NM south and southeast of Charleston, West Virginia as follows:

Mine Blasting HVQ VORTAC 110° 25 DME to 400' AGL

Mine Blasting HVQ VORTAC 189° 26 DME to 300' AGL

#### CAUTION—FISH SPOTTING ACTIVITY—CHESAPEAKE BAY AND COASTAL WATERS

Caution is advised for extensive fish spotter aircraft activity between May 1 and December 1 upwards from 1500 feet above the surface over the Chesapeake Bay and adjacent coastal waters. Pilots should be alert for this activity. For further information contact FAA/Norfolk ATCT on 1–757–460–5142.

#### **BOSTON. MASSACHUSETTS**

To avoid the concentration of aircraft arriving and departing Boston, pilots requesting IFR flight at and below altitudes 14,000 feet MSL should file for airways beyond 40 NM from Boston VORTAC between the hours of 0800-2100 local. Traffic to/from Maine and Cape may file V167.

#### **BOURNE. MASSACHUSETTS**

Aircraft operation below 2000 ft and within 3 miles of Pave Paws radar site located in Restricted Area 4101 may experience momentary erratic operation of cockpit instruments or navigational equipment. Pilots are encouraged to submit reports of such occurrences to nearest FAA Air Traffic Facility.

## SPECIAL NORTH ATLANTIC, CARIBBEAN AND PACIFIC AREA COMMUNICATIONS

VHF air-to-air frequencies enable aircraft engaged in flights over remote and oceanic areas out of range of VHF ground stations to exchange necessary operational information and to facilitate the resolution of operational problems.

Frequencies have been designated as follows:

North Atlantic area: 123.45 MHz
Caribbean area: 123.45 MHz
Pacific area: 123.45 MHz

#### **MILITARY TRAINING ROUTES**

The DOD Flight Information Publication AP/1B provides textual and graphic descriptions and operating instructions for all military training routes (IR, VR, SR) and refueling tracks/anchors. Complete and more comprehensive information relative to policy and procedures for IRs and VRs is published in FAA Handbook 7610.4 (Special Military Operations) which is agreed to by the DOD and therefore directive for all military flight operations. The AP/1B is the official source of route data for military users.

#### **CIVIL USE OF MILITARY FIELDS:**

U.S. Army, Air Force, Navy and Coast Guard Fields are open to civil fliers only in emergency or with prior permission. Army Installations, prior permission is required from the Commanding Officer of the installation.

For Air Force installations, prior permission should be requested at least 30 days prior to first intended landing from either Headquarters USAF (PRPOC) or the Commander of the installation concerned (who has authority to approve landing rights for certain categories of civil aircraft). For use of more than one Air Force installation, requests should be forwarded direct to Hq USAF (PRPOC), Washington, D.C. 20330.

Use of USAF installations must be specifically justified.

For Navy and Marine Corps installations, prior permission should be requested at least 30 days prior to first intended landing. An Aviation Facility License must be approved and executed by the Navy prior to any landing by civil aircraft.

Forms and further information may be obtained from the nearest U.S. Navy or Marine Corps aviation activity.

For Coast Guard fields prior permission should be requested from the Commandant, U.S. Coast Guard via the Commanding Officer of the field.

When instrument approaches are conducted by civil aircraft at military airports, they shall be conducted in accordance with the procedures and minimums approved by the military agency having jurisdiction over the airport.

#### AIRCRAFT I ANDING RESTRICTIONS

Landing of aircraft at locations other than public use airports may be a violation of Federal or local law. All land and water areas are owned or controlled by private individuals or organizations, states, cities, local governments, or U.S. Government agencies. Except in emergency, prior permission should be obtained before landing at any location that is not a designated public use airport or seaplane base.

Landing of aircraft is prohibited on lands or waters administered by the National Park Service, U.S. Fish and Wildlife Service, U.S. Forest Service, and on many areas controlled by the U.S. Army Corps of Engineers, unless prior authorization is obtained from the respective agency.

#### **CONTINUOUS POWER FACILITIES**

In order to insure that a basic ATC system remains in operation despite an areawide or catastrophic commercial power failure, key equipment and certain airports have been designated to provide a network of facilities whose operational capability can be utilized independent of any commercial power supply.

In addition to those facilities comprising the basic ATC system, the following approach and lighting aids have been included in this program for a selected runway.

- 1. ILS (Localizer, Glide Slope, COMLO, Inner, Middle and Outer Markers)
- 2. Wind Measuring Capability
- 3. Approach Light System (ALS) or Short ALS (SALS)
- 4. Ceiling Measuring Capability
- 5. Touchdown Zone Lighting (TDZL)
- 6. Centerline Lighting (CL)
- 7. Runway Visual Range (RVR)
- 8. High Intensity Runway Lighting (HIRL)
- 9. Taxiway Lighting
- 10. Apron Light (Perimeter Only)

#### CONTINUED ON NEXT PAGE

#### **SPECIAL NOTICES**

#### CONTINUED FROM PRECEDING PAGE


The following have been designated "Continuous Power Airports," and have independent back up capability for the equipment installed.

Airport/Ident	Runway No.	•	Runway No
Albuquerque, NM (ABQ)	80	Milwaukee, WI (MKE)	01L
Anchorage, AK (ANC)	07R	Minneapolis, MN (MSP)	30L
Andrews AFB, MD (ADW)	01L	Nashville, TN (BNA)	02L
Atlanta, GA (ATL)	09R	New Orleans, LA (MSY)	10
Baltimore, MD (BWI)	10	New York, NY (JFK)	04R
Bismarck, ND (BIS)	31	New York, NY (LGA)	22
Boise, ID (BOI)	10R	Newark, NJ (EWR)	04R
Boston, MA (BOS)	04R	Oklahoma City, OK (OKC)	35R
Charlotte, NC (CLT)	36L	Omaha, NE (OMA))	14R
Chicago, IL (ORD)	14R	Ontario, CA (ONT)	26L
Cincinnati, OH (CVG)	36C	Philadelphia, PA (PHL)	09R
Cleveland, OH (CLE)	06R	Phoenix, AZ (PHX)	08
Dallas/Fort Worth, TX (DFW)	17C	Pittsburgh, PA (PIT)	10L
Denver, CO (DEN)	35R	Reno, NV (RNO)	16R
Des Moines, IA (DSM)	31	Salt Lake City, UT (SLC)	34L
Detroit, MI (DTW)	03R	San Antonio, TX (SAT)	12R
El Paso, TX (ELP)	22	San Diego, CA (SAN)	09
Fairbanks, AK (FAI)	01L	San Francisco, CA (SFO)	28R
Great Falls, MT (GTF)	03	San Juan, PR (SJU)	08
Honolulu, HI (HNL)	08L	Seattle, WA (SEA)	16C
Houston, TX (IAH)	26L	St. Louis, MO (STL)	30R
Indianapolis, IN (IND)	05L	Tampa, FL (TPA)	36L
Jacksonville, FL (JAX)	07	Tulsa, OK (TUL)	36R
Kansas City, MO (MCI)	19R	Washington, DC (DCA)	01
Los Angeles, CA (LAX)	24R	Washington, DC (IAD)	01R
Memphis, TN (MEM)	36L	Wichita, KS (ICT)	01L
Miami, FL (MIA)	08R		

 ${\tt NOTE}$ —The existing CPA runway is listed. Pending and future changes at some locations will require a revised runway designation.

#### **CALDWELL - TETERBORO - MORRISTOWN**

#### **INSTRUMENT APPROACH - AIRSPACE INTERACTION CHART**





MMU ILS/NDB RWY 23 APPROACH IFR aircraft descending from 3000' to cross MOREE at 2000'



MMU ILS/NDB RWY 23 APPROACH IFR aircraft descending from 2000' to surface


#### TERMINAL AREA GRAPHIC NOTICE

(Not to be used for Navigation)

Teterboro (TEB) Airport Runway 19 VFR Departure Procedure with Transition to an IFR Clearance when Newark is landing Runway 22 and Teterboro is departing Rwy 19.

#### "DALTON DEPARTURE PROCEDURE"

PILOTS SHOULD SPECIFICALLY REQUEST THIS PROCEDURE USING THE ABOVE NAME.




FLY RUNWAY HEADING UNTIL 800 FEET, THEN TURN RIGHT HEADING 280. COMPLETE THE TURN RIGHT WITHIN 4 DME FROM TEB. MAINTAIN VFR AT OR BELOW 1,300 FEET; DO NOT EXCEED 190 KNOTS. IF UNABLE, ADVISE.

EXPECT A CLIMB CLEARANCE AFTER CROSSING THE TEB R-230. THE CLIMB CLEARANCE CONSTITUTES IFR ACTIVATION AND PILOTS ARE EXPECTED TO RESUME NORMAL AIRSPEED. EXPECT CONTROL INSTRUCTION TO A DEPARTURE FIX AS DESCRIBED IN THE PUBLISHED TEB STANDARD INSTRUMENT DEPARTURE.

NOTE: CAUTION WAKE TURBULENCE, NEWARK ARRIVALS DESCENDING OVERHEAD FROM 3000' TO 1800'.

## SPECIAL NOTICES TETERBORO HELICOPTER ROUTES



# RWY 27 Language of the state o


#### **Boston Runway 27 Noise Abatement Departure Procedures**

Boston RWY 27, turbojet departure procedures are predicated on avoiding noise sensitive areas. An Environmental Record of Decision mandates a very narrow departure corridor design to minimize noise impacts to local communities. The funnel like corridor begins at GARVE waypoint (WP) and ends at the WYLYY WP as depicted above. Along this corridor Gates are alphabetically identified to monitor and measure conformance. Gate A begins just southwest of GARVE WP on the 235° track through Gate E ending at WYLYY WP. Notice that GATE A is only 1400' wide and gate E is 6300' wide; therefore, whether flying the RWY 27 LOGAN DEPARTURE or the WYLYY DEPARTURE (RNAV), the exact 235° ground track must be flown to comply with the desired noise track. The following information includes recommended techniques that may assist pilots in maintaining the 235° track corridor:

#### The WYLYY DEPARTURE (RNAV)

Fly the 273° course to the GARVE fly by WP. The flight director should command a left turn approaching GARVE WP to intercept the 235° track to the WYLYY fly over WP. The location of the GARVE WP was computer modeled to capture most aircraft at GATE A. Pilot technique or FMS equipment inaccuracy may cause an overshoot at Gate A. Pilots must insure that applicable navigation equipment alignment procedures, to include a manual runway position update if required, are completed.

RONALD REAGAN WASHINGTON NATIONAL AIRPORT NOISE ABATEMENT & PROHIBITED AREA (P-56) AVOIDANCE PROCEDURES (Page 1 of 2 pages)



NE, 22 OCT 2009 to 17 DEC 2009

# RONALD REAGAN WASHINGTON NATIONAL AIRPORT NOISE ABATEMENT & PROHIBITED AREA (P-56) AVOIDANCE PROCEDURES (Page 2 of 2 pages)

# P-56 BEGINS APPROXIMATELY 1.5 NM NORTH OF THE DEPARTURE END OF RUNWAY 01-SURFACE TO 18,000' MSL REMAIN CLEAR OF P-56 AT ALL TIMES

## EXPECT THE PUBLISHED RNAV DEPARTURE PROCEDURE OR ATC INSTRUCTIONS FOR THE FOLLOWING NON-RNAV PROCEDURES

NORTHWEST: Follow the Potomac River until abeam the Georgetown reservoir or the DCA 4 DME, then join the DCA 328 radial, expect radar vectors at 10 DME. A left turn as soon as practicable, especially with a west wind, is required to maintain a ground track over the Potomac River and remain clear of P-56. If unable to maintain visual reference to the Potomac River, join the DCA 328 radial.

NORTHEAST: Follow the Anacostia River to 5 DME. A right turn as soon as practicable, especially with a east wind, is required to maintain a ground track over the Anacostia River and remain clear of P-56. Expect Radar Vectors at 5 DME. If unable to maintain visual reference to the Anacostia River, then join the DCA 070 radial.

SOUTH: Follow the Potomac River to 5 DME, then expect radar vectors. If unable to maintain visual reference to the Potomac river, then join the DCA 185 radial.

#### **ARRIVAL PROCEDURES**

LANDING NORTH: Weather conditions 3000/4 or better, expect the Mount Vernon visual approach. Lower weather conditions, expect the advertised instrument approach.

LANDING SOUTH: Weather conditions 3500/3 or better, expect the River Visual Approach. Lower weather conditions, expect the advertised instrument approach.

#### **NIGHTTIME NOISE LEVELS**

From 2200 to 0700 local time, operation of aircraft type and model which exceed the following noise levels violate Metropolitan Washington Airport Authority Regulation (MWAR) 3.11:

DEPARTURES - 72 dBA as generated on takeoff.

ARRIVALS – 85 dBA as generated on approach, except that aircraft scheduled to arrive before 2200 will be permitted to land if they have received an approach clearance before 2230. Ref. MWAR 3.11 and Advisory Circular 36–3.

#### SPECIAL NOTICES

#### **NIAGARA FALLS FLIGHT RESTRICTION AREA**

#### Part 93—Special Air Traffic Rules; Subpart E—Flight Restrictions in the Vicinity of Niagara Falls, New York

#### § 93.71 General operating procedures


- (a) Flight restrictions are in effect below 3,500 feet MSL in the airspace above Niagara Falls, New York, west of a line from latitude 43°06′33″N., longitude 78°03′30″W. (the Whirlpool Rapids Bridge) to latitude 43°04′47″N., longitude 79°02′44″W. (the Niagara River Inlet) to latitude 43°04′29″N., longitude 79°03′30″W. (the International Control Dam) to the United States/Canadian Border and thence along the border to the point of origin.
- (b) No flight is authorized below 3,500 feet MSL in the area described in paragraph (a) of this section, except for aircraft operations conducted directly to or from an airport/heliport within the area, aircraft operating on an ATC-approved IFR flight plan, aircraft operating the Scenic Falls Route pursuant to approval of Transport Canada, aircraft carrying law enforcement officials, or aircraft carrying properly accredited news representatives for which a flight plan has been filed with Buffalo NY (BUF) Automated Flight Service Station (AFSS).
- (c) Check with Transport Canada for flight restrictions in Canadian airspace. Commercial air tour operations approved by Transport Canada will be conducting a north/south orbit of the Niagara Falls area below 3,500 feet MSL over the Niagara River
  - (d) The minimum altitude for VFR flight over the Scenic Falls area is 3,500 feet MSL.
  - (e) Comply with the following procedures when conducting flight over the area described in paragraph (a) of this section:
    - (1) Fly a clockwise pattern;
    - (2) Do not proceed north of the Rainbow Bridge;
- (3) Prior to joining the pattern, broadcast flight intentions on frequency 122.05 Mhz, giving altitude and position, and monitor the frequency while in the pattern:
- (4) Use the Niagara Falls airport altimeter setting. Contact Niagara Falls Airport Traffic Control Tower to obtain the current altimeter setting, to facilitate the exchange of traffic advisories/restrictions, and to reduce the risk of midair collisions between aircraft operating in the vicinity of the Falls. If the Control Tower is closed, use the appropriate Automatic Terminal Information Service (ATIS) Frequency;
  - (5) Do not exceed 130 knots;
  - (6) Anticipate heavy congestion of VFR traffic at or above 3.500 feet MSL; and
  - (7) Use caution to avoid high-speed civil and military aircraft transiting the area to or from Niagara Falls Airport.
- (f) These procedures do not relieve pilots from the requirements of Sec. 91.113 of this chapter to see and avoid other aircraft.
- (g) Flight following, to and from the area, is available through Buffalo Approach.

#### ADVISORY: AMUSEMENT ATTRACTION-NIAGARA FALLS, NY

An amusement attraction similar to a moored balloon will be conducted daily, 0700–2400 LCL, April 1 through October 31, 5 miles SW of the Niagara Falls Intl Airport (IAG), approx. BUF305/021, on the American side of Rainbow Bridge, Niagara Falls, NY, at altitudes up to 1050'MSL/500'AGL. For further information contact Buffalo AFSS on 1–716–631–3756.

#### CONTINUED ON NEXT PAGE

## SPECIAL NOTICES CONTINUED FROM PRECEDING PAGE



NE, 22 OCT 2009 to 17 DEC 2009

## TERMINAL AREA GRAPHIC NOTICE (NOT TO BE USED FOR NAVIGATION)

## White Plains, New York WESTCHESTER COUNTY AIRPORT NOISE ABATEMENT PROCEDURES

Noise abatement procedures in effect at all times, contact 914-995-4861.

Airport located in noise sensitive area. Noise monitoring and positive aircraft and helicopter event identification in effect at all times.

High Range Noise Event program: Operators that cause noise levels at or above 93 dBA will be contacted.

Voluntary restraint from flying time period is from midnight to 6:30 am local time. Limit use of reverse thrust.

Run-ups: Must receive prior approval from airport operations. No aircraft with certificated maximum gross weight in excess of 120,000 lbs shall land or take off at the airport without prior permission of the Airport Manager.

For all aircraft above 12,500 lbs: Use SIDs and STARs for noise abatement, conditions permitting; utilize Sound Visual Approach to Runway 34; turn final for Runway 16 outside outer marker.


All runways: Utilize NBAA "standard" departure procedures, or AC91-53A "distant" noise abatement departure procedure.

Light aircraft: Runway 34 departures north and eastbound, fly over interstate until reaching 1,500 feet MSL, then on course.

Touch-and-go's: Runway 29 recommended traffic pattern in effect.

Helicopters: Use New York Helicopter Route Chart for noise abatement, fly routes at or above 2,000 ft MSL.

Copies of noise abatement procedures are available.



## TERMINAL AREA GRAPHIC NOTICE (NOT TO BE USED FOR NAVIGATION)

#### Nantucket, Massachusetts Nantucket Memorial Airport VFR Noise Abatement Procedures

Noise abatement procedures in effect at all times, contact (508) 325-7531. Additional detailed noise abatement procedures via internet at www.NantucketAirport.com/noise.htm.

#### ARRIVALS

#### CONTACT NANTUCKET TOWER (118.3) 15 MILES OUT FOR LANDING INSTRUCTIONS

SINGLE ENGINES - (Pattern speed 130 knots or less) Plan to overfly island high (2000'+ AGL). Expect L/R base landing Runway 30 or Runway 33 when x-winds are under 12 knots. Descend offshore for landing whenever possible.


TWINS - Remain over water and expect to land on Runway 24 (wind permitting). Contact Tower for landing sequence abeam Great Point. Cross Third Point at 1000' AGL. Follow Folgers Marsh (right base) for landing on Runway 24.

TURBOPROPS/JETS - Remain over water and expect straight in approach to Runway 24 (wind permitting). Enter final approach offshore outside Outer Marker.


#### **DEPARTURES**

Make maximum use of over water departure routes, maintaining <u>1 mile offshore</u> and avoid island crossings whenever possible.

#### GENERAL AVIATION/AIRLINE CORRIDORS



#### FIREFIGHTING TRAFFIC AREAS



Pilots are advised to stay clear of Firefighting Traffic Areas. Remain 15 miles from the area of activity. If you must over-fly the area, do so at an altitude of 5000 feet AGL above. However, to remain safe and out of the way of working aircraft, it is best to circumnavigate the area.

The wild-land fire environment can be very complex and involve a large number and variety of aircraft types including fixed and rotary wing aircraft. Some of the aircraft are small single and multi-engine command and control platforms that can be especially difficult to see and may give the appearance that the fire is not staffed. The aircraft participating in firefighting can orbit as far out as 12 miles from the perimeter of the fire. Any intrusion by aircraft not directly involved in the firefighting operation could delay the delivery of much needed retardant or water to ground firefighters and will adversely affect the safety of participating aircraft. Please stay well away from wild-land fires even if you feel that aircraft are not working the fire; they may be en route or unseen.

If you see a fire developing along your route, report it immediately to air traffic control who will advise the US Forest Service. The firefighting community would welcome this information

The following narratives summarize the FAR Part 93 Special Air Traffic Rules, and Airport Traffic Patterns in effect as prescribed in the rule. This information is advisory in nature and in no way relieves the pilot from compliance with the specific rules set forth in FAR Parts 91 and 93.

Special Airport Traffic Areas prescribed in Part 93 are depicted on Sectional Aeronautical Charts, World Aeronautical Charts, Enroute Low Altitude Charts, and where applicable, on VFR Terminal Area Charts.

# OPERATIONS RESERVATIONS FOR HIGH DENSITY TRAFFIC AIRPORTS KENNEDY, LAGUARDIA, AND WASHINGTON REAGAN NATIONAL

The Federal Aviation Administration (FAA) has designated New York's Kennedy and LaGuardia Airports and Washington Reagan National Airport as High Density Traffic Airports (HDTA), Title 14, Code of Federal Regulations, part 93, subpart K, and has prescribed air traffic rules and requirements for operating aircraft (excluding helicopters) to and from those airports during certain hours.

Reservations are required for operations from 6 a.m. through 11:59 p.m. local time at LaGuardia Airport and Washington Reagan National Airport. Reservations at Kennedy Airport are required from 3 p.m. through 7:59 p.m. local time.

Reservation procedures are detailed in Advisory Circular 93–1, Reservations for Unscheduled Operations at High Density Traffic Airports. A copy of the advisory circular is available on the FAA website at <a href="http://www.faa.gov">http://www.faa.gov</a>. Reservations for unscheduled operations are allocated through the Enhanced Computer Voice Reservation System (e-CVRS) accessible via telephone or the Internet. This system may not be used to make reservations for scheduled air carrier or commuter flights.

The toll–free telephone number for accessing e–CVRS is 1–800–875–9694 and is available for calls originating within the United States, Canada, and the Caribbean. Users outside the toll–free areas may access e–CVRS by calling the toll number of 703–707–0568. The Internet web address for accessing the e–CVRS is <a href="http://www.fly.faa.gov/ecvrs">http://www.fly.faa.gov/ecvrs</a>. If you have any questions about reservation requirements or are experiencing problems with the system, you may telephone the Airport Reservation Office at the Air Traffic Control System Command Center at (703) 904–4452.

Requests for instrument flight rules (IFR) reservations will be accepted beginning 72 hours prior to the proposed time of operation at the high–density airport. For example, a request for an 11 a.m. reservation on a Thursday will be accepted beginning at 11 a.m. on the previous Monday.

IFR reservations must be obtained prior to IFR landing or takeoff at an HDTA during slot controlled hours. An air traffic control (ATC) clearance does not constitute a reservation. A reservation does not constitute permission to operate at an HDTA if additional operational limits or procedures are required by NOTAM and/or regulation.

Aircraft involved in medical emergencies will be handled by ATC without regard to a reservation after obtaining prior approval of the ATC System Command Center on (703) 904–4452. ATC will accommodate declared other emergency situations without regard to slot reservations.

NOTE: Visual flight rule (VFR) reservations via ATC for unscheduled operations at LaGuardia are not authorized from 7 a.m. through 8:59 a.m. local time and 4 p.m. through 6:59 p.m. local time, Monday through Friday and Sunday evenings, unless otherwise announced by NOTAM. Both IFR and VFR operations during those time periods must obtain an advance reservation through e–CVRS.

# INTENTIONALLY LEFT BLANK

## FSS TELEPHONE NUMBERS

Flight Service Station (FSS) facilities provide flight planning and weather briefing services to pilots. FSS services in the contiguous United States, Hawaii and Puerto Rico, are provided by a network of large hub facilities and smaller remote facilities which are interconnected with the hubs.

Selected remote FSS facilities across the contiguous United States have variable part–time operating hours. Because of the interconnectivity between remote and hub facilities, all FSS services, are available continuously using published telephone numbers and radio frequencies.

Telephone Information Briefing Service (TIBS) is the FSS service that provides continuous recordings of meteorological and/or aeronautical information including area and/or route briefings, airspace procedures and special announcements. A touch-tone telephone is required to fully utilize this service.

Further information can be found in the Aeronautical Information Manual (AIM).

#### NATIONAL FSS TELEPHONE NUMBER

# OTHER FSS TELEPHONE NUMBERS (except in Alaska)

TIBS (see description above)	1-800-4TIBS-WX (1-877-484-2799)
Clearance Delivery Only	1-888-766-8267
Lifeguard Flights Only	1-877-LIF-GRD3 (1-877-543-4733)
Flights within DC SFRA & FRZ *	1-866-225-7410

<sup>\*</sup> District of Columbia Special Flight Rules Area & Flight Restricted Zone

# DISTRICT OF COLUMBIA, MARYLAND, AND VIRGINIA

Potomac TRACON Clearane Delivery Only:

Chesapeake Area	(1-866-429-5882) 540-349-8478
James River Area	(1-866-640-4121) 540-349-9696
Mount Vernon Area	(1-866-599-3874) 504-349-0493
Shenandoah Area	(1-866-709-4993) 540-349-4097

# KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

TAF KPIT 091730Z 091818 15005KT 5SM HZ.FEW020 WS010/31022KT FM1930 30015G25KT 3SM SHRA OVC015 TEMPO 2022 1/2SM +TSRA OVC008CB

FM0100 27008KT 5SM SHRA BKN020 OVC040 PROB40 0407 1SM -RA BR FM1015 18005KT 6SM -SHRA OVC020 BECMG 1315 P6SM NSW SKC

METAR KPIT 091955Z COR 22015G25KT 3/4SM R28L/2600FT TSRA OVC010CB 18/16 A2992 RMK SLP045 T01820159

Forecast	Explanation	Report
TAF	Message type: <u>TAF</u> -routine or <u>TAF AMD</u> -amended forecast, <u>METAR</u> -hourly, <u>SPECI</u> -special or <u>TESTM</u> -non-commissioned ASOS report	METAR
KPIT	ICAO location indicator	KPIT
091730Z	Issuance time: ALL times in UTC "Z", 2-digit date, 4-digit time	091955Z
091818	Valid period: 2-digit date, 2-digit beginning, 2-digit ending times	
	In U.S. <b>METAR</b> : CORrected ob; or AUTOmated ob for automated report with no human intervention; omitted when observer logs on	COR
15005KT	Wind: 3 digit true-north direction, nearest 10 degrees (or <u>VaRiaBle</u> ); next 2-3 digits for speed and unit, <u>KT</u> (KMH or MPS); as needed, <u>G</u> ust and maximum speed; 00000KT for calm; for <b>METAR</b> , if direction varies 60 degrees or more, <u>V</u> ariability appended, e.g. 180 <u>V</u> 260	22015G25KT
5SM	Prevailing visibility: in U.S., Statute Miles & fractions; above 6 miles in TAF Plus6SM. (Or, 4-digit minimum visibility in meters and as required, lowest value with direction)	3/4SM
	Runway Visual Range: R; 2-digit runway designator Left, Center, or Right as needed; '/'; Minus or Plus in U.S., 4-digit value, FeeT in U.S., (usually meters elsewhere); 4-digit value Variability 4-digit value (and tendency Down, Up or No change)	R28L/2600FT
HZ	Significant present, forecast and recent weather: see table (on back)	TSRA
FEW020	Cloud amount, height and type: SKy Clear 0/8, FEW >0/8-2/8, SCaTtered 3/8-4/8, BroKeN 5/8-7/8, OVerCast 8/8; 3-digit height in hundreds of ft; Towering CUmulus or CumulonimBus in METAR; in TAF, only CB. Vertical Visibility for obscured sky and height "VV004". More than 1 layer may be reported or forecast. In automated METAR reports only, CLeaR for "clear below 12,000 feet"	OVC010CB
	Temperature: degrees Celsius; first 2 digits, temperature "/" last 2 digits, dew-point temperature; Minus for below zero, e.g., M06	18/16
	Altimeter setting: indicator and 4 digits; in U.S., A-inches and hundredths; (Q-hectoPascals, e.g., Q1013)	A2992

# KEY to AERODROME FORECAST (TAF) and **AVIATION ROUTINE WEATHER REPORT** (METAR)

Forecast	Explanation	Report
WS010/31022KT	In U.S. <b>TAF</b> , non-convective low-level (≤2,000 ft) <u>Wind Shear; 3-digit height (hundreds of ft); "/"; 3-digit wind direction and 2-3 digit wind speed above the indicated height, and unit, <u>KT</u></u>	
	In <b>METAR</b> , <u>ReMarK</u> indicator & remarks. For example: <u>Sea-Level Pressure in hectoPascals &amp; tenths</u> , as shown: 1004.5 hPa; <u>Temp/dew-point in tenths</u> °C, as shown: temp. 18.2°C, dew-point 15.9°C	RMK SLP045 T01820159
FM1930	<u>FroM</u> and 2-digit hour and 2-digit minute <b>beginning</b> time: indicates significant change. Each FM starts on new line, indented 5 spaces.	
TEMPO 2022	TEMPOrary: changes expected for < 1 hour and in total, < half of 2-digit hour <b>beginning</b> and 2-digit hour <b>ending</b> time period	
PROB40 0407	PROBability and 2-digit percent (30 or 40): probable condition during 2-digit hour <b>beginning</b> and 2-digit hour <b>ending</b> time period	
BECMG 1315	BECoMinG: change expected during 2-digit hour beginning and 2-digit hour ending time period	

Table of Significant Present, Forecast and Recent Weather - Grouped in categories and used in the order listed below; or as needed in TAF, No Significant Weather.

QUA	LIFIER					
Intens	sity or Proximity	1				
- L	ight	"no sign" Moderate	+ 1	Heavy		
VC	Vicinity: but not	at aerodrome; in U.S. M	ETA	R, between 5 and 16	0SM	of the point(s) of
						(elsewhere within 8000m)
Descr	iptor			, ,		, ,
MI	Shallow	BC Patches	PR	Partial	TS	Thunderstorm
BL	Blowing	SH Showers	DR	Drifting	FΖ	Freezing
WEA	THER PHEN	OMENA				
Precip	pitation					
DZ	Drizzle	RA Rain	SN	Snow	SG	Snow grains
	,	PL Ice pellets		Hail	GS	Small hail/snow pellets
UP	Unknown precip	pitation in automated obse	erva	tions		·
Obsc	uration					
BR	Mist (≥5/8SM)		FU	Smoke	V۸	Volcanic ash
SA	Sand	HZ Haze	PΥ	Spray	DU	Widespread dust
Other						
		SS Sandstorm		Duststorm	PO	Well developed
FC	Funnel cloud	+FC tornado/waterspout	1			dust/sand whirls
_						

- Explanations in parentheses "()" indicate different worldwide practices.
- Ceiling is not specified; defined as the lowest broken or overcast layer, or the vertical visibility. NWS TAFs exclude turbulence, icing & temperature forecasts; NWS METARs exclude trend fosts
- Although not used in US, Ceiling And Visibility OK replaces visibility, weather and clouds if: visibility ≥10 km; no cloud below 5000 ft (1500 m) or below the highest minimum sector altitude, whichever is greater and no CB; and no precipitation, TS, DS, SS, MIFG, DRDU, DRSA or DRSN.

  UNITED STATES DEPARTMENT OF COMMERCE

NOAA/PA 96052 National Oceanic and Atmospheric Administration—National Weather Service

# FAA AND NWS KEY AIR TRAFFIC FACILITIES

## **Air Traffic Control System Command Center**

Main Number......703–904–4400

RGNL AIR TRAFFIC DIVISIONS			
REGION TELEPHONE			
Alaskan	907-271-5464		
Central	816-329-2500		
Eastern	718-553-4502		
Great Lakes	847-294-7202		
New England	781-238-7500		
Northwest Mountain	425-227-2500		
Southern	404-305-5500		
Southwest	817-222-5500		
Western Pacific	310-725-6500		

### AIR ROUTE TRAFFIC CONTROL CENTERS (ARTCCs)

ARTCC NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque	817-222-5006	7:30 a.m4:00 p.m.	505-856-4300
Anchorage	907-271-5936	7:30 a.m4:00 p.m.	907-269-1137
Atlanta	404-305-5180	7:30 a.m5:00 p.m.	770-210-7601
Boston	617-238-7001	7:30 a.m4:00 p.m.	603-879-6633
Chicago	847-294-8400	8:00 a.m4:00 p.m.	630-906-8221
Cleveland	847-294-8400	8:00 a.m4:00 p.m.	440-774-0310
Denver	425-227-1389	7:30 a.m4:00 p.m.	303-651-4100
Ft. Worth	817-222-5006	7:30 a.m4:00 p.m.	817-858-7300
Houston	817-222-5006	7:30 a.m4:00 p.m.	281-230-5300
Indianapolis	847-294-8400	8:00 a.m4:00 p.m.	317-247-2231
Jacksonville	404-305-5180	8:00 a.m4:30 p.m.	904-549-1501
Kansas City	816-329-3000	7:30 a.m4:00 p.m.	913-254-8500
Los Angeles	661-265-8200	7:30 a.m4:00 p.m.	661-265-8200
Memphis	404-305-5180	7:30 a.m4:00 p.m.	901-368-8103
Miami	404-305-5180	7:00 a.m3:30 p.m.	305-716-1500
Minneapolis	847-294-8400	8:00 a.m4:00 p.m.	651-463-5580
New York	718-995-5426	8:00 a.m4:40 p.m.	516-468-1001
Oakland	310-725-3300	6:30 a.m3:00 p.m.	510-745-3331
Salt Lake City	425-227-1389	7:30 a.m4:00 p.m.	801-320-2500
Seattle	425-227-1389	7:30 a.m4:00 p.m.	253-351-3500
Washington	718-995-5426	8:00 a.m4:30 p.m.	703-771-3401

## MAJOR TERMINAL RADAR APPROACH CONTROLS (TRACONS)

TRACON NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Atlanta	404-305-5180	7:00 a.m3:30 p.m.	404-669-1200
Chicago	847-294-8400	8:00 a.m4:00 p.m.	847-608-5509
Dallas/Ft. Worth	817-222-5006	7:30 a.m4:00 p.m.	972-615-2500
Denver	425-227-1389	7:30 a.m4:00 p.m.	303-342-1500
Houston	817-222-5006	7:30 a.m4:00 p.m.	281-230-8400
New York	718-995-5426	8:00 a.m4:30 p.m.	516-683-2901
Northern CA	310-725-3300	7:00 a.m3:30 p.m.	916-366-4001
Potomac	718-995-5426	8:00 a.m4:30 a.m.	540-349-7500
Southern CA	310-725-3300	7:30 a.m4:00 p.m.	858-537-5800

<sup>\*</sup>Facilities can be contacted through the Rgnl Duty Officer during non-business hours.

# FAA AND NWS

# **KEY AIR TRAFFIC FACILITIES**

# **DAILY NAS REPORTABLE AIRPORTS**

AIRPORT NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS HOURS	BUSINESS TELEPHONE #
Albuquerque Intl Sunport, NM	817-222-5006	8:00 a.m5:00 p.m.	505-842-4366
Andrews AFB, MD	718-995-5426	8:00 a.m4:30 p.m.	301-735-2380
Baltimore/Washington			
Intl Thurgood Marshall, MD	718-995-5426	8:00 a.m4:30 p.m.	410-962-3555
Boston Logan Intl, MA	781-238-7001	7:30 a.m4:00 p.m.	617-455-3100
Bradley Intl, CT	617-238-7001	7:30 a.m4:00 p.m.	203-627-3428
Burbank/Bob Hope, CA	310-725-3300	7:00 a.m5:30 p.m.	818-567-4806
Charlotte Douglas Intl, NC	404-305-5180	8:00 a.m4:30 p.m.	704–344–6487
Chicago Midway, IL	847-294-8400	8:00 a.m4:00 p.m.	773–884–3670
Chicago O'Hare Intl, IL	847-294-8400	8:00 a.m4:00 p.m.	773-601-7600
Cleveland Hopkins Intl, OH	847-294-8400	8:00 a.m4:00 p.m.	216-898-2020
Covington/Cincinnati, OH	708-294-7401	8:00 a.m4:30 p.m.	606-767-1006
Dallas/Ft. Worth Intl, TX	817–222–5006	8:30 a.m5:00 p.m.	972-615-2531
Dayton Cox Intl, OH	847–294–8400	7:30 a.m4:00 p.m.	937–454–7300
Denver Intl, CO	425-227-1389	7:30 a.m4:00 p.m.	303-342-1600
Detroit Metro, MI	847-294-8400	8:00 a.m4:00 p.m.	734–955–5000
Fairbanks Intl, AK	907–271–5936	7:30 a.m4:00 p.m.	907-474-0050
Fort Lauderdale Intl, FL	404–305–5180	7:00 a.m3:30 p.m.	305–356–7932
George Bush	047 000 5000	7.00 4.00	740 000 0400
Intercontinental/Houston, TX	817-222-5006	7:30 a.m4:00 p.m. 7:00 a.m3:30 p.m.	713-230-8400
Hartsfield-Jackson Atlanta Intl, GA	404–305–5180		404-669-1200
Honolulu Inti, Hi	310-643-3200 817-222-5006	7:30 a.m4:00 p.m.	808-840-6100 713-847-1400
Houston Hobby, TX Indianapolis Intl, IN	847-294-8400	8:00 a.m5:00 p.m. 8:00 a.m4:00 p.m.	317-484-6600
Kahului/Maui, HI	310-643-3200	7:30 a.m.–4:00 p.m.	808-877-0725
Kansas City Intl, MO	816-329-3000	7:30 a.m.–4:00 p.m.	816–329–2700
Las Vegas McCarran, NV	310-725-3300	7:30 a.m.–4:00 p.m.	702–262–5978
Los Angeles Intl, CA	310-725-3300	7:00 a.m3:30 p.m.	310-342-4900
Louis Armstrong New Orleans Intl, LA	817-222-5006	7:00 a.m4:30 p.m.	504-471-4300
Memphis Intl, TN	404-305-5180	7:30 a.m.–4:00 p.m.	901-322-3350
Miami Intl, FL	404-305-5180	7:00 a.m.–4:00 p.m.	305-869-5400
Minneapolis/St. Paul, MN	847-294-8400	8:00 a.m4:00p.m.	612-713-4000
Nashville Intl, TN	404–305–5180	7:00 a.m.–3:30 p.m.	615-781-5460
New York Kennedy Intl, NY	718-995-5426	8:00 a.m4:30 p.m.	718-656-0335
New York La Guardia, NY	718-995-5426	8:00 a.m4:30 p.m.	718–335–5461
Newark Liberty Intl, NJ	718-995-5426	8:00 a.m4:30 p.m.	973-645-3103
Norman Y. Mineta San Jose Intl, CA	310-643-3200	7:30 a.m4:00 p.m.	408-982-0750
Ontario Intl, CA	310-643-3200	7:30 a.m4:00 p.m.	909-983-7518
Orlando Intl, FL	404-305-5180	7:30 a.m5:00 p.m.	407-850-7000
Philadelphia Intl, PA	718-995-5426	8:00 a.m4:30 p.m.	215-492-4100
Phoenix Sky Harbor Intl, AZ	310-643-3200	7:30 a.m4:00 p.m.	602-379-4226
Pittsburgh Intl, PA	718-995-5426	8:00 a.m4:30 p.m.	412-269-9237
Portland Intl, OR	425-227-1389	7:30 a.m4:00 p.m.	503-493-7500
Raleigh-Durham, NC	404-305-5180	8:00 a.m4:30 p.m.	919-840-5544
Ronald Reagan Washington			
National, DC	718-995-5426	8:00 a.m4:30 p.m.	703-413-1535
Salt Lake City, UT	425-227-1389	7:30 a.m4:00 p.m.	801-325-9600
San Antonio Intl, TX	817-222-5006	8:00 a.m4:30 p.m.	210-805-5507
San Diego Lindbergh Intl, CA	310-725-3300	8:00 a.m4:30 p.m.	619-299-0677
San Francisco Intl, CA	310-643-3200	7:00 a.m3:30 p.m.	650-876-2883
San Juan Intl, PR	404-305-5180	7:30 a.m5:00 p.m.	809-253-8663
Seattle-Tacoma Intl, WA	425-227-1389	7:30 a.m4:00 p.m.	206-768-2900
St. Louis Lambert, MO	816-329-3000	7:30 a.m4:00 p.m.	314-890-1000
Tampa Intl, FL	404-305-5180	7:30 a.m4:00 p.m.	813-371-7700
Ted Stevens Anchorage Intl, AK	907-271-5936	7:30 a.m4:00 p.m.	907-271-2700
Teterboro, NJ	718-995-5426	8:00 a.m4:30 p.m.	201-288-1889
Washington Dulles Intl, DC	718-995-5426	8:00 a.m4:30 p.m.	703-661-6031
West Palm Beach, FL	404-305-5180	8:00 a.m4:30 p.m.	407-683-1867
Westchester Co, NY	718–995–5426	8:00 a.m4:30 p.m.	914-948-6520

<sup>\*</sup>Facilities can be contacted through the RgnI Duty Officer during non-business hours.

# INTENTIONALLY LEFT BLANK

Air Route Traffic Control Center frequencies and their remoted transmitter sites are listed below for the coverage of this volume. Bold face type indicates high altitude frequencies, light face type indicates low altitude frequencies. To insure unrestricted IFR operations within the high altitude enroute sectors, the use of 720 channel communications equipment (25 kHz channel spacing) is required.

**®**ATLANTA CENTER

Greensboro - 128.8 124.425 Tri City - 132.9 126.775 120.725

H-6-9-10. L-18-22-24-25-26-36, A-1

(KZTL)

(R)BOSTON CENTER

Augusta - 134.95

H-10-11-12, L-30-31-32-33-34

(KZBW)

Barnstable - 132.9 128.75 127.825 Berlin - 135.7 135.7 Bucks Harbor - 133.45 133.45

Burlington - 118.825 120.35 120.35

Calverton - 124.525 Caribou - 124.75 Concord - 128.325 Cummington - 132.65 Gardner - 134.7 123.75 Houlton - 128.05 120.25 Hvannis - 133.45 133.45 Islip - 135.8 132.3 Kingston - 134.3

Lake George - 135.325 133.625 128.325 121.35

Lebanon - 134 7

Melrose - 135.55 133.325 119.25

Millinocket - 128.05 Montpelier - 135.7 135.7

**Portland - 128.2** 

Rockdale - 133 25 126.475

St. Albans - 128.05 124.25 120.25 Shelton - 135.075 134.0 128.1 125.575 Turin - 135.25 133.25 123.875 120.35

Utica - 124.125

Waterboro - 128.2 118.55

Woodstock - 135.325 133.425 133.425 127.65 124.85 118.425.

REMARKS: The provisions of enroute primary radar not available in the BOSTON ARTCC Watertown, NY area at 12,000' and below, Rockdale/Utica, NY areas at 11,000' and below, Delancey, NY area at 7,000' and below, and in the Syracuse/Georgetown, NY areas at all altitudes.

(R)CLEVELAND CENTER

H-2-5-10-11-12, L-27-28-29-30-31-32, A-2

(KZOB)

Altoona - 132.125 128.45 124.4 121.2

Bradford - 126.725 **Dubois - 126.725 Dunkirk - 125.2** 

Holland - 135.775 120.625

Moon Township - 134.475 254.725 133.075

Morgantown - 126.95

Warren - 134.125 132.925 119.725

Waterford - 127.07

Wayland - 127.475 124.325

RINDIANAPOLIS CENTER - 135.25 132.775 119.95

Bluefield - 126.575

Charleston - 134.225 127.4 119.525

Marmet - 134.225 127.4

H-5-9-10-12, L-16-25-26-27-29 (KZID) RNEW YORK CENTER

Arr-Dep US - 133.7

Barnegat - 132.15 132.15

Barnstable - 135.8 125.925

Big Flat - 133.475 132.2

Colts Neck - 118.975

Douglaston - 134.375 133.05

Elk Mountain - 134.45 132.175 128.5

Flint Hill - 124.625 134.6 132.1

Huguenot - 132.6

Joliet - 133.675 132.5

Matawan - 125.325 127.175

Millville - 134.325

Modena - 135.45

Nantucket - 121.125

North Mountain - 133.5 128.575 123.625 121.325

Philipsburg - 134.8 132.875

Sayre - 133.35

**Ship Bottom -** 128.3 133.05

Sparta - 133.15

Williamsport - 124.9

#### **®WASHINGTON CENTER**

H-9-10-12, L-24-25-26-29-34-35-36, A-1

H-10-11-12, L-29-30-32-33-34-36

Arr-Dep US - 135.5 133.82 133.12 128.52 127.7 127.42 124.02 123.85 118.82

(KZDC)

(KZNY)

Atlantic City - 133.12

Bucks Elbow - 135.4 133.2 133.2 121.675

Buena Vista - 134.625 134.4 133.025 127.925

Cape Charles - 128.525

Cedar Lake - 124.77 124.77

Elkins - 128.6

Falls Church - 126.875 135.525 133.97 132.775

Grantsville - 133.65

Green Bay - 133.725 132.025 127.75 118.75

Hagerstown - 134.15 134.15

Linden - 133.55

Lynchburg - 133.575

Manteo - 124.725

Martinsburg - 132.275

Millville - 125.45 125.45

Modena - 132.525

Patuxent River - 133.9

Roanoke - 134.625

Sea Isle - 127.7 Ship Bottom - 127.025

Smyrna - 132.05 South Boston - 124.05

Whalevville - 120.75

White Sulfur Springs - 120.85

VHF frequencies available at Flight Service Stations and at their remote communication outlets (RCO's) are listed below for the coverage of this volume. Frequencies in bold type are available all altitudes but recommended for use FL180 and above. "T" indicates transmit only and "R" indicates receive only. RCO's available at NAVAID's are listed after the NAVAID name. RCO's not at NAVAID's are listed by name.

#### ALTOONA AFSS

ALLEGHENY VOR/DME 110.0T 122.1R 122.2 122.4

ALTOONA RCO 122.1R 122.2 122.65 123.6

ALTOONA VOR 108.8T

BRADFORD VOR/DME 116.6T 122.1R 122.2 122.3

CLARION VOR/DME 112.9T 122.1R

**DU BOIS RCO 122.2** 

ELLWOOD CITY VORTAC 115.8T 122.1R

ERIE VORTAC 109.4T 122.1R

FRANKLIN VOR 109.6T 122.1R

INDIAN HEAD VORTAC 108.2T 122.1R

JOHNSTOWN VORTAC 113.0T 122.1R 122.65

KEATING VORTAC 116.0T 122.1R

MONTOUR VORTAC 112.0T 122.1R

PHILIPSBURG VORTAC 115.5T 122.1R 122.5 122.6

REVLOC VOR/DME 110.6T 122.1R

SLATE RUN VORTAC 113.9T 122.1R

ST MARYS RCO 121.3

ST THOMAS VORTAC 115.0T 122.1R

TIDIOUTE VORTAC 117.6T 122.1R

TYRONE VORTAC 114.9T 122.1R

#### **BANGOR AFSS**

AUGUSTA VOR/DME 111.4T 122.1R 122.2 122.6

BANGOR RCO 122.2

BELFAST RCO 121.975

BERLIN RCO 122.35 BUCKS HARBOR RCO 122.5

CARIBOU RCO 122.3

CARIBOU RCO 122.3

CLAREMONT RCO 122.4 CONCORD RCO 122.2 122.3

FRYEBURG RCO 122.55

GREENVILLE RCO 122.3

HOULTON VOR/DME 116.1T 122.1R 122.2

KEENE VORTAC 109.4T 122.1R

KENNEBUNK VORTAC 117.1T 122.1R

LEBANON VOR/DME 113.7T 122.1R 122.2 122.5

MANCHESTER VOR/DME 114.4T 122.1R

MILLINOCKET VOR/DME 117.9T 122.1R 123.6

PRINCETON VOR/DME 114.3T 122.1R

WATERBORO RCO 122.25

WHITEFIELD RCO 122.4

#### BRIDGEPORT AFSS

BOSTON VORTAC 112.7T 122.1R 122.4 BRIDGEPORT VOR/DME 108.8T 122.1R 122.2

CHESTER RCO 122.25

FITCHBURG RCO 118.025

GARDNER VORTAC 110.6T 122.1R

GROTON VOR 110.85T 122.1R

HYANNIS RCO 126.425

LAWRENCE VOR/DME 112.5T 122.1R

MADISON VOR/DME 110.4T 122.1R

MANSFIELD RCO 121.725

MARTHAS VINEYARD VOR/DME 114.5T 122.1R

NANTUCKET VOR/DME 116.2T 122.1R

NEW HAVEN VOR/DME 109.8T 122.1R

NORWICH VOR/DME 110.0T 122.1R

PROVIDENCE RCO 122.6

PUTNAM VOR/DME 117.4T 122.1R

**OUONSET STATE RCO 122.3** 

WINDSOR LOCKS RCO 122.3

WORCESTER RCO 122.2

#### **BUFFALO AFSS**

BINGHAMTON VORTAC 112.2T 122.1R

BUFFALO RCO 122.1R 122.2 122.6

BUFFALO VOR/DME 116.4T

DUNKIRK VORTAC 116.2T 122.1R

ELMIRA RCO 122.2 122.4

ELMIRA VOR/DME 109.65T

GENESEO VOR/DME 108.2T 122.1R

GEORGETOWN VORTAC 117.8T 122.1R

HANCOCK VOR/DME 116.8T 122.1R

ITHACA VOR/DME 111.8T 122.1R

JAMESTOWN VOR/DME 114.7T 122.1R

ROCHESTER RCO 122.6

ROCKDALE VOR/DME 112.6T 122.1R

UTICA VORTAC 111.2T 122.1R 122.2 122.65

WELLSVILLE VORTAC 111.4T 122.1R

#### **BURLINGTON AFSS**

ALBANY VORTAC 115.3T 122.1R 122.2 122.45

BARNES VORTAC 113.0T 122.1R

**BURLINGTON RCO 122.2 122.6** 

CHESTER VOR/DME 115.1T 122.1R

GLENS FALLS VORTAC 110.2T 122.1R 122.2 122.4

MASSENA RCO 122.2

MONTPELIER RCO 122.2 122.6

NEWPORT RCO 122.5

OGDENSBURG RCO 122.4

PITTSFIELD RCO 122.05

PLATTSBURGH VORTAC 116.9T 122.1R

RUTLAND RCO 122.3

SARANAC LAKE VOR/DME 109.2T 122.1R

SPRINGFIELD RCO 122.5

WATERTOWN VORTAC 109.8T 122.1R 122.2 122.3

#### **ELKINS AFSS**

BECKLEY VORTAC 117.7T 122.1R

BLUEFIELD VORTAC 110.0T 122.1R 122.2 122.65

CHARLESTON VORTAC 117.4T 122.1R 122.2 122.55

CLARKSBURG VOR/DME 112.6T 122.1R

CUMBERLAND RCO 122.35

ELKINS VORTAC 122.2 122.45 123.6 114.2T 122.1R

GRANTSVILLE VOR/DME 112.3T 122.1R

HENDERSON VORTAC 115.9T 122.1R

HUNTINGTON RCO 122.2 122.6

IVY KNOB RCO 124.3

KESSEL VOR/DME 110.8T 122.1R

MARTINSBURG RCO 122.45

MORGANTOWN VORTAC 111.6T 122.1R 122.6

PARKERSBURG VORTAC 108.6T 122.1R 122.4

RAINELLE VOR 116.6T 122.1R

WHEELING VOR/DME 118.65 112.2T 122.1R

#### LEESBURG AFSS 122.0 122.2 122.6

ARMEL VORTAC 113.5T 122.1R

BALTIMORE VORTAC 115.1T 122.1R 122.2

BROOKE VORTAC 114.5T 122.1R

BUCK'S ELBOW MOUNTAIN RCO 122.2 122.65

CAPE CHARLES VORTAC 112.2T 122.1R

CASANOVA VORTAC 116.3T 122.1R

CHARLOTTESVILLE RCO 122.2 122.65

**DANVILLE VOR 113.1T 122.2** 

FALLS CHURCH RCO 122.2 122.6

FLAT ROCK VORTAC 113.3T 122.1R

FRANKLIN VORTAC 110.6T 122.1R

FREDERICK VOR 109.0T 122.1R

GLADE SPRING VOR/DME 110.2T 122.1R

GORDONSVILLE VORTAC 115.6T 122.1R

HAGERSTOWN VOR 109.8T 122.1R HARCUM VORTAC 108.8T 122.1R

HOPEWELL VORTAC 112.0T 122.1R

LAWRENCEVILLE VORTAC 112.9T 122.1R

LINDEN VORTAC 114.3T 122.1R

LYNCHBURG VORTAC 109.2T 122.1R

MARTINSBURG VORTAC 112.1T 122.1R

MONTEBELLO VOR/DME 115.3T 122.1R

NEWPORT NEWS RCO 122.2 122.65 NORFOLK VORTAC 116.9T 122.1R

NOTTINGHAM VORTAC 113.7T 122.1R

PATHXENT VORTAC 117 6T 122 1R

PULASKI VORTAC 116.8T 122.1R 122.3

RICHMOND VORTAC 114.1T 122.1R 122.2 122.4

**ROANOKE VORTAC 109.4T** 

ROANOKE RGNL/WOODRUM RCO 122.2 122.6 109.4T 122.1R

SALISBURY VORTAC 111.2T 122.1R 122.2 122.3

SNOW HILL VORTAC 112.4T 122.1R 122.6

SOUTH BOSTON VORTAC 110.4T 122.1R

WESTMINSTER VOR/DME 117.9T 122.1R

#### MILLVILLE AFSS

ATLANTIC CITY VORTAC 108.6T 122.55 BROADWAY RCO 122.35 CEDAR LAKE VORTAC 115.2T 122.1R COLTS NECK RCO 122.3 COYLE VORTAC 113.4T 122.1R

MILLVILLE RCO 122.1R 122.2 **122.65** 123.65

ROBBINSVILLE VORTAC 113.8T 122.1R 122.45

SEA ISLE VORTAC 114.8T 122.1R SMYRNA VORTAC 111.4T 122.1R SOLBERG VOR/DME 112.9T 122.1R

DUPONT VORTAC 114.0T 122.1R

SPARTA RCO 122.5

STILLWATER VOR/DME 109.6T 122.1R TETERBORO RCO 122.2 122.65 WATERLOO VOR/DME 112.6T 122.1R WOODSTOWN VORTAC 112.8T 122.1R

#### **NEW YORK IFSS**

HAMPTON VORTAC 113.6T 122.1R 122.6 HUGUENOT VOR/DME 116.1T 122.1R KENNEDY VOR/DME 115.9T 122.1R KINGSTON VOR/DME 117.6T 122.1R LA GUARDIA VOR/DME 113.1T NEW YORK RCO 122.2 122.6 POUGHKEEPSIE RCO 122.2 122.4

#### WILLIAMSPORT AFSS

YARDLEY VOR/DME 108.2T

ALLENTOWN VORTAC 117.5T 122.1R
HARRISBURG VORTAC 112.5T 122.1R 122.2 122.4
LANCASTER VORTAC 117.3T 122.1R
MODENA VORTAC 113.2T 122.1R
NORTH PHILADELPHIA VOR 112.0T 122.2 122.6
POTTSTOWN VORTAC 116.5T
RAVINE VORTAC 114.6T 122.1R
SELINSGROVE VORTAC 110.4T 122.1R
STONYFORK VOR/DME 108.6T 122.1R
WILKES-BARRE RCO 122.2 122.6
WILLIAMSPORT VOR/DME 114.4T 122.1R

# FLIGHT STANDARDS DISTRICT OFFICES (FSDO)

Below is a list of FSDO's in the area of coverage of this directory. These offices serve the aviation industry and the general public on matters relating to certification and operation of general aviation aircraft. Address letters to Manager, Flight Standards District Office-Federal Aviation Administration.

Flight Standards personnel in these offices are responsible for serving the aviation industry and the general public on all matters relating to the certification and operation of general aviation aircraft.

#### CONNECTICUT

1st Floor, Building 85–214 Bradley International Airport

Windsor Locks, Connecticut 06096-1009

Telephone: 860-654-1000

#### DISTRICT OF COLUMBIA

Hallmark Building

13873 Park Center Road, Suite 475

Herndon, VA 20171 Telephone: 703–230–7664 Fax: 703–230–7720

#### MAINE

Portland International Jetport 2 AL McKay Avenue Portland, Maine 04102 Telephone: 207–780–3263

#### **MARYLAND**

890 Airport Park Road Cromwell Business Park Glen Burnie, Maryland 21061 Mailing Address

BWI Airport, Maryland 21240 Telephone: 410-787-0040

#### **MASSACHUSETTS**

One Cranberry Hill Fourth Floor, Suite 402

Lexington, Massachusetts 02421-7394

Telephone: 781-274-7130 Fax: 781-274-6725

#### **NEW JERSEY**

Park 80 West, Plaza One Saddlebrook, New Jersey 07663 Telephone: 201–556–6600

#### **NEW YORK**

7 Airport Park Boulevard Latham, New York 12110 Telephone: 518-785-5660 Administrative Building, Suite 235

Route 110, Republic Airport Farmingdale, New York 11735 Telephone: 631–755–1300

990 Stewart Ave., Suite 630 Garden City, NY 11530-4858 Telephone: 516-228-8033

#1 Airport Way, Suite 110 Rochester, New York 14624 Telephone: 585-436-3880

#### **PENNSYLVANIA**

Allegheny County Airport 3000 Lebanon Church Road, Suite 300

West Mifflin, Pennsylvania 15122 Telephone: 412-466-5357

Allentown-Bethlehem-Easton Airport 961 Marcon Blvd., Suite 111 Allentown, Pennsylvania 18103 Telephone: 610–264–2888

Capital City Airport

400 Airport Rd, Room 101

New Cumberland, Pennsylvania 17070

Telephone: 717-774-8271

International Plaza #2, 2nd Floor Philadelphia, Pennsylvania 19113 Telephone: 610–595–1500

One Thorn Run Center, Suite 200 1187 Thorn Run Extension Coraopolis, PA 15108 Telephone: 412–262–9034

#### **VIRGINIA**

Richmond Intl

5757 Huntsman Rd, Suite 100 Richmond, Virginia 23250-2415 Telephone: 804-222-7494

#### **WEST VIRGINIA**

Yeager Airport

301 Eagle Mountain Road, Room 144 Charleston, West Virginia 25311

Telephone: 304-347-5199

384 ROUTES

#### PREFERRED IFR ROUTES

A system of preferred routes has been established to guide pilots in planning their route of flight, to minimize route changes during the operational phase of flight, and to aid in the efficient orderly management of the air traffic, using federal airways. The preferred IFR routes which follow are designed to serve the needs of airspace users and to provide for a systematic flow of air traffic in the major terminal and en route flight environments. Cooperation by all pilots in filing preferred routes will result in fewer traffic delays and will better provide for efficient departure, en route and arrival air traffic service.

The following lists contain preferred IFR routes for the low altitude stratum and the high altitude stratum. The high altitude list is in two sections; the first section showing terminal to terminal routes and the second section showing single direction route segments. Also, on some high altitude routes low altitude airways are included as transition routes.

The following will explain the terms/abbreviations used in the listing:

- 1. Preferred routes beginning/ending with an airway number indicate that the airway essentially overlies the airport and flight are normally cleared directly on the airway.
- 2. Preferred IFR routes beginning/ending with a fix indicate that aircraft may be routed to/from these fixes via a Standard Instrument Departure (SID) route, radar vectors (RV), or a Standard Terminal Arrival Route (STAR).
- 3. Preferred IFR routes for major terminals selected are listed alphabetically under the name of the departure airport. Where several airports are in proximity they are listed under the principal airport and categorized as a metropolitan area; e.g., New York Metro Area.
- 4. Preferred IFR routes used in one direction only for selected segments, irrespective of point of departure or destination, are listed numerically showing the segment fixes and the direction and times effective.
  - 5. Where more than one route is listed the routes have equal priority for use.
  - 6. Official location identifiers are used in the route description for VOR/VORTAC navaids.
  - 7. Intersection names are spelled out.
- 8. Navaid radial and distance fixes (e.g., ARD201113) have been used in the route description in an expediency and intersection names will be assigned as soon as routine processing can be accomplished. Navaid radial (no distance stated) may be used to describe a route to intercept a specified airway (e.g., MIV MIV101 V39); another navaid radial (e.g. UIM UIM255 GSW081); or an intersection (e.g., GSW081 FITCH).
- 9. Where two navaids, an intersection and a navaid, a navaid and a navaid radial and distance point, or any navigable combination of these route descriptions follow in succession, the route is direct.
- 10. The effective times for the routes are in UTC. During periods of daylight saving time effective times will be one hour earlier than indicated. All states observe daylight saving time except Arizona, Peurto Rico and the Virgin Islands. Pilots planning flight between the terminals or route segments listed should file for the appropriate preferred IFR route.
  - 11. (90-170 incl) altitude flight level assignment in hundred of feet.
- 12. The notations pressurized and unpressurized for certain low altitude preferred routes to Kennedy Airport indicate the preferred route based on aircraft performance.
  - 13. High Altitude Preferred IFR Routes are in effect during the following time periods unless otherwise noted.

Sun	. 1300–2259 local time.	
Mon thru Fri	. 0701-2259 local time.	
Sat	. 0701-1459 local time.	

**Effective** 

- 14. Use current SIDs and STARSs for flight planning.
- 15. For high altitude routes, the portion of the routes contained in brackets [ ] is suggested but optional. The portion of the route outside the brackets will likely be required by the facilities involved.

#### **LOW ALTITUDE**

Terminals	Route	Times (UTC)
ALBANY (ALB)		
Boston (BOS)	(60-170 incl) V2 GDM GDM-STAR	1100-0300
Kennedy (JFK)	(60-170 incl, non-jet) V44 DPK	1100-0300
La Guardia (LGA)	(70-170 incl, less than 250 kts) V123	1100-0300
	or	
	(110-170 incl, 250 kts or more) IGN V157	
	HAARP	1100-0300
NE Philadelphia (PNE)	(90-170, non-turbojet) V14 CEDOR DNY051 DNY	
	LHY LVZ V613 FJC V149 MAZIE ARD	1100-0300
	or	
	(90-170, turbojet) V14 CEDOR DNY051 DNY LHY	
	LVZ V29 ETX V30 V149 MAZIE ARD	1100-0300
Newark (EWR)	(70-170 incl, non-turbojet) V489 COATE	1100-0300
	or	
	(110-170 incl, turbojet) V213	
	TALCO SHAFF-STAR	1100-0300

Terminals	Route	Effective Times (UTC)
Philadelphia (PHL)	(60–170 incl less than 210 kts, non-turbojet) V14 CEDOR DNY051 DNY V449 LHY V93 LVZ	
	V29 PTWor	1100-0300
	(60-170 incl 210 kts plus, non-turbojet) V14 CEDOR DNY051 DNY V449 LHY V93 LVZ V613	
	FJC PTWor	1100-0300
	(70–170 turbojets only) V14 CEDOR DNY051 DNY SLATT-STAR	
Trenton (TTN)	(90–170, non-turbojet) V14 CEDOR DNY051 DNY LHY LVZ V613 FJC V149 MAZIE ARD or	1100-0300
	(90–170, turbojet) V14 CEDOR DNY051 DNY LHY LVZ V29 ETX V30 V149 MAZIE ARD	1100-0300
BALTIMORE (BWI)—See Washington/Baltimo	re Metro	
BOSTON METRO AREA (BOS)		
Cleveland (CLE)	(60–170) MHT V490 UCA V2 SYR V84 GEE V464 V115 TDT V72 V232 CXR	1000-0300
Kennedy (JFK)	(110–170, jets) LUCOS SEY067 SEY PARCH CCC ROBER	1100-0300
	or (110–170, Props) LUCOS SEY067 SEY HTO V46	
	DPK	
	(AOB 100) BOSOX V419 V14 ORW V16 DPK	
La Guardia (LGA)	(110–170 incl, more than 250 kts) BOSOX BDL BDL255 VALRE V157 HAARP	1100-0300
	or (110-170 incl, less than 250 kts) GLYDE BAF	
Martha's Vineyard (MVY)	PWL V405 CASSH V123 HAARP BOS V141 DRUNK	0000-2359
NE Philadelphia (PNE)	(60–100, non-turbojet, water) ARCER SEY V268 HTO V139 BRIGS ACY V184 00D	1100-0300
	or	
	(90–170, non-turbojet) V292 SAGES V408 LHY LVZ V613 FJC V149 MAZIE ARD	1100-0300
	or (110–170, water) BOS LUCOS SEY067 SEY HTO	
	V139 MANTA V276 ARD	1100-0300
	(110–170, non-turbojet, water) BOS LUCOS	
	SEY067 SEY HTO V139 BRIGS ACY V184 OOD or	1100-0300
	(60–100, water) ARCER SEY V268 HTO V139  MANTA V276 ARD	1100-0300
	or (110–170, jets) BOS LUCOS SEY067 SEY HTO	
	V139 BRIGS CEDAR LAKE-STAR	1100-0300
Newark (EWR)	(110–170 incl, props) GLYDE BAF V292 SAGES V489 COATE	1100-0300
	or (110–170, Jets) BOSOX BDL SHAFF–STAR	1100-0300
Philadelphia (PHL)	(80–170 incl) ARCER SEY V268 HTO V308 DRIFT V312 CYN or	1100-0300
	or (60–170, non-turbojet, >210 kts) V292 SAGES	
B (B00)	V408 LHY V93 LVZ V613 FJC PTW	1100-0300
Rochester (ROC)	(60-170 incl) MHT V490 UCA V2(60-170 incl) MHT V490 UCA V2	1000-0300 1000-0300
Trenton (TTN)	(60–170 lilcl) Wiff V490 UCA V2	1100-0300
	or	

Terminals	Route	Effective Times (UTC)
	(110–170, water) BOS LUCOS SEY067 SEY HTO V139 MANTA V276 ARD or	1100-0300
Washington Natl (DCA)	(90–170, non-turbojet) V292 SAGES V408 LHY LVZ V613 FJC V149 MAZIE ARD (80–170 incl) ARCER AVONN V268 HTO V308	1100-0300
Wilmington (ILG)	OTT(60–100, non-turbojet, water) ARCER SEY V268	1100-0300
	HTO V139 BRIGS ACY V184 00D	1100-0300
	(110–170, non-turbojet, water) BOS LUCOS SEY067 SEY HTO V139 BRIGS ACY V184 00D or	1100-0300
	(110-170, turbojets) BOS LUCOS SEY067 SEY HTO V139 BRIGS CEDAR LAKE-STAR	1100-0300
BUFFALO (BUF)		
Boston (BOS)	(60–170 incl) V252 GEE V14 GDM GDM-STAR	1100-0300
Chicago Midway (MDW)	(60–170 incl) V84 LAN V218 ELX V55 GIJ V156 V92 CGT	1100-0300
Chicago O'Hare (ORD)	(60–170 incl) V84 PAPPI	1100-0300
Cleveland (CLE)	(60-170 incl) V115 JHW V270 ERI V14 JFN CXR .	1100-0300
Detroit Metro Wayne Co (DTW) Detroit Satellites:	(60-170 incl) V2 YQ0 SPICA-STAR	1100-0300
Ann Arbor (ARB), Windsor (CYQG),		
Willow Run (YIP)	(60-170 incl) V2 YQ0	1100-0300
Elmira (ELM)	(60–170 incl) V14 GEE V147	1100-0300
Philadelphia (PHL) Pittsburgh (PIT)	(60–170 incl) V33 V210 BUNTS(60–170 incl) V115 TDT CIP GRACE–STAR	1100-0300
Washington Natl (DCA)	(60–170 incl) V33 BFD V170 V93 BAL	1100-0300
CAPE COD (CPD)		
Atlantic City (ACY)	(60-100 singles) V34 SEY V268 HTO CCC V16	
	DIXIE V229	1000-0300
	(AOB 100 all) V34 SEY V268 HTO V308 BRIGS or	1000-0300
	(AOB 100 all) V146 BAF V292 SAGES V408 LHY	
David AFD (DOV)	V106 LVZ V29 MXE V184	1000-0300
Dover AFB (DOV)	( 60 –100 singles) V34 SEY V268 HTO V46 DPK	1000 0200
	V16 ENOor	1000-0300
	(AOB 100 all) V34 SEY V268 ENOor	1000-0300
	(AOB 100 all) PVD V146 BAF V292 SAGES V408	1000 0200
Dubois (DUJ)	LHY V106 LVZ V29 ENO(AOB 100 all) PVD V146 BAF V292 SAGES V408	1000-0300
Gaithersburg (GAI)	LHY V58 FQM V226 PARDY(60–100 singles) V34 SEY V268 HTO V46 DPK	1000-0300
datalorosang (dr.1.)	V16 ENO V268 BAL	1000-0300
	(AOB 100 all) SEY HTO V268 EMI or	1000-0300
	(AOB 100 all) PVD V146 BAF V292 SAGES V408 LHY V93 LRP V457 EMI	1000-0300
NE Philadelphia (PNE)	(60–100, single engine only) V34 SEY V268 HTO V46 DPK V16 CYN V312 OOD	1100-0300
	or (60–100, non-turbojet, water) ARCER SEY V268 HTO V139 BRIGS ACY V184 00Dor	1100-0300
	(110–170, non-turbojet) BOS LUCOS SEY067 SEY HTO V139 BRIGS ACY V184 OODor	1100-0300
	(110-170, jets) BOS LUCOS SEY067 SEY HTO V139 BRIGS CEDAR LAKE-STAR or	1100-0300

Tauminala	Davida	Effective Times
Terminals	Route	(UTC)
	(60–100, water) ARCER SEY V268 HTO V139  MANTA V276 ARD	1100-0300
	(110-170, water) BOS LUCOS SEY067 SEY HTO	
	V139 MANTA V276 ARDor	1100-0300
	(90-170, non-turbojet) V292 SAGES V408 LHY	
	LVZ V613 FJC V149 MAZIE ARD	1100-0300
Newark (EWR)	(110–170, turbojet) BOSOX BDL SHAFF–STAR	1100-0300
Newburgh (SWF) Trenton (TTN)	(AOB 100 all) PVD V405 BDL V205 TRESA (60–100, water) ARCER SEY V268 HTO V139	1000-0300
	MANTA V276 ARD	1100-0300
	V139 MANTA V276 ARD	1100-0300
	(90–170, non-turbojet) V292 SAGES V408 LHY	
White Plains (HPN)	LVZ V613 FJC V149 MAZIE ARD	1100-0300
	PWL V405 CASSH V123 HAARP	1100-0300
	or (AOA 110, more than 250 kts) PVD PUT BDL IGN	
Wilmington (ILG)	V157 HARRP(60–100 single engine only) V34 SEY V268 HTO	
Willington (IEG)	V46 DPK V16 CYN V312 00D	1000-0300
	(60-100, non-turbojet, water) ARCER SEY V268	
	HTO V139 BRIGS ACY V184 OOD	1000-0300
	(AOB 100 all) PVD V146 BAF V292 SAGES V408	
	LHY V106 LVZ V29 DQOor	1000-0300
	(110–170, non-turbojet, water) BOS LUCOS SEY067 SEY HTO V139 BRIGS ACY V184 OOD or	1100-0300
	(110–170, jets) BOS LUCOS SEY067 SEY HTO V139 BRIGS CEDAR LAKE-STAR	1100-0300
CHARLESTON (CRW)		
Pittsburgh (PIT)	(60-170 incl) V115 JPU V117 WISKE WISKE-STAR	
KENNEDY (JFK)—See New York Metro	WISKE-STAR	
Area  LA GUARDIA (LGA)—See New York Metro		
Area MONTREAL (CYUL)		
Newark (EWR)	(80-170 incl, 250 kts or less) V282 SLK V203	
	ALB V489 COATE	1100-0300
	(110-170 incl, more than 250 kts) V282 SLK V203 ALB V213 SAX	1100-0300
NEW YORK METRO AREA From KENNEDY (JFK) only		
Albany (ALB)	(70-170 incl) BDR V487 CANAN V130	1100-0300
Baltimore (BWI)	(90–170 incl, 250 kts or less) WHITE V1 LEEAH V268	1100-0300
	or (140–170 incl, more than 250 kts) RBV RBV274	
Baston (BOC)	MXE056 V378 BAL	1100-0300
Boston (BOS)	(110–170, turbojet) MERIT ORW PVD ORW–STAR	1100-0300
	Or (110, 170, pap, turbojot) MEDIT OPW V16	
	(110–170, non-turbojet) MERIT ORW V16 WOONS	1100-0300
Burlington (BTV)	(90–170 incl) BDR V487	1100-0300

Terminals	Route	Effective Times (UTC)
Hagerstown (HGR)	(140-160) RBV V276 V162 HAR V377	1100-0300
	or (90–130 incl) COATE V188 LVZ V93 DUMMR V162 HAR V377	
Harrisburg (MDT)	(90–130 incl) COATE V188 LVZ V93 DUMMR V162 HWANGor	1100-0300
	(140-160 incl) RBV V276 V162 HWANGor	1100-0300
	(90–130 incl) COATE V188 LVZ V93 DUMMR V162 HYPER V143 ROBRT AML	1100-0300
Montreal (CYUL)	(110–170) BDR V487 BTV V91 NAPEE	1100-0300
Norfolk (ORF)	(90–170 incl, more than 250 kts) WAVEY PLUME V139 CCV	1100-0300
	or	
Portland (PWM)	(90–170 incl, 250 kts or less) WHITE V1 CCV (110–170) MERIT HFD EEN CON CONO61 NEETS (110–170 incl) BAYYS V229 SEALL V188 GON	1100-0300 1100-0300
,	V374 MINNK	1100-0300
Rochester (ROC)	(90–130 incl) HAAYS HUO V252 GIBBEor	1100-0300
Dawy (DME)	(140–170 incl) GAYEL V374 CFB V252 GIBBE	1100-0300
Rome (RME)	(90–170) HAAYS V273 V449 DNY V249 UCA (90–130 incl) HAAYS HUO V252 CFB V29	1100-0300 1100-0300
Syracuse (STR)	or	1100-0300
	(140-170 incl) GAYEL V374 CFB	1100-0300
Toronto (CYYZ)	(90–130 incl) COATE V126 LHY ULW V36 or	1100-0300
Washington Dulles (IAD)	(140–170 incl) GAYEL V374 CFB V270 ULW V36 (140–170 incl, jets) RBV V276 V457 LRP V143 MULRR AML	1100-0300 1100-0300
	or (140–170 incl, props) RBV V276 V39 LRP V143	1100-0300
	MULRR AML	1100-0300
Washington Natl (DCA)	(80–170 incl, 250 kts or less) V1 LEEAH V229 V308 OTT	1100-0300
	or (80–170 incl, more than 250 kts) WAVEY PLUME V308 BILIT	1100-0300
	V300 DILIT	1100-0300
From LA GUARDIA (LGA) only	(70, 470 (m.)) DDD (407, 04NAN ) (400	4400 0000
Albany (ALB) Baltimore (BWI)	(70–170 incl) BDR V487 CANAN V130 (90–170 incl) BIGGY V3 MXE V378 BAL	1100-0300 1100-0300
Binghamton (BGM)	(90–170 incl) HAAYS HUO V252 CFB	1100-0300
Boston (BOS)	(110–170 turbojet) MERIT ORW PVD ORW-STAR . or	1100-0300
	(110-170 non-turbojet) MERIT ORW V16 WOONS	
Cleveland (CLE)	(90–100 incl) LANNA V30 SEG V6 YNG CXR	1100-0300 1100-0300
	(140–170 incl.) ELIOT V39 ETX V30 SEG V6 YNG CXR	1100-0300
Elmira (ELM)	(90–170 incl) COATE V126 LHY ULW	1100-0300
Harrisburg (CXY)	(90–100) LANNA V30 ETX V162 HWANGor	1100-0300
Manchester (MHT)	(110–170 incl) ELIOT V39 ETX V162 HWANG (110–170 non-turbojet) MERIT HFD V229 GDM	1100-0300
	V106	1100-0300
Martha's Vineyard (MVY)	(110–170, turbojet) MERIT HFD EEN MHT (110–170 incl) BAYYS V229 SEALL V188 GON	1100-0300
Montreal (CYUL)	V374(70–170 incl) BDR V91 BOWAN V487 BTV V91	1100-0300
	NAPEE	1100-0300
Nantucket (ACK)	(110-170 incl) BAYYS V229 SEALL V188 GON V374 ORW130 DEEPO V46	1100-0300

Terminals	Route	Effective Times (UTC)
Norfolk (ORF)	(90-170 incl) WHITE V1 CCV	, ,
Pittsburgh (PIT)	(90–100 incl) LANNA V30 PSB GRACE–STAR or	1100-0300
Portland (PMM)	(140–170 incl) ELIOT V39 ETX V30 PSB  GRACE–STAR	1100-0300
Portland (PWM)	(110–170 all) MERIT HFD EEN CON CON061  NEETS	1100-0300
Providence (PVD)	(110-170 incl) BAYYS V229 SEALL V188 GON V374 MINNK	1100-0300
Richmond (RIC)	(90-170 incl) WHITE V1 CCV HPW	1100-0300
Rochester (ROC)	(90-170 incl) HAAYS HUO V252 GIBBE	1100-0300
Rome (RME)	HAAYS V273 V449 DNY V249 UCA	1100-0300
Syracuse (SYR)	(90–170 incl, less than 250 kts) HAAYS HUO V252 CFB V29	1100-0300
	(90–170 incl, 250 kts plus) GAYEL CFB	1100-0300
Toronto (CYYZ)	(90–170 incl) COATE V126 LHY ULW V36	1100-0300
Washington Dulles (IAD)	(140–170 incl, jets) PARKE V457 LRP V143	
<b>5</b> , ,	MULRR AML	1100-0300
	(140-170 incl, props) ELIOT V39 LRP V143	
	MULRR AMLor	1100-0300
	(90-130 incl, props) LANNA V30 ETX V39 LRP	
	V143 ROBRT AML	1100-0300
Washington Natl (DCA)	(90-170 incl , props) BIGGY V3 MXE V378 BAL	1100-0300
Wilkes-Barre/Scranton (AVP) From <b>NEWARK (EWR)</b> only	(90–170 incl) COATE V188 LVZ	1100-0300
Albany (ALB)	(70-170 incl, turbojets) BDR V487 CANAN V130 .	1100-0300
	(70-170 less than 210 kts) BREZY V39 SOARS	
	V487 CANAN V130	1100-0300
	(70-170, greater than 210 kts) HAAYS V273	1100 0200
Baltimore (BWI)	V449 (90-170 incl) BIGGY V3 MXE V378	1100-0300 1100-0300
Bedford (BED)	(110-170 incl) MERIT HFD GRAYM-STAR	1100-0300
Binghamton (BGM)	(90-170 incl) HAAYS HUO V252 CFB	1100-0300
Boston (BOS)	(110-170, turbojet) MERIT ORW PVD ORW-STAR .	1100-0300
	(110-170, non-turbojet) MERIT ORW V16 WOONS	1100 0200
Buffalo (BUF)	(90- 170 incl) COATE V126 LHY ULW ULW306	1100-0300
Burlington (BT\/)	V164	1100-0300
Burlington (BTV) Cleveland (CLE)	(110-170 incl) GREKI V39 SOARS V487(90-100 incl) LANNA V30 SEG V6 YNG CXR	1100-0300 1100-0300
Cieveranu (CLL)	or (140-170 incl ) ELIOT V39 ETX V30 SEG V6 YNG	1100-0300
	CXR	1100-0300
Elmira (ELM)	(90-170 incl) COATE V126 LHY ULW	1100-0300
Harrisburg (CXY)	(90-100 incl) LANNA V30 ETX V162 HWANG or	1100-0300
Hyannis (HYA)	(110-170 incl) ELIOT V39 ETX V162 HWANG (110-170 incl) BAYYS V229 SEALL V188 GON	1100-0300
	V374 MVY	1100-0300
Manchester (MHT)	(110–170, non–turbojet) MERIT HFD V229 GDM V106or	1100-0300
Martha's Vineyard (MVY)	(110–170 turbojet) MERIT HFD EEN MHT (110-170 incl) BAYYS V229 SEALL V188 GON	1100-0300
	V374	1100-0300
Martinsburg (MRB)	(90-100) LANNA V30 ETX V39or	1100-0300
Martin State (MTN)	(110-170 incl) ELIOT V39(90-170 incl) BIGGY V3 MXE V408 VINNY V93	1100-0300
	SKILS	1100-0300

		Times
Terminals	Route	(UTC)
Montreal (CYUL)	(70-170 incl) BDR V91 BOWAN V487 BTV V91 NAPEE	1100-0300
Nantucket (ACK)	(110-170 incl) BAYYS V229 SEALL V188 GON	1100 0000
	V374 ORW130 DEEPO V46	1100-0300
Norfolk (ORF)	(90-170 incl) WHITE V1 CCV	1100-0300
Norwood (OWD)	(110-170 incl) MERIT ORW V16 WOONS	1100-0300
Pittsburgh (PIT)	(90-100 incl) LANNA V30 PSB GRACE-STAR or	1100-0300
	(140-170 incl.) ELIOT V39 ETX V30 PSB	
Death and (DWA)	GRACE-STAR	1100-0300
Portland (PWM)	(110-170, all) MERIT HFD EEN CON CON061 NEETS	1100-0300
Providence (PVD)	(110-170 incl) BAYYS SEALL V188 GON V374 MINNK	1100-0300
Richmond (RIC)	(90-170 incl) WHITE V1 CCV HPW	1100-0300
Rochester (ROC)	(90-170 incl) HAAYS HUO V252 GIBBE	1100-0300
Rome (RME)	(90–170, all others) HAAYS V273 V449 DNY	
	V249 UCA	1100-0300
Syracuse (SYR)	(90-170 incl, less than 250 Kts) HAAYS HUO	
	V252 CFB V29or	1100-0300
	(90-170 incl, 250 Kts plus) GAYEL CFB	1100-0300
Toronto (CYYZ)	(90-170 incl) COATE V126 LHY ULW V36	1100-0300
Washington Dulles (IAD)	(140-170 incl, jets) PARKE V457 LRP V143 MULRR AML	1100-0300
	or	1100 0000
	(140-170 incl, props) ELIOT V39 LRP V143	1100 0200
	MULRR AMLor	1100-0300
	(90-130 incl, props) LANNA V30 ETX V39 LRP	
	V143 MULRR AML	1100-0300
Washington Natl (DCA) Wilkes-Barre/Scranton (AVP)	(90–170 incl , props) BIGGY V3 MXE V378 BAL (90–170 incl) COATE V188 LVZ	1100-0300 1100-0300
From WHITE PLAINS (HPN) only		
Albany (ALB)	(70-170 incl) BDR V487 CANAN V130	1100-0300
Baltimore (BWI)	(90-170 incl ) BIGGY V3 MXE V378 BAL	1100-0300
Binghamton (BGM)	(90-170 incl) HAAYS HUO V252 CFB	1100-0300
Boston (BOS)	(110-170 turbojet) MERIT ORW PVD ORW-STAR . or	1100-0300
	(110-170 non-turbojet) MERIT ORW V16 WOONS	
Oleveland (OLF)	(00, 470 in al) 00ATE VAGC LUV VEQ DCD VC VNC	1100-0300
Cleveland (CLE)	(90–170 incl) COATE V126 LHY V58 PSB V6 YNG	1100 0200
Elmira (ELM)	CXR(90–170 incl) COATE V126 LHY ULW	1100-0300 1100-0300
Harrisburg (CXY)	(90–100) LANNA V30 ETX V162 HWANG	1100-0300
	or (110–170 incl) ELIOT V39 ETX V162 HWANG	1100-0300
Manchester (MHT)	(110–170 mici) EEIOT V39 ETX V102 HWANG (110–170 non–turbojet) MERIT HFD V229 GDM	1100-0300
,	V106	1100-0300
	or (110–170, turbojet) MERIT HFD EEN MHT	1100-0300
Martha's Vineyard (MVY)	(110-170 incl) BAYYS V229 SEALL V188 GON V374	1100-0300
Montreal (CYUL)	(70-170 incl) GREKI V39 SOARS V487 BTV V91	1100-0300
Nantucket (ACK)	NAPEE(110–170 incl) BAYYS V229 SEALL V188 GON	1100-0300
,	V374 ORW130 DEEPO V46	1100-0300
Norfolk (ORF)	(90-170 incl) WHITE V1 CCV	1100-0300
Norwood (OWD) Pittsburgh (PIT)	(110–170 incl) MERIT ORW V16 WOONS(90–170 incl) COATE V126 LHY V58 PSB	1100-0300
	GRACE-STAR	1100-0300
Portland (PWM)	(110-170, all) MERIT HFD EEN CON CON061	
Providence (PVD)	NEETS(110–170 incl) BAYYS V229 SEALL V188 GON	1100-0300
Trovidence (FVD)	V374 MINNK	1100-0300
Richmond (RIC)	(110-170 incl) WHITE V1 CCV HPW	1100-0300

To a start	P. 1.	Effective Times
Terminals           Rochester (ROC)           Syracuse (SYR)	<b>Route</b> (90–170 incl) HAAYS HUO V252 GIBBE(90–130 incl) HAAYS HUO V252 CFB V29	(UTC) 1100-0300 1100-0300
Toronto (CYYZ)	or (140–170 incl) HAAYS HUO V252 CFB (90–170 incl) COATE V126 LHY ULW V36	1100-0300 1100-0300
Washington Dulles (IAD)	(140–170 incl, jets) PARKE V457 LRP V143  MULRR AML	1100-0300
	(140–170 incl, props) ELIOT V39 LRP V143 MULRR AML	1100-0300
Washington Natl (DON)	(90–130 incl, props) LANNA V30 ETX V39 LRP V143 MULRR AML	1100-0300
Washington Natl (DCA) Wilkes-Barre/Scranton (AVP)	(90–170 incl , props) BIGGY V3 MXE V378 BAL (90–170 incl) COATE V188 LVZ	1100-0300 1100-0300
NORFOLK METRO AREA Baltimore (BWI)	HPW V213 PXT V93 GRACO	1100-0300
Kennedy (JFK)	(90–170 incl, 250 kts or less) SCHOL SBY200 V139 SIE V44 PANZE V184 ZIGGI	1100-0300
	or (90–170 incl, more than 250 kts) SCHOL	1100 0200
La Guardia (LGA)	SBY200 V139 SIE CAMRN-STAR(90–170, non-jet) SCHOL SBY200 SBY V29 DQ0	1100-0300
	V479 RUUTH V123 RENUEor	1100-0300
Newsyl (EWP)	(90–170 incl, more than 250 kts, non-jet) SCHOL SBY200 SBY V29 V445 NANCI	1100-0300
Newark (EWR)	(110–170 incl, turbojets only) HPW V213 PXT DYLIN–STAR	1100-0300
	or (non–jets, 180 kts or greater) HPW V213 PXT	
	PXTØ23 GATBY V445 DQ0 V479 RUUTH V123 RBV RBV005 OWBIE	1100-0300
	or (50–90 incl, non–jet, less than 180 kts) SCHOL	
Philadelphia (PHL)	SBY V29 MXE ARD V214 METRO	1100-0300
Teterboro (TEB)	SWL034 RADDS VCN-STAR(advanced navigation, turbojets only) HPW V213	1100-0300
	PXT JAIKE-STAR or	1100-0300
	(turboprop) HPW V213 PXT PXT023 GATBY V445 DQ0 DQ0029 V3 SBJ TEB	1100-0400
Washington Dulles (IAD)	(piston) SCHOL SBY V29 MXE V3 SBJ TEB (Jet only) HPW RIC COATT-STAR	1100-0400 1100-0300
washington Dulles (IAD)	or (Non-Jet) HPW RIC RIC345 COATT V155 BRV	1100-0300
Washington Natl (DCA)	BRV007 BARIN HPW RIC IRONS-STAR	1100-0300 1100-0300
PHILADELPHIA METRO AREA		
Binghamton (BGM)	(90–170 incl) PTW PTW320 V499 CFB(90–170 incl) DITCH V312 DRIFT V308 ORW V16	1100-0300
Buffalo (BUF)	WOONS (90–170 incl) PTW PTW320 V499 V164 FQM V31	1100-0300
Cleveland (CLE)	ULW ULW306 V164	1100-0300
Detroit Metro-Wayne Co (DTW)	AIR V8 BSV KEATN-STAR(60–170 incl) PTW PTW320 V276 RAV V170 ERI	1100-0300
Detroit Satellites:	SPICA-STAR	1100-0300
Coleman A Young (DET), Windsor (CYQG), Pontiac (PTK), Willow Run		
(YIP), Ann Arbor (ARB)	PTW PTW320 V276 RAV V170 ERI	

		Times
Terminals	Route	(UTC)
Elmira (ELM)	(90–170 incl) PTW PTW320 V499 V164 FQM V31	(010)
LIIIII a (LLIVI)	ULW	1100-0300
Kennedy (JFK)	(110–170, turbojets only) DITCH V312 V44	1100-0300
Refilledy (31 K)		1100 0200
Newfelle (ODE)	CAMRN	1100-0300
Norfolk (ORF)	(80–170 incl) OOD SBY V1 CCV	1100-0300
Richmond (RIC)	(80–170 incl) 00D 00D198 V229 PXT V16	1100-0300
Syracuse (SYR)	(90–170 incl) PTW PTW320 V499 CFB V29	1100-0300
Toronto (CYYZ)	(90–170 incl) PTW PTW320 V499 V164 FQM V31	
	ULW V36	1100-0300
Washington Dulles (IAD)	(90-170 incl, turbojets only) MXE V474 V143	
	MULRR AML	1100-0300
Washington Natl (DCA)	(Turbojets only) MXE V378 BAL	1100-0300
White Plains (HPN)	(90-170 incl, props ) DITCH V312 DRIFT V139	
	RICED RICED-STAR	1100-0300
Windsor Locks (BDL)	(90-170 incl) DITCH V312 DRIFT V139 MAD193	
	MAD MAD341 BRISS	
PITTSBURGH METRO AREA (PIT)		
Baltimore (BWI)	(90-170 incl) MGW V44 MRB V3 EMI	1100-0300
Boston (BOS)	(60-170) TON V35 ULW V72 ALB V2 GDM	
	GDM-STAR	1100-0300
Buffalo (BUF)	(60-170 incl) EWC FKL DKK DKK020 WELLA	1100-0300
Chicago Midway (MDW)	(60-170 incl) BSV V8 FDY V422 CGT	1100-0300
Chicago O'Hare (ORD)	BSV V8 FDY V422 OXI V340 BEARZ	1100-0300
Cleveland (CLE)	(60-170 incl) BSV KEATN-STAR	1100-0300
Columbus (CMH/TZR)	(60–170 incl) TVT V43 APE	1100-0300
Detroit Metro-Wayne Co (DTW)	(60-170 incl) BSV DJB DJB314 GEMNI	
	GEMNI-STAR	
Detroit Satellites:		
Ann Arbor (ARB), Willow Run (YIP)	(60-170 incl) EWC V37 ERI V221 V2	1100-0300
Coleman A Young (DET), Pontiac (PTK),		
Windsor (CYQG)	(60-170 incl) BSV V40 DJB LLEEO-STAR	1100-0300
Harrisburg (MDT)	(60-170 incl) REC V210 HAR	1100-0300
Indianapolis (IND)	(60-170 incl) TVT V210 MIE CLANG-STAR	1100-0300
Kennedy (JFK)	(90-170 incl) TON PSB V6 SBJ V232 COL	1100-0300
La Guardia (LGA)	TON PSB V6 LIZZI	
Newark (EWR)	(70-170 incl, 250 kts or less) TON V35 PSB V58	
	FQM PENNS-STAR	1100-0300
Philadelphia (PHL)	(60-170 incl) REC V210 BUNTS	1100-0300
Washington Natl (DCA)	(90-170 incl) MGW V144 ESL V4 AML	1100-0300
White Plains (HPN)	(60-170 incl, props) TON PSB V58 IGN NOBBI-	
	STAR	1100-0300
PROVIDENCE (PVD)		
La Guardia (LGA)	(110-170 incl, more than 250 kts) PUT BDL	
La duardia (Lan)	BDL255 VALRE V157 HAARP	1100-0300
	Or	1100-0300
	(110-170 incl, less than 250 kts) V146 BAF	
	V106 PWL V405 CASSH V123 HAARP	1100-0300
Newark (EWR)	(110–170 incl, turbojets) PUT BDL SHAFF-STAR .	1100-0300
Newark (LWK)	or	1100-0300
	(110-170 incl, non-turbojet) PUT V146 BAF V292	
	V489 COATE	1100-0300
DOGUEDETED (DOG)	V-10.0 00/11 E	1100 0000
ROCHESTER (ROC)	(00.470).	4400 0000
Baltimore (BWI)	(90–170 incl) V147 ULW V31 HAR V265 EMI	1100-0300
Boston (BOS)	(60–170 incl) FAULT V31 BEEPS V14 GDM	4400 0000
Data it Mater Warra Oc (DTW)	GDM-STAR	1100-0300
Detroit Metro Wayne Co (DTW)	(60–170 incl) V31 AIRCO BUF V2 YQ0	4400 0000
B + 11 B + 1111	SPICA-STAR	1100-0300
Detroit Satellites:		
Coleman A Young (DET), Windsor		
(CYQG), Pontiac (PTK), Willow Run (YIP),	(00 470 ; 1) (04 41000 BUE VO VO 0	4400 05
Ann Arbor (ARB)	(60–170 incl) V31 AIRCO BUF V2 YQ0	1100-0300
Kennedy (JFK)	(90–170 incl, props) V34 BEEPS RKA V433 PWL	4400 0000
	V44 DPK	1100-0300

Terminals Philadelphia (PHL)	<b>Route</b> (70–170 incl) V147 ULW V31 FQM MIP RAV V170 V210 BUNTS	Effective Times (UTC)
Washington Natl (DCA)	(90–170 incl, jet only) V147 ULW V35 PSB PSB149 SHILO V93 BALor	1100-0300
0.0000	(90–170 incl, non-jet) V147 ULW V31 HAR V265 KRANT	1100-0300
SYRACUSE (SYR)	(60, 170 incl) V14 CDM CDM STAR	1100 0200
Boston (BOS) Kennedy (JFK)	(60-170 incl) V14 GDM GDM-STAR (70-170 incl, non-jet) V433 LOVES V44 DPK	1100-0300 1100-0300
Newark (EWR)	(110–170 incl, turbojets) V273 HNK SHAFF-STAR	1100 0000
		1100-0300
	or (70, 470 is all all athers to a 2 ) NO70 HNI( ) (4.67	
	(70–170 incl, all other types) V273 HNK V167 WEARD V489 COATE	1100-0300
WASHINGTON/BALTIMORE METRO AREA From BALTIMORE (BWI) only		
Albany (ALB)	V93 LRP V499 CFB V270 DNY V449	1100-0400
Binghamton (BGM) Boston (BOS)	V93 LRP V499 CFB(90–170 incl props) PALEO-DP SIE V308 ORW	1100-0300
Bridgeport (BDR)	V16 WOONS(90–170 incl) PALEO-DP SIE V139 RICED	1100-0300
Buffalo (BUF)	MAD193 KEYED V93 SHILO PSB149 KOLBY V265 HAR V31 FQM	1100-0300
Charlottesville (CHO)	V164(below 110) V44 MRB V143 CEROL	1100-0300 1100-0300
Cleveland (CLE)	or (110–170) FLUKY GVE MRB V501 THS V469 JST V297 TALLS V10 YNG	1100-0300
()	CXR	1100-0300
Detroit Metro-Wayne Co (DTW)	(turbojets only) MRB V501 THS V469 JST EWC YNG V6 DJB GEMNI -STAR	
Detroit Satellites:	(props only) MRB V501 THS V469 JST EWC YNG V6 DJB SKY SKY292 YQG197 LYNTN	
Ann Arbor (ARB), Willow Run (YIP) Coleman A Young (DET), Pontiac (PTK),	MRB V501 THS V469 JST EWC ERI	
Windsor (CYQG)	MRB V501 THS V469 JST EWC YNG V6 V297 LLEEO LLEEO-STAR	
Greensboro (GSO)	(70–170 incl, non-jet) V44 MRB V143 LYH V222	
	HENBY	0000-2359
Hartford (HFD)	(90–170 incl) PALEO-DP V308 GON V58	1100-0300
Islip (ISP) Kennedy (JFK)	(90–170 incl) PALEO-DP SIE V139 SARDI CCC (90–170 incl, 250 kts or greater) PALEO-DP ACY	1100-0300
	V229 PANZE V44 CAMRN	1100-0300
	(90-170 incl, less than 250 kts) PALEO-DP ACY	
	V184 ZIGGI	1100-0300
Knoxville (TYS)	V44 MRB V143 MOL ROA V16	1100-0300
La Guardia (LGA)	(Turbojets only) PALEO-DP V44 AGARD KORRY-STAR	1100-0400
	or	1100 0400
	(Non-turbojets) SWANN-DP DQO V479 RUUTH	
Newton Let (AQIA)	V123 RENUE	1100-0300
Nantucket (ACK)	(90–170 incl) POLLA V312 PALEO V44 SIE V139 HTO V46	1100-0300
	or (70) POLLA V312 GOLDA V268 ENO V16 JFK	
	V229 BDR V475 V188 GON V374 MVY	1100-0300
Newark (EWR)	(110–170 incl, turbojets only) SWANN–DP V445	
	DQO DYLIN-STARor	1100-0300

ı

Tamaiada	Posts.	Effective Times
Terminals	<b>Route</b> (110–170 incl, non-turbojet, greater than 180	(UTC)
	kts) SWANN-DP V445 DQO V479 RUUTH V123	
New bounds (OME)	RBV RBV005 OWBIE	1100-0300
Newburgh (SWF) New Haven (HVN)	V93 LHY V408 FILPS V483	1100-0300
New navell (nviv)	(90–170 incl) PALEO-DP SIE V139 RICED MAD193 KEYED	1100-0300
Norfolk (ORF)	(70–170 incl, non jet) V93 PXT V16 COLIN V33 V286 STEIN	1100-0300
	or	
	(70-170 jets) DAILY V33 V286 STEIN	1100-0300
Philadelphia (PHL)	(70–170 incl) SWANN-DP DQ0	1100-0300
Pittsburgh (PIT)	(90–170 incl) MRB IHD NESTO-STAR	1100-0300
Poughkeepsie (POU) Rochester (ROC)	V93 IGN V93 SHILO PSB149 KOLBY V265 HAR V31 GIBBE	1100-0300 1100-0300
Syracuse (SYR)	(non-jet) V93 SHILO PSB149 KOLBY V265 HAR	1100-0300
9,140400 (0111) 111111111111111111111111111111	V31 FQM V423 CFB V29	1100-0300
Teterboro (TEB)	(Jets, Advanced Nav Only) SWANN JAIKE-STAR	1100-0300
, ,	or	
	(non-jets, 180 kts or greater) SWANN V445 DQ0	1100 0200
White Plains (HPN)	DQ0029 V3 SBJ TEB(110–170 incl) PALEO-DP SIE V139 RICED-STAR .	1100-0300 1100-0300
Wille Flams (HFIV)	or	1100-0300
	(70) V93 LRP ETX FJC BWZ SAX V39 BREZY	1100-0300
From WASHINGTON DULLES INTL (IAD) only		
Bridgeport (BDR)	(90-170 incl) WOOLY V214 BAL V44 SIE V139	
	RICED MAD193 KEYED	1100-0300
Buffalo (BUF)	(70-170 incl, non-jet) MRB HGR V501 THS TON	
	ELZ V164	0000-2359
Detroit Metro-Wayne Co (DTW)	(Turbojets only) MRB V501 THS V469 JST EWC YNG V6 DJB GEMNI -STAR	
	or (Non-turbojet) MRB V501 THS V469 JST EWC YNG	
Detect October	V6 DJB SKY SKY292 YQG197 LYNTN	
Detroit Satellites: Ann Arbor (ARB), Willow Run (YIP)	MRB V501 THS V469 JST EWC ERI	
Coleman A Young (DET), Pontiac (PTK), Windsor (CYQG)	MRB V501 THS V469 JST EWC YNG V6 V297	
	LLEEO LLEEO-STAR	
Greensboro (GSO)	(70–170 incl, non-jet) CSN V140 MOL V143 LYH V222 HENBY	0000–2359
Islip (ISP)	(90–170 incl) WOOLY V214 BAL V44 SIE V139	0000 2000
	SARDI CCC	1100-0300
Kennedy (JFK)	(90–170 incl, 250 Kts or greater) PALEO V44	
	DONIL V229 PANZE V44 CAMRNor	1100-0300
	(90-170 incl, less than 250 Kts) WOOLY V44	
	DONIL V229 ACY V184 ZIGGI	1100-0300
La Guardia (LGA)	(110-170 incl, turbojets only) PALEO V44 AGARD	
	KORRY-STAR	1100-0300
	(90–170 incl, non turbojets) WOOLY V214 DQO	
	V479 V123 RENUE	1100-0300
Newark (EWR)	(110-170 incl, turbojets only) AML SWANN V445	
	DQO DYLIN-STAR	1100-0300
	or (110–170 incl, non–turbojet, more than 180 kts)	
	WOOLY V214 SWANN RUUTH-STAR	1100-0300
Newburgh (SWF)	MRB V501 HGR V377 AML009 SEG230 SEG	1100-0000
, , , , , , , , , , , , , , , , , , ,	V106 LHY V408 V483 FILPS	1100-0300
New Haven (HVN)	(90–170 incl) WOOLY V214 BAL V44 SIE V139	
	RICED MAD193 KEYED	1100-0300
Philadelphia (PHL)	(70-170 incl) WOOLY V214 DQ0	1100-0300
Pittsburgh (PIT)	(60-170) MRB V214 GRV IHD NESTO-STAR	1100-0300

Terminals	Route	Effective Times (UTC)
Raleigh-Durham (RDU)	FLUKY GVE SBV-STAR	1100-0300
Rochester (ROC)	MRB V501 HGR V377 AML009 SEG230 SEG V31	
Syracuse (SYR)	GIBBE(non-jet) MRB V501 HGR V377 AML009 SEG230	1100-0300
	SEG V31 FQM V423 CFB V29or	1100-0300
	(jet) MRB V501 HGR V377 AML009 SEG230 SEG V31 FQM V423 CFB	1100-0300
Teterboro (TEB)	(Jets, Advanced Nav Only) SWANN FUBRR JAIKE	1100-0300
	(RNAV)–STAR	1100-0300
	(non-jet, 180 kts or greater) SWANN V445 DQ0	
White Plains (HPN)	DQ0029 V3 SBJ TEB(90–170 incl) WOOLY V44 SIE V139 RICED	1100-0300
	STAR	1100-0300
	Or (70) MDB VE01 HCD V277 HAD V162 ETV FIC	
	(70) MRB V501 HGR V377 HAR V162 ETX FJC BWZ SAX V39 BREZY	1100-0300
From WASHINGTON NATIONAL (DCA) only		
Albany (ALB)	KRANT V265 EMI V457 LRP V499 CFB V270 DNY	1100 0200
Allentown (ABE)	V449 KRANT V265 EMI V457 LRP V39 ETX FJC	1100-0300 1100-0300
Altoona (AOO)	KRANT V265 V214 MRB JST A00	1100-0300
Atlantic City (ACY)	(90–170) PALEO V44 SIE	
	(70) POLLA V312 GOLDA V268 LEEAH	1100-0300
Barnes (Westfield) (BAF)	(90-170) POLLA V312 PALEO V44 SIE V139 RICED MAD193 MAD MAD341 BRISS	1100-0300
	or (70) PALEO V312 GOLDA V268 ENO V16 JFK	
	V229 BDR BDR014 JUDDS BAF	
Bedford (BED)	POLLA V312 PALEO V44 SIE V308 ORW	
	GRAYM-STAR	1100-0300
	or (70) DALEO V313 COLDA V369 ENO V16 JEK	
	(70) PALEO V312 GOLDA V268 ENO V16 JFK V229 HFD HFD053 DREEM	1100-0300
Binghamton (BGM)	KRANT V265 EMI V457 LRP V499 CFB	1100-0300
Boston (BOS)	(90-170 incl) POLLA V312 PALEO V44 SIE V308	
	ORW V16 WOONS	1100-0300
	0f (70) DALEO V24.2 COLDA V268 ENO V4.6 JEK	
	(70) PALEO V312 GOLDA V268 ENO V16 JFK V229 HFD V3 WOONS	1100-0300
Bridgeport (BDR)	KRANT V265 EMI V457 LRP V93 LHY V106 PWL	1100-0300
	V44 DENNA	1100-0300
	or (90–170) POLLA V312 PALEO V44 SIE V139	
	RICED MAD193 KEYED	1100-0300
	or	1100 0000
	(70) PALEO V312 GOLDA V268 ENO V16 JFK	
D. W. L. (DUE)	V229 BDR	1100-0300
Buffalo (BUF)	EMI V265 HAR V31 FQM V164 KRANT V265 EMI V457 LRP V93 LHY V449 ALB	1100-0300 1100-0300
Burlington (BTV) Butler (BTP)	KRANT V265 EMI V268 NESTO	1100-0300
Charleston (CRW)	LDN LDN275 V286 EKN V4 HVQ	1100-0300
Clarksburg (CKB)	LDN LDN275 V286 EKN CKB	1100-0300
Cleveland (CLE)	KRANT V265 V214 MRB V501 THS V469 JST	
	V297 TALLS V10 YNG CXR	1100-0300
Concord (CON)	(90–170) POLLA V312 PALEO V44 SIE V139 HTO V308 ORW V14 GDM V39	1100-0300
Detroit Metro-Wayne Co (DTW)	(Turbojet only) KRANT V265 V214 MRB V501 THS V469 JST EWC YNG V6 DJB GEMNI-STAR	1100-0300
	(Non-turbojet only) KRANT V265 V214 MRB V501	
	THS V469 JST EWC YNG V6 DJB SKY SKY292	
	YQG197 LYNTN	1100-0200

Terminals	Route	Effective Times (UTC)
Detroit Satellites:		
Ann Arbor (ARB), Willow Run (YIP)	KRANT V265 V214 MRB V501 THS V469 JST EWC ERI	
Coleman A Young (DET), Pontiac (PTK),		
Windsor (CYQG)	KRANT V265 V214 MRB V501 THS V469 JST	
Davier (AED (DOV))	EWC YNG V6 V297 LLEEO LLEEO-STAR	
Dover (AFB (DOV) Erie (ERI)	(70) PALEO V312 GOLDA V268 ENO DOV KRANT V265 V214 MRB JST CIP V276	1100-0300
Farmingdale (FRG)	(90-170) PALEO V44 DONIL V229 PANZE V44	1100-0300
	CAMRN	
	(70) POLLA V312 GOLDA V268 ENO V16 JFK	1100-0300
	(90-170, less than 250 kts) PALEO V44 DONIL V229 ACY V184 ZIGGI FRG	
Greensboro (GSO)	(70-170 incl, non-jet) CSN V140 MOL V143 LYH	
	V222 HENBY	0000-2359
Groton (GON)	(90-170) POLLA V312 PALEO V44 SIE V139 HTO	
	HTOO34 MONDIor	1100-0300
	(70) POLLA V312 GOLDA V268 ENO V16 JFK	
	V229 BDR MAD MAD126 MONDI	
Hagerstown (HGR)	V265 EMI EMI325 HGR089	1100-0300
Harrisburg (MDT/CXY)	KRANT V265 EMI V265	1100-0300
Hartford (HFD)	(90–170) POLLA V312 PALEO V44 SIE V139 RICED MAD193 MAD V1	1100-0300
	0f (70) DOLLA V242 COLDA V269 ENO V46 JEK	
Islip (ISP)	(70) POLLA V312 GOLDA V268 ENO V16 JFK (90–170) POLLA V312 PALEO V44 SIE V139	
1511p (161 )	SARDI CCC	1100-0300
	or	
	(70) POLLA V312 GOLDA V268 ENO V16 JFK	1100-0300
Kennedy (JFK)	(90–170 incl, 250 kts or greater) POLLA V312	
	PALEO V44 DONIL V229 PANZE V44 CAMRN or	1100-0300
	(90-170 incl, less than 250 kts) POLLA V312	
	PALEO V44 DONIL V229 V184 ZIGGI	1100-0300
La Guardia (LGA)	PALEO V44 AGARD KORRY-STAR	1100-0300
Martha's Vineyard (MVY)	(90–170) POLLA V312 PALEO V44 SIE V139 HTO V46 FLAPE	1100-0300
	Or	
	(70) POLLA V312 GOLDA V268 ENO V16 JFK V229 BDR MAD V475 V188 GON V374	1100 0200
Morgantown (MGW)	LDN V144	1100-0300 1100-0300
Nantucket (ACK)	(90–170) POLLA V312 PALEO V44 SIE V139 HTO	1100-0300
,	V46	1100-0300
	or	
	(70) POLLA V312 GOLDA V268 ENO V16 JFK	
	V229 BDR V475 MAD V475 V188 GON V374	
N. J. (EMB)	MVY	1100-0300
Newark (EWR)	(advanced navigation, turbojets only) SWANN	1100 0200
	V445 DQO DYLIN-STARor	1100-0300
	(piston) SWANN V445 DQO V29 MXE ARD V214	
	METRO	1100-0300
	or	
	(turboprops) SWANN V445 DQO V479 RUUTH	
	V123 RBV RBV005 OWBIE	1100-0300
Newburgh (SWF)	KRANT V265 EMI V457 LRP V93 LHY V408 V483 FILPS	1100-0300
New Haven (HVN)	(90-170) POLLA V312 PALEO V44 SIE V139	
	RICED MAD193 KEYED	1100-0300
	or	
	(70) POLLA V312 GOLDA V268 ENO V16 JFK	1100 0000
Norfolk (ORF)	V229 BDR DAILY V33 V286 STEIN	1100-0300 1100-0300
NOTION (ONL)	DAILI 100 1200 01LII1	1100-0200

To control to	P. C.	Times
Terminals Philadelphia (PHL)	Route (110 , jets) MITCH V445 DQO	(UTC) 1100-0300
Pittsburgh (PIT)	or (Props to PHL and Satellites) PALEO V170 DQO KRANT V265 V214 MRB V214 GRV IHD	1100-0300
	NESTO-STAR	1100-0300
Portland (PWM)	(90–170) POLLA V312 PALEO V44 SIE V139 HTO ORW GDM CON CON061 NEETS	1100-0300
	(70) POLLA V312 GOLDA V268 ENO V16 JFK V229 BDR MAD V1 HFD V229 GDM V106 ENE	1100-0300
Poughkeepsie (POU)	KRANT V265 EMI V457 LRP V93 LHY V408 V483 FILPS	1100-0300
Providence (PVD)	(90–170) POLLA V312 PALEO V44 SIE V139 HTO HT0070 PVD195	1100-0300
	(90–170 advanced RNAV only) POLLA V312 PALEO V44 SIE V139 HTO JORDAN	
Rochester (ROC)	(RNAV)-STARKRANT V265 EMI V265 HAR V31 GIBBE	1100-0300 1100-0300
Rome (RME)	KRANT V265 EMI V457 LRP V499 CFB UCA	1100-0300
Syracuse (SYR)	KRANT V265 HAR V31 FQM V423 CFB V29 (advanced navigation, turbojets only) SWANN	1100-0300
	JAIKE-STARor	1100-0400
White Plains (HPN)	(turboprop) SWANN V445 DQO DQ0029 V3 SBJ (70) KRANT V265 EMI LRP ETX FJC BWZ SAX V39 BREZY	1100-0400
	or (90–170) PALEO V44 SIE V139 RICED RICED-STAR	1100-0300
Wilkes Barre/Scranton (AVP)Windsor Locks (BDL)	(70, less than 180 kts) POLLA V170 ODESA MXE ARD V214 METRO V249 SAX V39 BREZY KRANT V265 EMI V457 LRP V93 LVZ (210 kts or less) KRANT V265 EMI V457 V93 LHY	1100-0300 1100-0300
**************************************	V106 PWL V34 M00NI V58 JUDDS	1100-0300
	(70) POLLA V312 GOLDA V268 ENO V16 JFK V229 BDR BDR014 JUDDS V419 BRISS BDL	1100-0300
WINDSOR LOCKS (BDL)		
Islip (ISP) NE Philadelphia (PNE)	(110-170 incl) HFD V58 GON V308 BOROS CCC . (110-170, non-turbojet) HFD V58 THUMB HTO	1000-0300
	V139 BRIGS CEDAR LAKE-STAR	1100-0300
	(110–170, water) BOS LUCOS SEY067 SEY HTO V139 MANTA V276 ARD	1100-0300
	(90–170, non-turbojet) V292 SAGES V408 LHY LVZ V613 FJC V149 MAZIE ARD or	1100-0300
	(90-170, jets) V292 SAGES V408 LHY LVZ V29 ETX V30 V149 MAZIE ARD	1100-0300
Newark (EWR)	(70–170 incl, 250 kts or less) SASHA V292 V489 COATE	1100-0300
	or	
	(110–170 incl, more than 250 kts) SASHA V292 V312 SAX	1100-0300
Philadelphia (PHL)	(110–170 incl, non-turbojet) HFD V58 THUMB HTO V139 BRIGS ACY V184 OODor	1100-0300

Terminals	Route	Effective Times (UTC)
	(60–170 incl, props less than 210 kts) SASHA V292 SAGES V408 LHY LVZ V29 SLATT V6 FJC	
	V149 MAZIEor or (60–170 incl, props 210 kts plus) SASHA V292	1100-0300
	SAGES V408 LHY LVZ V29 SLATT V6 FJC V149 MAZIEor	1100-0300
	(60–170 incl, turbojets) SASHA V292 SAGES V408 LHY LVZ V147 MAZIE	1100-0300
Trenton (TTN)	(110–170, water) BOS LUCOS SEY067 SEY HTO V139 MANTA V276 ARD	1100-0300
	or (90–170, non-turbojet) V292 SAGES V408 LHY LVS V613 FJC V149 MAZIE ARD	1100-0300
	(90–170, jets) V292 SAGES V408 LHY LVS V29 ETX V30 V149 MAZIE ARD	1100-0300
Wilmington (ILG)	(110–170, non-turbojet) HFD V58 THUMB HTO V139 BRIGS ACY V184 OOD	1100-0300
	or (110–170, non-turbojet) HFD V58 THUMB HTO V139 BRIGS CEDAR LAKE-STAR	1100-0300
SPECIAL LOW	ALTITUDE DIRECTIONAL ROUTES	
	Route	Effective Times (UTC)
Low Altitude IFR bi-directional routes for traffi	c overflying New York Metro Area:	
		1100-0300 1100-0300
Low Altitude IFR bi-directional routes for traffi	c overflying Washington Metro Area:  HAR V377 MOL	1100-0300
	HAR V377 V38 GVE LRP V93 PXT	1100-0300 1100-0300
Low Altitude IFR single direction route: Southbound	MXE V474 V377 HGR	1100-0300
Low Altitude IFR traffic overflying Washington	Metro Area from over ENO landing Charlottesville, VA o	r Shenandoah,
VA:	ENO V213 GVE098 GVE thence direct CHO or SHD	1200-0200
	HIGH ALTITUDE	1200 0200
		Effective Times
Terminals	Route	(UTC)
ALBANY (ALB)		
Chicago O'Hare (ORD)	SYR J63 EHMAN YXU J547 FNT PAITN-STAR (RNAV only) SYR JOSSY MAULL KODIE CTW TIGRR (RNAV)-STAR or	1100-0300
Washington Dulles (IAD)	(all others) SYR J29 KELIE SLT016 SLT SLT249  KODIE CTW081 CTW CINCE-STAR  (Turbojets) J6 LRP DELRO-STAR	1100-0300
	or (Turboprops) DNY LHY V106 SEG SEG–STAR	1100-0300
ALLENTOWN (ABE)		
Cincinnati (CVG)	(RNAV only) ETX SEG PSB MAULL KODIE CTW TIGRR (RNAV)-STAR or	
	(all others) ETX SEG PSB PSB281 MAULL SLT249 KODIE CTW081 CTW CINCE-STAR	
Detroit Metro-Wayne Co (DTW)	ETX J80 J518 DJB GEMNI-STAR	

		Effective Times
Terminals	Route	(UTC)
ATLANTIC CITY (ACY) Detroit Metro-Wayne Co (DTW)	V229 LEEAH V268 ENO V29 DQO PENSY J110	
Detroit Metro-Wayne Co (DTW)	LEJOY J518 DJB GEMNI-STAR	
BALTIMORE (BWI) —See Washington/Baltimo		
BANGOR (BGR)		
Cincinnati (CVG)	(RNAV only) SYR JOSSY MAULL KODIE CTW TIGRR (RNAV)-STAR	
	(all others) SYR J29 KELIE SLT016 SLT SLT249 KODIE CTW081 CTW CINCE-STAR	
BINGHAMTON (BGM)		
Cincinnati (CVG)	(RNAV only) CFB FQM PSB MAULL KODIE CTW TIGRR (RNAV)-STAR	
	(all others) CFB FQM PSB PSB281 MAULL SLT249 KODIE CTW081 CTW CINCE-STAR	
BOSTON (BOS)		
Atlanta (ATL)	GLYDE BAF J77 PTW J48 ODF WHINZ-STAR or	1100-0300
	(RNAV only) GLYDE BAF J77 PTW J48 ODF FLCON (RNAV)-STAR	1100-0300
Baltimore (BWI)	NELIE CMK J75 MXE V378 BAL	1100-0300
Boca Raton (BCT)	(Turbojets-GPS or DME/DME-IRU equipped)	
	LUCOS SEY067 SEY HTO J174 ORF ISO J121 CHS J79 OMN CAYSL (RNAV)-STAR	
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) LUCOS SEY067 SEY HTO J174 SWL	
	CEBEE WETRO DIW AR19 AYBID CAYSL (RNAV)-STAR	
	or (Turbojets) LUCOS SEY067 SEY HTO J174 ORF	
	ISO J121 CHS J79 OMN TUXXI–STAR	
	(Water-Turbojets) LUCOS SEY067 SEY HTO J174	
	SWL CEBEE WETRO DIW AR19 AYBID MIMMI	
0	NEUBE SWOMP SANZZ CAYSL	
Charlotte (CLT)	BOS NELIE CMK J75 GVE LYH SUDSY (RNAV)-STAR	1100-0300
Chicago O'Hare (ORD)	MHT CAM SYR J63 EHMAN YXU J547 FNT PAITN-STAR	1100-0300
Cincinnati (CVG)	(RNAV only) GLYDE CTR HNK J49 PSB MAULL	
	or	
	(all others) GLYDE CTR HNK J49 PSB PSB281  MAULL SLT249 KODIE CTW081 CTW  CINCE-STAR	
Cleveland (CLE)	MHT CAM J547 SYR J29 KELIE BDF CXF	1100-0300
Dallas/Ft. Worth (DFW)	GLYDE BAF J77 SAX J6 LIT BYP	1100-0300
Dayton (DAY) Denver (DEN)	GLYDE BAF J77 SAX J80 AIR APE DANEI-STAR MHT CAM SYR J547 BUF J94 ONL J114 SNY LANDR-STAR	1100-0300 1100-0300
Detroit Metro-Wayne Co. (DTW)	MHT CAM J547 BUF BUF267 YQ0094 YQ0 SPICA-STAR	1100-0300
Detroit Satellites: Coleman A Young (DET), Windsor		
(CYQG), Pontiac (PTK), Willow Run	MUT CAM IS 47 DUE VOO	4400 0200
(YIP), Ann Arbor (ARB) Fort Lauderdale (FLL)	MHT CAM J547 BUF YQ0(Turbojets-GPS or DME/DME-IRU equipped)	1100-0300
	LUCOS SEY067 SEY HTO J174 ORF ISO J121	
	CHS J79 OMN FISEL (RNAV)-STAR	
	or	

		Times
Terminals	Route	(UTC)
Torriniais	(Water-Turbojets-GPS or DME/DME-IRU	(0.0)
	equipped) LUCOS SEY067 SEY HTO J174 SWL	
	CEBEE WETRO ILM AR21 CRANS FISEL	
	(RNAV)-STAR	
	or	
	(Turbojets) LUCOS SEY067 SEY HTO J174 ORF	
	ISO J121 CHS J79 OMN GISSH-STAR	
	or	
	(Water-Turbojets) LUCOS SEY067 SEY HTO J174	
	SWL CEBEE WETRO ILM AR21 CRANS HIILL	
	FATHR GISSH-STAR	
	or	
	(Water-Turboprops-GPS or DME/DME-IRU	
	equipped) LUCOS SEY067 SEY HTO J174 ILM	
	AR21 CRANS FISEL (RNAV)-STAR	
	or	
	(Turboprops) LUCOS SEY067 SEY HTO J174 ORF	
	J121 CHS J79 OMN MLB BLUFI-STAR	
	or	
	(Water-Turboprops) LUCOS SEY067 SEY HTO	
	J174 ILM AR21 CRANS HIILL FATHR	
	GISSH-STAR	
Fort Myers (RSW)	(WATER-Turbojets-GPS or DME/DME-IRU	
	equipped) LUCOS SEY067 SEY HTO J174 SWL	
	CEBEE WETRO DIW ILM AR15 HIBAC SHFTY	4400 0000
0	(RNAV)-STAR	1100-0300
Greensboro (GSO)	NELIE CMK J75 GVE LYH V222 HENBY	0000–2359
Houston George Bush Intctl (IAH)	(Turbojets–GPS or DME/DME–IRU equipped) GLYDE BAF J77 PTW J48 MOL J22 VUZ AEX	
	TXMEX (RNAV)-STAR	1100-0300
	or	1100-0300
	(non-advanced NAV only) GLYDE BAF J77 PTW	
	J48 MOL J22 VUZ AEX DAS-STAR	1100-0300
Houston Hobby (HOU)	(GPS or DME/DME-IRU equipped) GLYDE BAF J77	1100 0000
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	PTW J48 MOL J22 VUZ AEX ROKIT-STAR	1100-0300
	or	
	(non-advanced NAV only) GLYDE BAF J77 PTW	
	J48 MOL J22 VUZ AEX DAS-STAR	1100-0300
Indianapolis (IND)	GLYDE BAF J77 SAX J80 EMPTY DQN CLANG-	
	STAR	1100-0300
Islip (ISP)	LUCOS SEY067 SEY V268 HTO V46 CCC	1100-0300
Kennedy (JFK)	LUCOS SEY067 SEY PARCH CCC ROBER	1100-0300
Los Angeles (LAX)	MHT CAM SYR J547 BUF J16 BAE DBQ J94 ONL	
	J114 DVV J60 HEC DOWNE-STAR	1100-0300
	or	
	MHT CAM SYR J547 BUF J94 ECK J38 GRB ODI	
Manualta (MEM)	FSD J114 DVV J60 HEC CIVET-STAR	1100-0300
Memphis (MEM)	GLYDE BAF J77 SAX J6 BWG WLDER-STAR	1100-0300
Miami (MIA)	(Turbojets-GPS or DME/DME-IRU equipped)	
	LUCOS SEY067 SEY HTO J174 ORF ISO J121	
	CHS J79 OMN HILEY (RNAV)-STAR	
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) LUCOS SEY067 SEY HTO J174 SWL	
	CEBEE WETRO DIW AR22 JORAY HILEY	
	(RNAV)-STAR	
	or	
	(Turbojets) LUCOS SEY067 SEY HTO J174 ORF	
	ISO J121 CHS J79 OMN ANNEY-STAR	
	or	
	(Water-Turbojets) LUCOS SEY067 SEY HTO J174	
	SWL CEBEE WETRO DIW AR22 JORAY OSOGY	
	ENVOY YOSSI MILSY BOYUR HILEY KAINS	
	or	

		Times
Terminals	Route	(UTC)
	(Turboprops) LUCOS SEY067 SEY HTO J174 ORF	
	J121 CHS J79 OMN ANNEY-STAR	
Milwaukee (MKE)	MHT CAM SYR J547 BUF J94 ECK MKG V2	
Minneapolis/St Paul (MSP)	SUDDSMHT CAM SYR J547 BUF YWT J63 TVC J522 GRB	1100-0300
Nechville (DNA)	GLYDE BAF J77 SAX J6 YOCKY GUITR-STAR	1100-0300
Nashville (BNA) Newark (EWR)	(More than 250 kts) GLYDE V292 V213 SAX	1100-0300 1100-0300
Newark (LWK)	or	1100-0300
	(250 kts or less) GLYDE V292 V489 COATE	1100-0300
New Orleans (MSY)	GLYDE BAF J77 PTW J48 MOL J22 MEI J31	1100 0000
Orlando Exec (ORL)	LUCOS SEY067 SEY HTO J174 ORF J121 CHS	
	J79 OMN CORLL-STARor	1100-0300
	(GPS or DME/DME-IRU equipped) LUCOS	
	SEY067 SEY HTO J174 SWL CEBEE WETRO ILM	
	AR15 HIBAC CWRLD (RNAV)-STAR	1100-0400
Orlando Intl (MCO)	(Water-Turbojets) LUCOS SEY067 SEY HTO J174	
	SWL CEBEE WETRO ILM AR15 HIBAC APOLO	
	ORL	1100-0300
	or	
	LUCOS SEY067 SEY HTO J174 ORF J121 CHS	
	J79 OMN BITHO-STAR	1100-0300
	or	
	(GPS or DME/DME-IRU equipped) LUCOS	
	SEY067 SEY HTO J174 SWL CEBEE WETRO ILM	
	AR15 HIBAC CWRLD (RNAV)-STAR	1100-0400
	Or (CDS or DME /DME IBIL oquipped) LUCOS	
	(GPS or DME/DME-IRU equipped) LUCOS SEY067 SEY HTO J174 ORF J121 CHS J79	
	OMN CWRLD (RNAV)-STAR	1100-0400
Philadelphia (PHL)	LUCOS SEY067 SEY HTO J121 BRIGS VCN-STAR	1100-0300
Pittsburgh (PIT)	GLYDE CTR HNK HNK271 J190 SLT GRACE-STAR	1100-0300
Raleigh-Durham (RDU)	LUCOS SEY067 SEY HTO J174 SWL ARGAL-STAR	1000-0300
Salt Lake City (SLC)	MHT CAM SYR J547 BUF J16 BAE DBQ J94 OCS	
	LHO-STAR	
San Francisco (SFO)	MHT CAM J547 SYR J547 BUF J94 ECK J38 GRB	
	J106 GEP J70 ABR J32 FMG ILA PYE PYE-	
	STAR	1100-0300
St Louis (STL)	GLYDE BAF J77 SAX J80 AIR J110 VHP VLA-STAR	
Tampa (TPA)	NELIE CMK J75 TAY LZARD-STAR	
Washington Dulles (IAD)	GLYDE BAF J77 SAX J6 LRP V143 MULRR AML	1100-0300
Washington Natl (DCA)	LUCOS SEY067 SEY HTO J174 ATR085 ATR V308	1100 0200
	BILITor	1100-0300
	(GPS or DME/DME-IRU equipped) LUCOS	
	SEY067 SEY HTO J174 ATR085 ATR V308	
	LAFLN BILIT (RNAV)-STAR	1100-0300
West Palm Beach (PBI)	(Turbojets-GPS or DME/DME-IRU equipped)	
	LUCOS SEY067 SEY HTO J174 ORF ISO J121	
	CHS J79 OMN FRWAY (RNAV)-STAR	1100-0300
	or	
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) LUCOS SEY067 SEY HTO J174 SWL	
	CEBEE WETRO DIW AR19 AYBID FRWAY	
	(RNAV)-STAR	1100-0300
	Or (Turb sists) 111000 CEVOCZ CEV 1170 1474 OPE	
	(Turbojets) LUCOS SEY067 SEY HTO J174 ORF	1100 0200
	ISO J121 CHS J79 OMN TUXXI-STAR	1100-0300
	(Water-Turbojets) LUCOS SEY067 SEY HTO J174	
	SWL CEBEE WETRO DIW AR19 AYBID MIMMI	
	NEUBE SWOMP SANZZ CASKI	1100-0300
		1100-0000

Terminals	Route	Times (UTC)
BRIDGEPORT (BDR)		
Baltimore (BWI)	BEADS V139 SARDI RBV J230 J75 MXE V378 BAL	
Binghamton (BGM)	(Turbojets) NEION J223 CORDS CFB	
Boca Raton (BCT)	(Turbojets-GPS or DME/DME IRU equipped) BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN CAYSL (RNAV)-STAR	
	(Turbojets) BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN TUXXI-STAR	
	(Water-Turbojets-GPS or DME/DME IRU equipped) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR19 AYBID CAYSL (RNAV)-STAR or	
	(Water-Turbojets) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CAYSL	
Buffalo (BUF)	NEION J223 CORDS ULW ULW306 V164 or	
	(Turboprops) GAYEL J95 CFB V270 ULW ULW306 V164	
Chicago O'Hare (ORD)	COATE J36 FNT PAITN-STAR	1100-0300
Dallas/Fort Worth (DFW)	BEADS V139 SARDI RBV J230 J6 LIT BYP	
Detroit Metro Wayne Co (DTW)	GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR YQO SPICA–STAR	1100-0300
Detroit Satellites:		
Coleman A Young (DET), Pontiac (PTK),		
Willow Run (YIP), Ann Arbor (ARB)	GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR	
Window (OVOC)	YQ0	
Windsor (CYQG)	GAYEL J95 CFB CFB286 TRAAD J132 ULW306 KOOPR YQO	
Fort Lauderdale (FLL)	(Turbojets) BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN GISSH-STAR	
	Or (Turb arrana) READS 0004.48 14.74 ORE 14.04	
	(Turboprops) BEADS CCC148 J174 ORF J121 CHS J79 OMN MLB BLUFI-STAR or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	BEADS CCC148 J174 ORF ISO J121 CHS J79	
	OMN FISEL (RNAV)-STAR	
	or (Water-Turbojets-GPS or DME/DME-IRU	
	equipped) BEADS CCC148 J174 SWL CEBEE	
	WETRO ILM AR21 CRANS FISEL (RNAV)-STAR or	
	(Water-Turbojets) BEADS CCC148 J174 SWL CEBEE WETRO ILM AR21 CRANS HILL FATHR	
Ithaca (ITH)	GISSH-STAR(Turbojets) NEION J223 CORDS CFB V423	
Miami (MIA, TMB, HST)	(Turbojets–GPS or DME/DME–IRU equipped)	
	BEADS CCC148 J174 ORF ISO J121 CHS J79	
	OMN HILEY (RNAV)-STAR or	
	(Turboprops) BEADS CCC148 J174 ORF J121 CHS J79 OMN ANNEY-STAR	
	(Turbojets) BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN ANNEY-STAR	
	or (Water-Turbojets-GPS or DME/DME-IRU	
	equipped) BEADS CCC148 J174 SWL CEBEE	
	WETRO DIW AR22 JORAY HILEY (RNAV)-STAR	

or

Terminals	Route	Effective Times (UTC)
Torminais	(Water-Turbojets) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR22 JORAY OSOGY ENVOY	(010)
Montreal (CYUL)	YOSSI MILSY BOYUR HILEY KAINS	1100 0200
	CORLL-STAR	1100-0300
Orlando Inti (MCO)	CCC148 J174 SWL CEBEE WETRO ILM AR15 HIBAC CWRLD (RNAV)-STAR BEADS CCC148 J174 ORF J121 CHS J79 OMN	1100-0400
	or (Water-Turbojets) BEADS CCC148 J174 SWL	1100-0300
	CEBEE WETRO ILM AR15 HIBAC APOLO ORL or (GPS or DME/DME-IRU equipped) BEADS	1100-0300
	CCC148 J174 ORF J121 CHS J79 OMN CWRLD (RNAV)-STAR	1100-0400
	(GPS or DME/DME-IRU equipped) BEADS CCC148 J174 SWL CEBEE WETRO ILM AR15 HIBAC CWRLD (RNAV)-STAR	1100-0400
Pittsburgh (PIT)	(Turbojets) COATE J36 J190 SLT GRACE-STAR or	1100-0400
Raleigh/Durham (RDU)	(Turboprops) GAYEL V374 V58 LHY J36 J217 ETG V226 CIP GRACE-STAR BEADS CCC148 J174 SWL ARGAL-STAR	4400 0000
Richmond (RIC) Rochester (ROC) Syracuse (SYR) Tampa (TPA)	BEADS CCC148 J174 SWL V139 CCV HPW (Turbojets) NEION J223 CORDS ULW V31 GIBBE . (Turbojets) NEION J223 CORDS CFB V29 BEADS V139 SARDI RBV J230 J75 TAY LZARD-STAR	1100-0200
Washington Dulles (IAD)	(GPS or DME/DME-IRU equipped) BEADS V139 SARDI RBV J230 J75 TAY DADES (RNAV)-STAR. BEADS V139 SARDI RBV RBV289 V457 LRP V143	
Washington Natl (DCA)	MULRR AML BEADS CCC148 J174 ATR085 ATR V308 BILIT or	
	(GPS or DME/DME-IRU equipped) BEADS CCC148 J174 ATRO85 ATR V308 LAFLN BILIT (RNAV)-STAR	
West Palm Beach (PBI)	(Water-Turbojets-GPS or DME/DME-IRU equipped) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR19 AYBID FRWAY (RNAV)-STAR or	
	(Turbojets-GPS or DME/DME-IRU equipped) BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN FRWAY (RNAV)-STAR	
	(Turbojets) BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN TUXXI-STARor	
	(Water-Turbojets) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CASKI	
BUFFALO (BUF)		
Cincinnati (CVG)	(RNAV only) BUF JHW MAULL KODIE CTW TIGRR (RNAV)-STAR or	
	(all others) BUF JHW JHW194 MAULL SLT249 KODIE CTW081 CTW CINCE-STAR	

Tauminala	Route	Effective Times
Terminals Detroit Satellites:	Route	(UTC)
Coleman A Young (DET), Pontiac (PTK),		
Windsor (CYQG), Ann Arbor (ARB), Willow Run (YIP)	YXU PICES-STAR	
Kennedy (JFK)	V33 J70 LVZ LENDY-STAR	
La Guardia (LGA)	(Above 250 kts) V14 GEE RKA-STAR or	1110-0300
	(250 kts or less) V14 BEEPS J522 EXTOL	
Newark (EWR)	RKA292 RKA NOBBI-STAR(Above 250 kts) V14 BEEPS J522 HNK	
	SHAFF-STAR or	
	(250 kts or less) V14 BEEPS J522 HNK V167 WEARD V489 COATE	
Philadelphia (PHL)	V33 BFD PSB HAR V210 BUNTS	
BURLINGTON (BTV)		
Chicago O'Hare (ORD)	ART YSO J546 ECK TVC PAITN-STAR	1100-0300
Cincinnati (CVG)	(RNAV only) SYR J29 JOSSY MAULL KODIE CTW TIGRR-STAR or	
	(all others) SYR J29 KELIE SLT SLT249 KODIE	
	CTW081 CTW CINCE-STAR	
La Guardia (LGA)	ALB PWL IGN V157	1100-0300
Newark (EWR) Philadelphia (PHL)	ALB V213 SAX(Turbojets only) ALB DNY SLATT-STAR	1100-0300
Pittsburgh (PIT)	ALB J49 HNK HNK271 J190 SLT GRACE-STAR	1100-0300
Washington Dulles (IAD)	(Turbojets) ALB J6 LRP DELRO-STAR or	1100-0300
CHARLESTON (CRW)	(Turboprops) ALB LHY V106 SEG SEG-STAR	1100-0300
CHARLESTON (CRW) Cleveland (CLE)	TVT KEATN-STAR	
Houston George Bush Intcntl (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) LIT J180 SWB TXMEX (RNAV)-STAR	
	or (non-advanced NAV only) LIT J180 SWB	
	DAS-STAR	
Houston Hobby (HOU)	(GPS or DME/DME-IRU equipped) LIT J180 SWB ROKIT (RNAV)-STAR	
	or (non-advanced NAV only) LIT J180 SWB DAS-STAR	
CHARLOTTESVILLE (CHO)	DA3-31AN	
Cincinnati (CVG)	HNN090/50 GAVNN	
	(RNAV only-at or below FL220) HNN GAVNN (RNAV)-STAR	
	or	
	(all others—at or above FL240) HNN090/50 HNN JAVIT—STAR	
HADDICDIDC (MIDT)	or (all others-at or below FL220) HNN JAVIT-STAR	
HARRISBURG (MDT) Chicago (ORD)	HAR V33 MCMAN J64 MAINE ZANLA WATSN (RNAV)-STAR	
Cincinnati (CVG)	MRB J6 COLNS JAVIT-STAR	
ITHACA (ITH) Detroit Satellites: Coleman A Young (DET), Pontiac (PTK),		
Windsor (CYQG), Ann Arbor (ARB), Willow Run (YIP)	YXU PICES-STAR	
LONG ISLAND (Mac Arthur) (ISP) Baltimore (BWI)	BEADS EMJAY J174 ZIZZI ATROB5 ATR V308	
Binghamton (BGM)	BILIT(Turbojets) NEION J223 CORDS CFB	

## PREFERRED IFR ROUTES

**Times** Terminals Route (UTC) (Turbojets-GPS or DME/DME-IRU equipped) Boca Raton (BCT)..... BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN CAYSL (RNAV)-STAR ..... or (Turboiets) BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN TUXXI-STAR..... (Water-Turbojets) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CAYSL ..... (Water-Turbojets-GPS or DME/DME-IRU equipped) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR19 AYBID CAYSL (RNAV)-STAR .. Boston (BOS) MERIT ORW ORW-STAR ..... (Turbojets) NEION J223 CORDS ULW ULW306 Buffalo (BUF)..... V164 ..... (Turboprops) GAYEL J95 CFB V270 ULW ULW306 V164 ..... COATE J36 FNT PAITN-STAR..... Chicago O'Hare (ORD) ..... 1100-0300 Cincinnati (CVG)..... (RNAV only) BEADS V139 SARDI RBV J230 SAAME J6 COLNS GAVNN (RNAV)-STAR ..... (all others) BEADS V139 SARDI RBV J230 SAAME J6 COLNS JAVIT-STAR ..... Dallas/Ft Worth (DFW)..... BEADS V139 SARDI RBV J230 J6 LIT BYP ....... Detroit Metro Wayne Co (DTW)..... GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR YOO SPICA-STAR ..... Detroit Satellites: Coleman A Young (DET), Windsor (CYQG), Pontiac (PTK), Willow Run GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR (YIP), Ann Arbor (ARB) ..... Fort Lauderdale (FLL)..... (Turbojets) BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN GISSH-STAR..... (Turboprops) BEADS CCC148 J174 ORF J121 CHS J79 OMN MLB BLUFI-STAR..... (Turbojets-GPS or DME/DME-IRU equipped) BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN FISEL (RNAV)-STAR ..... (Water-Turboprops) BEADS CCC148 J174 ILM AR21 CRANS HILL FATHR GISSH-STAR ..... (Water-Turboprops-GPS or DME/DME-IRU equipped) BEADS CCC148 J174 ILM AR21 CRANS FISEL (RNAV)-STAR ..... (Water-Turboiets) BEADS CCC148 J174 SWL CEBEE WETRO ILM AR21 CRANS HILL FATHR GISSH-STAR ..... or (Water-Turbojets-GPS or DME/DME-IRU equipped) BEADS CCC148 J174 SWL CEBEE WETRO ILM AR21 CRANS FISEL (RNAV)-STAR... Fort Myers (RSW) ..... (WATER-Turbojets) BEADS CCC J174 SWL CEBEE WETRO ILM AR15 HIBAC SHFTY (RNAV)-STAR... Ithaca (ITH) ..... (Turbojets) NEION J223 CORDS CFB V423 ...... Miami Metro Area: (Turbojets) BEADS CCC148 J174 ORF ISO J121 Miami (MIA, TMB, HST) ..... CHS J79 OMN ANNEY-STAR .....

		Effective
The section of	P	Times
Terminals	Route	(UTC)
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) BEADS CCC148 J174 SWL CEBEE	
	WETRO DIW AR22 JORAY HILEY (RNAV)-STAR or	
	(Water-Turbojets) BEADS CCC148 J174 SWL	
	CEBEE WETRO DIW AR22 JORAY OSOGY ENVOY YOSSI MILSY BOYUR HILEY KAINS	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	BEADS CCC148 J174 ORF ISO CHS J79 OMN	
	HILEY (RNAV)-STAR	
	Or (Tools and as) READO 000440 1474 0RE 1404	
	(Turboprops) BEADS CCC148 J174 ORF J121	
Mantra al (OVIII)	CHS J79 OMN ANNEY-STAR	
Montreal (CYUL) Orlando Executive (ORL)	GREKI V419 JUDDS CAM J222 PLB PLB-STAR BEADS CCC148 J174 ORF J121 CHS J79 OMN	
Orialido Executive (ORE)	CORLL-STAR	1100-0300
	or	1100-0300
	(GPS or DME/DME-IRU equipped) BEADS	
	CCC148 J174 SWL CEBEE WETRO ILM AR15	
	HIBAC CWRLD (RNAV)-STAR	1100-0400
Orlando Intl (MCO)	(Water-Turbojets) BEADS CCC148 J174 SWL	1100 0.00
	CEBEE WETRO ILM AR15 HIBAC APOLO ORL	
	or	
	BEADS CCC148 J174 ORF J121 CHS J79 OMN	
	BITHO-STAR	1100-0300
	(GPS or DME/DME-IRU equipped) BEADS	
	CCC148 J174 ORF J121 CHS J79 OMN CWRLD	
	(RNAV)-STAR	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) BEADS	
	CCC148 J174 SWL CEBEE WETRO ILM AR15	
	HIBAC CWRLD (RNAV)-STAR	1100-0400
Pittsburgh (PIT)	(Turbojets) COATE J36 J190 SLT GRACE-STAR	
	or	
	(Turboprops) GAYEL V374 V58 LHY J36 J217 ETG	
	V226 CIP GRACE-STAR	
Raleigh/Durham (RDU)	BEADS CCC148 J174 SWL ARGAL-STAR	
Richmond (RIC)	BEADS CCC148 J174 SWL V139 CCV HPW	
Rochester (ROC)	(Turbojets) NEION J223 CORDS ULW V31 GIBBE (Turbojets) NEION J223 CORDS CFB V29	
Tampa TPA	BEADS V139 SARDI RBV J230 J75 TAY	
Tumpu 1174	LZARD-STAR	
Washington Dulles (IAD)	BEADS V139 SARDI RBV RBV289 V457 LRP V143	
,	MULRR AML	
Washington Natl (DCA)	BEADS CCC148 J174 ATR085 ATR V308 BILIT	
	Or (CDS or DME (DME IDII oquipped) READS	
	(GPS or DME/DME-IRU equipped) BEADS	
	CCC148 J174 ATR085 ATR V308 LAFLN BILIT (RNAV)-STAR	
West Palm Beach (PBI)	(Turbojets) BEADS CCC148 J174 ORF ISO J121	
West runn bedon (r bi)	CHS J79 OMN TUXXI-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	BEADS CCC148 J174 ORF ISO J121 CHS J79	
	OMN FRWAY (RNAV)-STAR	
	or	
	(Water-Turbojets) BEADS CCC148 J174 SWL	
	CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE	
	SWOMP SANZZ CASKI	
	or	
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) BEADS CCC148 J174 SWL CEBEE	
	WETRO DIW AR19 AYBID FRWAY (RNAV)-STAR	

Terminals	Route	Effective Times (UTC)
	Route	(010)
MANCHESTER (MHT)	(Advanced DNAV only) BAE 177 CAV 177 DTW 149	
Atlanta (ATL)	(Advanced RNAV only) BAF J77 SAX J77 PTW J48 ODF	1100-0300
	or (Advanced RNAV only) COTEE (RNAV)-DP BAF J77 SAX J77 PTW J48 ODF FLCON (RNAV)-STAR or	1100-0300
Dalliana (DMI)	(All others) PSM PSM216/37 COTEE BAF J77 SAX J77 PTW J48 ODF WHINZ-STAR	1100-0300
Baltimore (BWI)	(Advanced RNAV only) COTEE (RNAV)-DP BDL CMK J75 MXE V378 BAL	1100-0300
Chicago O'Hare (ORD)	or (All others) PSM PSM216/37 COTEE BDL CMK J75 MXE V378 BAL CAM SYR J63 EHMAN YXU J547 FNT PAITN-STAR (RNAV only) CAM J547 SYR JOSSY MAULL KODIE CTW TIGRR-STAR	1100-0300
	or (all others) CAM J547 SYR J29 KELIE SLT016 SLT SLT249 KODIE CTW081 CTW CINCE-STAR	
Detroit Satellites: Coleman A Young (DET), Pontiac (PTK), Ann Arbor (ARB), Windsor (CYQG), Willow Run (YIP)	SYR J547 YXU PICES-STAR	
Orlando (MCO)	(Advanced RNAV only) COTEE (RNAV)-DP BDL CMK J75 CAE J75 DUNKN AMG LEESE-STAR or	1100-0300
Tampa (TPA)	(All others) PSM PSM216/37 COTEE BDL CMK J75 CAE J75 DUNKN AMG LEESE-STAR	1100-0300
Tallipa (TrA)	(Advanced RNAV only) COTEE (RNAV)-DP BDL CMK J75 TAY DADES (RNAV)-STAR or	1100-030
Week Duller (IAD)	(All others) PSM PSM216/37 COTEE BDL CMK J75 TAY DADES (RNAV)—STAR	1100-030
Wash Dulles (IAD)	(Advanced RNAV only) COTEE (RNAV)-DP BAF J77 SAX J6 LRP DELRO-STAR or	1100-0300
Week Nett (DCA)	(All others) PSM PSM216/37 COTEE BAF J77 SAX J6 LRP DELRO-STAR	1100-030
Wash Natl (DCA)	(Advanced RNAV only) COTEE (RNAV)-DP BDL CMK J75 MXE V378 BAL or	1100-030
	(All others) PSM PSM216/37 COTEE BDL CMK J75 MXE V378 BAL	1100-030
MONTREAL (CYUL)		
Cincinnati (CVG)	(RNAV only) YOW J546 YSO MAULL KODIE CTW TIGRR (RNAV)-STAR	
	or (all others) YOW J546 YSO YYZ JHW JHW194 MAULL SLT249 KODIE CTW081 CTW	
Detroit Metro–Wayne Co (DTW)	CINCE-STARYOW J546	
Kennedy (JFK) La Guardia (LGA)	V282 J524 BUGSY J570 ALB IGN IGN-STAR V282 J524 BUGSY J570 ALB PWL IGN V157	
MORRISTOWN (MMU)		
Marco Isle (MKY)	(Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY KEMPR ILM AR15 HIBAC	
Naples (APF)	SHFTY (RNAV)-STAR (Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY KEMPR ILM AR15 HIBAC SHFTY (RNAV)-STAR	
NEWBURGH (SWF)		
Cincinnati (CVG)	(RNAV only) WEARD LHY J36 DGRAF J49 PSB MAULL KODIE CTW TIGRR (RNAV)-STAR	

		Times
Terminals	Route	(UTC)
	OF	
	(RNAV only) WEARD LHY J36 DGRAF J49 PSB MMJ CTW TIGRR (RNAV)-STAR	
	(all others) WEARD LHY J36 DGRAF J49 PSB	
	PSB281 MAULL SLT249 KODIE CTW081 CTW CINCE-STAR	
NEW HAVEN (HVN)		
Baltimore (BWI)	BEADS V139 SARDI RBV J230 J75 MXE V378 BAL	
Binghamton (BGM)	(Turbojets) NEION J223 CORDS CFB	
Boca Raton (BCT)	(Turbojets-GPS or DME/DME-IRU equipped) BEADS CCC148 J174 ORF ISO J121 CHS J79	
	OMN CAYSL (RNAV)-STAR or	
	(Turbojets) BEADS CCC148 J174 ORF ISO J121	
	CHS J79 OMN TUXXI-STAR	
	Or (Motor Turboioto) PEADS CCC148 1174 SWI	
	(Water–Turbojets) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE	
	SWOMP SANZZ CAYSL	
	or	
	(Water–Turbojets–GPS or DME/DME–IRU	
	equipped) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR19 AYBID CAYSL (RNAV)-STAR	
Buffalo (BUF)	(Turbojets) NEION J223 CORDS ULW ULW306 V164	
	or	
	(Turboprops) GAYEL J95 CFB V270 ULW ULW306 V164	
Chicago O'Hare (ORD)	COATE J36 FNT PAITN-STAR	1100-0300
Dallas/Ft Worth (DFW)	BEADS V139 SARDI RBV J230 J6 LIT BYP	
Detroit Metro Wayne Co (DTW)	GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR YOO SPICA-STAR	1100-0300
Detroit Satellites:	TOO STIDA-STAIC	1100-0300
Coleman A Young (DET), Windsor		
(CYQG), Pontiac (PTK), Willow Run	GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR	1100 0300
(YIP), Ann Arbor (ARB) Fort Lauderdale (FLL)	YQ0(Water-Turboprops) BEADS CCC148 J174 ILM	1100-0300
, ,	AR21 CRANS HILL FATHR GISSH-STAR	
	Or (Turboioto) PEADS CCC148 1474 ORE ISO 1424	
	(Turbojets) BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN GISSH-STAR	
	or	
	(Turboprops) BEADS CCC148 J174 ORF J121 CHS J79 OMN MLB BLUFI-STAR or	
	(Water-Turbojets) BEADS CCC148 J174 SWL	
	CEBEE WETRO ILM AR21 CRANS HIILL FATHR GISSH-STAR	
	or	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) BEADS CCC148 J174 SWL CEBEE	
	WETRO ILM AR21 CRANS FISEL (RNAV)-STAR	
	(Water-Turboprops-GPS or DME/DME-IRU	
	equipped) BEADS CCC148 J174 ILM AR21 CRANS FISEL (RNAV)-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN FISEL (RNAV)-STAR	
Ithaca (ITH)	(Turbojets) NEION J223 CORDS CFB V423	
Miami (MIA)	(Turbojets) BEADS CCC148 J174 ORF ISO J121	
	CHS J79 OMN ANNEY-STAR	

Terminals	Route	Effective Times (UTC)
	or	• •
	(Turboprops) BEADS CCC148 J174 ORF J121 CHS J79 OMN ANNEY-STAR	
	(Water-Turbojets) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR22 JORAY OSOGY ENVOY YOSSI MILSY BOYUR HILEY KAINS	
	(Turbojets-GPS or DME/DME-IRU equipped) BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN HILEY (RNAV)-STAR	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR22 JORAY HILEY (RNAV)-STAR	
Montreal (CYUL) Orlando Executive (ORL)	SOARS V419 JUDDS CAM J222 PLB PLB-STAR (Turbojets) BEADS CCC148 J174 ORF J121 CHS J79 OMN CORLL-STAR	1100-0300
	or (Water-Turbojets) BEADS CCC148 J174 SWL CEBEE WETRO ILM AR15 HIBAC APOLO ORL or	
	(GPS or DME/DME-IRU equipped) BEADS	
	CCC148 J174 SWL CEBEE WETRO ILM AR15 HIBAC CWRLD (RNAV)-STAR	1100-0400
Orlando Intl (MCO)	(Turbojets) BEADS CCC148 J174 ORF J121 CHS J79 OMN BITHO-STAR	1100-0300
	or (GPS or DME/DME-IRU equipped) BEADS	
	CCC148 J174 ORF J121 CHS J79 OMN CWRLD	
	(RNAV)-STARor	1100-0400
	(GPS or DME/DME-IRU equipped) BEADS CCC148 J174 SWL CEBEE WETRO ILM AR15	
	HIBAC CWRLD (RNAV)-STAR	1100-0400
Pittsburgh (PIT)	(Turbojets) COATE J36 J190 SLT GRACE-STAR or	
	(Turboprops) GAYEL V374 V58 LHY J36 J217 ETG V226 CIP GRACE-STAR	
Raleigh/Durham (RDU) Richmond (RIC)	BEADS CCC148 J174 SWL ARGAL-STAR BEADS CCC148 J174 SWL V139 CCV HPW	
Rochester (ROC)	GAYEL J95 CFB V252 GIBBE	
Syracuse (SYR)	(Turbojets) NEION J223 CORDS CFB V29	
Tampa (TPA)	BEADS V139 SARDI RBV J230 J75 TAY  LZARD-STAR  or	
	(GPS or DME/DME-IRU equipped) BEADS V139	
Washington Dulles (IAD)	SARDI RBV J230 J75 TAY DADES (RNAV)-STAR. BEADS V139 SARDI RBV RBV289 V457 LRP V143 MULRR AML	
Washington Natl (DCA)	BEADS CCC148 J174 ATR085 ATR V308 BILIT	
	or (GPS or DME/DME-IRU equipped) BEADS CCC148 J174 ATR085 ATR V308 LAFLN BILIT	
West Palm Beach (PBI)	(RNAV)-STAR (Water-Turbojets) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CASKI	
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) BEADS CCC148 J174 SWL CEBEE WETRO DIW AR19 AYBID FRWAY (RNAV)-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) BEADS CCC148 J174 ORF ISO J121 CHS J79	
	OMN FRWAY (RNAV)-STAR	

Terminals	Route	Effective Times (UTC)
Terminais	or	(010)
	(Turbojets) BEADS CCC148 J174 ORF ISO J121 CHS J79 OMN TUXXI-STAR	
NEW YORK METRO AREA From KENNEDY (JFK) only		
Atlanta (ATL)	RBV J230 J48 ODF WHINZ-STAR	
	or (RNAV only) RBV J230 J48 ODF FLCON RNAV-STARor	
	RBV J230 J48 ODF WHINZ-STAR	
Augusta (AGS) Baltimore (BWI)	RBV J230 J75 GVE J37 SPA	1100-0300
Binghamton (BGM)	(Turbojets) NEION J223 CORDS CFB	
Boca Raton (BCT)	(Turbojets–GPS or DME/DME–IRU equipped)	
	WAVEY EMJAY J174 ORF ISO J121 CHS J79 OMN CAYSL (RNAV)-STAR	
	or (Turbojets) WAVEY EMJAY J174 ORF ISO J121	
	CHS J79 OMN TUXXI-STAR	
	(Water-Turbojets) WAVEY EMJAY J174 SWL	
	CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE	
	SWOMP SANZZ CAYSL	
	Or (Water Turbaieta CBS or DME /DME IDII	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) WAVEY EMJAY J174 SWL CEBEE	
	WETRO DIW AR19 AYBID CAYSL (RNAV)-STAR	
Buffalo (BUF)	(Turbojets) NEION J223 CORDS ULW ULW306	
	V164	
	or	
	(Turboprops) GAYEL J95 CFB V270 ULW ULW306	
Burlington (BTV)	V164 GREKI V419 JUDDS CAM	
Charleston (CHS)	WAVEY EMJAY J174 SWL J121	
Charlotte (CLT)	RBV J230 J75 GVE LYH MAJIC-STAR	
Charlottesville (CHO)	RBV J230 J75 GVE	
Chicago Midway (MDW)	RBV J64 FWA GSH-STAR	
Chicago O'Hare (ORD)	COATE J36 FNT PAITN-STAR	0000–2359
Cincinnati (CVG)	(RNAV only) RBV J230 SAAME J6 COLNS GAVNN (RNAV)-STAR or	
	(all others) RBV J230 SAAME J6 COLNS JAVIT-STAR	
Cleveland (CLE)	RBV J64 PSB115 PSB PSB292 YNG CXR	
Columbia (CAE)	RBV J230 J75	
Columbus (CMH)	RBV J230 AIR AIR260 BREMN	
Dallas/Ft. Worth (DFW) Dayton (DAY)	RBV J230 J6 LIT BYPRBV J230 AIR APE DANEI-STAR	
Denver (DEN)	RBV J230 AIR APE J178 FWA JOT J60 IOW J10 LBF SAYGE-STAR	
Detroit Metro-Wayne Co (DTW)	GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR YQO SPICA-STAR	
Detroit Satellites:	CAVEL IOF OFF OFFICER TRANS III WOOD YOUR	
(CVOC) Postice (PTK) Willow Pup (VIP)	GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR YQ0	
(CYQG), Pontiac (PTK), Willow Run (YIP), Ann Arbor (ARB)	GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR	
	YQG	
Fayetteville (FAY)	RBV J230 J75 GVE SBV RDU	
Ft Lauderdale (FLL, FXE, OPF)	(Water-Turbojets) WAVEY EMJAY J174 SWL	
	CEBEE WETRO ILM AR21 CRANS HIILL FATHR GISSH-STAR	
	or	

Effective Times

Torminale	Pauta	(UTC)
Terminals	Route (Water-Turbojets-GPS or DME/DME-IRU	(UTC)
	equipped) WAVEY EMJAY J174 SWL CEBEE	
	WETRO ILM AR21 CRANS FISEL (RNAV)-STAR	
	or	
	(Turbojets) WAVEY EMJAY J174 ORF ISO J121	
	CHS J79 OMN GISSH-STAR	
	or	
	(Turbojets–GPS or DME/DME–IRU equipped)	
	WAVEY EMJAY J174 ORF ISO J121 CHS J79	
	OMN FISEL (RNAV)-STAR	
	(Turboprops) WAVEY EMJAY J174 ORF J121 CHS	
	J79 OMN MLB BLUFI-STAR	
	or	
	(Water-Turboprops) WAVEY EMJAY J174 ILM	
	AR21 CRANS HIILL FATHR GISSH-STAR	
	or (Water-Turboprops-GPS OR DME/DME-IRU	
	equipped) WAVEY EMJAY J174 ILM AR21	
	CRANS FISEL (RNAV)-STAR	
Fort Myers (FMY, RSW)	(GPS or DME/DME–IRU equipped) RBV J230 J75	
	GSO J75 DUNKN SHFTY (RNAV)-STAR	
	or	
	(WATER-Turbojets) WAVEY EMJAY J174 SWL	
	CEBEE WETRO ILM AR15 HIBAC SHFTY	
	(RNAV)-STAR	
Greensboro (GSO)	RBV J230 J75 GVE LYH V222 HENBY	0000–2359
Houston George Bush Intentl (IAH)	(non-advanced NAV only) RBV J230 J48 MOL J22 VUZ AEX DAS-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) RBV	
	J230 J48 MOL J22 VUZ AEX TXMEX	
	(RNAV)-STAR	
Houston Hobby (HOU)	(non-advanced NAV only) RBV J230 J48 MOL J22	
	VUZ AEX DAS-STAR	
	or (GPS or DME/DME-IRU equipped) RBV J230 J48	
	MOL J22 VUZ AEX ROKIT-STAR	
Indianapolis (IND)	RBV J230 AIR J80 EMPTY DQN CLANG-STAR	
Ithaca (ITH)	(Turbojets) NEION J223 CORDS CFB V423	
Jacksonville (JAX)	WAVEY EMJAY J174 CHS BRUNSWICK-STAR	
Kansas City (MKC)	RBV J230 AIR J80 SPI BRAYMER-STAR	
Knoxville (TYS)	RBV J230 J48 MOL J22	
Los Angeles (LAX)	RBV J230 AIR J80 MCI J24 SLN J102 ALS J44	
Louisville (SDF)	RBV J230 J6 HVQ J6 YOCKY DARBY-STAR	
Marco Island (MKY)	(GPS or DME/DME-IRU equipped) RBV J230 J75	
,	GSO J75 DUNKN SHFTY (RNAV)-STAR	
Memphis (MEM)	RBV J230 J6 BWG WLDER-STAR	
Miami (MIA, TMB, HST)	(Turbojets-GPS or DME/DME-IRU equipped)	
	WAVEY EMJAY J174 ORF ISO J121 CHS J79	
	OMN HILEY (RNAV)-STAR	
	or (Water-Turbojets-GPS or DME/DME-IRU	
	equipped) WAVEY EMJAY J174 SWL CEBEE	
	WETRO DIW AR22 JORAY HILEY (RNAV)-STAR	
	or	
	(Water-Turbojets) WAVEY EMJAY J174 SWL	
	CEBEE WETRO DIW AR22 JORAY OSOGY ENVOY	
	YOSSI MILSY BOYUR HILEY KAINS	
	Or (Turboioto) WAVEY EMIAY 1474 ORE ISO 1424	
	(Turbojets) WAVEY EMJAY J174 ORF ISO J121 CHS J79 OMN ANNEY-STAR	
	or	
	(Turboprops) WAVEY EMJAY J174 ORF J121 CHS	
	IZO ANNEV STAD	

J79 ANNEY-STAR.....

		Times
erminals	Route	(UTC)
Milwaukee (MKE)	COATE J36 FNT MKG V2 SUDDS	
Minneapolis (MSP)	GAYEL J95 BUF YWT J63 TVC J522 GRB	
Montreal (CYUL)	GREKI V419 JUDDS CAM J222 PLB PLB-STAR	
Naples (APF)	(Turbojets–GPS or DME/DME–IRU equipped) RBV	
napies (iii i )	J230 J75 GSO J75 DUNKN SHFTY	
	(RNAV)-STAR	
Nashville (BNA)	RBV J230 J6 YOCKY GUITR- STAR	
New Orleans (MSY)	RBV J230 J48 MOL J22 MEI J31	
Norfolk (ORF)	WAVEY EMJAY J174 SWL V139 CCV	
Orlando Executive (ORL)	(Turbojets) WAVEY EMJAY J174 ORF J121 CHS	
	J79 OMN CORLL-STAR	1100-0300
	or	
	(GPS or DME/DME-IRU equipped) WAVEY EMJAY	
	J174 SWL CEBEE WETRO ILM AR15 HIBAC	1100 0100
Orlanda Intl (MCO)	CWRLD (RNAV)-STAR	1100-0400
Orlando Intl (MCO)	(Turbojets) WAVEY EMJAY J174 ORF J121 CHS J79 OMN BITHO-STAR	1100-0300
	or	1100-0300
	(Water-Turbojets) WAVEY EMJAY J174 SWL	
	CEBEE WETRO ILM AR15 HIBAC APOLO ORL	
	or	
	(GPS or DME/DME-IRU equipped) WAVEY EMJAY	
	J174 ORF J121 CHS J79 OMN CWRLD	
	(RNAV)-STAR	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) WAVEY EMJAY	
	J174 SWL CEBEE WETRO ILM AR15 HIBAC	
Discourse (DLIV)	CWRLD (RNAV)-STAR	1100-0400
Phoenix (PHX)	RBV J230 AIR J110 STL J19 ZUN FOSSL-STAR (Turbojets) COATE J36 J190 SLT GRACE-STAR	
Pittsburgh (PIT)	or	
	(Turboprops) GAYEL V374 V58 LHY J36 J217 ETG	
	V226 CIP GRACE-STAR	
Raleigh/Durham (RDU)	WAVEY EMJAY J174 SWL ARGAL-STAR	
Richmond (RIC)	WAVEY EMJAY J174 SWL V139 CCV HPW	
Roanoke (ROA)	RBV J230 J48 MOL	
Rochester (ROC)	(Turbojets) NEION J223 CORDS ULW V31 GIBBE .	
Salt Lake City (SLC)	GAYEL J95 BUF J16 BAE DBQ J94 OCS OGD	
San Francisco (SFO)	GAYEL J95 BUF J16 ECK J38 GRB J106 GEP J70	
Caracata (Dradantas (CDO)	ABR J32 FMG GOLDEN GATE-STAR	
Sarasota/Bradenton (SRQ) Savannah (SAV)	RBV J230 J75 TAY J85 GNV LAL	
St. Louis (STL)	RBV J230 AIR J110 VHP VLA-STAR	
St. Petersburg (PIE)	RBV J230 J75 TAY LZARD-STAR	
Syracuse (SYR)	(Turbojets) NEION J223 CORDS CFB V29	
Tampa (TPA)	RBV J230 J75 TAY LZARD-STAR	
	or	
	(GPS or DME/DME-IRU equipped) RBV J230 J75	
	TAY DADES (RNAV)-STAR	
Toronto (CYYZ)	GAYEL J95 BUF V36	
Washington Dulles (IAD)	RBV RBV289 V457 LRP V143 MULRR AML	
Washington Natl (DCA)	(Turbojets only FL 180–FL 220) WAVEY EMJAY	
	J174 ZIZZI ATRO85 ATR V308 BILIT DCA	
	or (Turbojets only/FL180-FL220/GPS or	
	DME/DME–IRU equipped) WAVEY EMJAY J174 ZIZZI ATRO85 ATR V308 LAFLN BILIT	
	(RNAV)-STAR	
West Palm Beach (PBI)	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) WAVEY EMJAY J174 SWL CEBEE	
	WETRO DIW AR19 AYBID FRWAY (RNAV)-STAR	
	or	
	(Turbojets) WAVEY EMJAY J174 ORF ISO J121	
	CHS J79 OMN TUXXI-STAR	

Effective Times

Terminals	Route (Turbojets-GPS or DME/DME-IRU equipped) WAVEY EMJAY J174 ORF ISO J121 CHS J79 OMN FRWAY (RNAV)-STAR or (Water-Turbojets) WAVEY EMJAY J174 SWL CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CASKI	(UTC)
From LA GUARDIA (LGA) only Akron/Canton (CAK)	ELIOT J60 PSB PSB292060 YNG V72 ACO ELIOT J80 VINSE NESTO-STAR	
Boston (BOS) Buffalo (BUF)	or (Water-Turbojets) WAVEY EMJAY J174 SWL CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CAYSL	
Burlington (BTV) Charleston (CHS) Charleston (CRW) Charlotte (CLT) Charlottesville (CHO) Chattanooga (CHA) Chicago Midway (MDW) Chicago O'Hare (ORD) Cincinnati (CVG)	V164 GREKI V419 JUDDS CAM (Turbojets) WHITE J209 SBY J79 KATZN TYI CHS PARKE J6 HVQ BIGGY J75 GVE LYH MAJIC-STAR BIGGY J75 GVE LANNA J48 MOL J22 VXV ELIOT J60 GSH GSH-STAR COATE J36 FNT PAITN-STAR (RNAV ONJ) PARKE J6 COLNS GAVNN (RNAV)-STAR	0000-2359
Cleveland (CLE)	or (all others) PARKE J6 COLNS JAVIT-STAR	
Detroit Satellites: Ann Arbor (ARB), Coleman A Young (DET), Pontiac (PTK), Willow Run (YIP), Windsor (CYQG)	GAYEL J95 BUF J547 YXU PICES-STAR or GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR YQG	

Terminals	Route	(UTC)
Fayetteville (FAY)	BIGGY J75 GVE SBV RDU	
Fort Lauderdale (FLL, FXE, OPF)	(Water-Turbojets) WHITE J209 SBY KEMPR ILM	
	AR21 CRANS HILL FATHR GISSH-STAR	
	Or (Motor Turboioto CBS or DME /DME IDII	
	(Water-Turbojets GPS or DME/DME-IRU	
	equipped) WHITE J209 SBY KEMPR ILM AR21 CRANS FISEL (RNAV)—STAR	
	or	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121	
	CHS J79 OMN GISSH-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	WHITE J209 SBY J79 KATZN ISO J121 CHS	
	OMN FISEL (RNAV)-STAR	
	or	
	(Turboprops) WHITE J209 SBY J79 KATZN J193	
	J121 CHS J79 VRB BLUFI-STAR	
	Or	
	(Water-Turboprops) WHITE J209 SBY KEMPR ILM AR21 CRANS HIILL FATHR GISSH-STAR	
	or	
	(Water-Turboprops GPS or DME/DME-IRU	
	equipped) WHITE J209 SBY KEMPR ILM AR21	
	CRANS FISEL (RNAV)-STAR	
Fort Myers (FMY, RSW)	(GPS or DME/DME-IRU equipped) BIGGY J75	
	GSO J75 DUNKN SHFTY (RNAV)-STAR	
	or	
	(WATER-Turbojets-GPS or DME/DME-IRU	
	equipped) WAVEY EMJAY J174 SWL CEBEE	
Fort Warran (FMA)	WETRO ILM AR15 HIBAC SHFTY (RNAV)-STAR	
Fort Wayne (FWA)	ELIOT J80 SUZIE J64BIGGY J75 GVE LYH V222 HENBY	0000-2359
Greer (GSP)	BIGGY J75 GVE J37 SPA	0000-2339
Hot Springs (HSP)	LANNA J48 EMI CSN V140 MOL	
Houston George Bush Intenti (IAH)	(non-advanced NAV only) LANNA J48 MOL J22	
	VUZ AEX DAS-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	LANNA J48 MOL J22 VUZ AEX TXMEX	
Harratan Habbur (HOH)	(RNAV)-STAR	
Houston Hobby (HOU)	(GPS or DME/DME-IRU equipped) LANNA J48 MOL J22 VUZ AEX ROKIT (RNAV)-STAR	
	or	
	(non-advanced NAV only) LANNA J48 MOL J22	
	VUZ AEX DAS-STAR	
Indianapolis (IND)	ELIOT J80 EMPTY DQN CLANG-STAR	
Ithaca (ITH)	(Turbojets) NEION J223 CORDS CFB V423	
Jacksonville (JAX)	(Turbojets) WHITE J209 SBY J79 CHS SSI-STAR .	
Kansas City (MKC)	ELIOT J80 SPI BQS-STAR	
Knoxville (TYS) Lewisburg (LWB)	LANNA J48 MOL J22 LANNA J48 EMI CSN V140 MOL	
Lexington (LEX)	PARKE J6 HVQ	
Louisville (SDF)	PARKE J6 HVQ J6 YOCKY DARBY-STAR	
Marco Island (MKY)	(GPS or DME/DME-IRU equipped) BIGGY J75	
	GSO J75 DUNKN SHFTY (RNAV)-STAR	
Melbourne (MLB)	WHITE J209 SBY J79 KATZN J193 J121 CHS J79	
	OMN BITHO-STAR	
Memphis (MEM)	PARKE J6 BWG WLDER-STAR	
Miami (MIA, TMB, HST)	(Water–Turbojets–GPS or DME/DME–IRU	
	equipped) WAVEY EMJAY J174 SWL CEBEE	
	WETRO DIW AR22 JORAY HILEY (RNAV)-STAR or	
	(Turbojets-GPS or DME-DME/DME-IRU equipped)	
	WHITE J209 SBY J79 KATZN ISO J121 CHS J79	
	OMN HILEY (RNAV)-STAR	
	or	

		Effective Times
Terminals	Route (Water-Turbojets) WAVEY EMJAY J174 SWL CEBEE WETRO DIW AR22 JORAY OSOGY ENVOY	(UTC)
	YOSSI MILSY BOYUR HILEY KAINS	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN ANNEY-STAR	
	(Turboprops) WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN ANNEY-STAR	
Milwaukee (MKE)	COATE J36 FNT MKG V2 SUDDS GAYEL J95 BUF YWT J63 TVC J522 GRB EAU-STAR	
Mobile (MOB)	BIGGY J75 GVE J37 MGM MVC V20 AXSIS BIGGY J75 GVE J37	
Montreal (CYUL) Naples (APF)	GREKI V419 JUDDS CAM J222 PLB PLB-STAR (Turbojets-GPS or DME/DME-IRU equipped) BIGGY J75 GSO J75 DUNKN SHFTY	
Nashville (BNA) New Orleans (MSY, NEW)	(RNAV)-STAR PARKE J6 YOCKY GUITR- STAR LANNA J48 MOL J22 MEI J31	
Norfolk (ORF)	WHITE J209 SBY V1 CCV ELIOT J60 IOW DSM	
Orlando Executive (ORL)	(Turbojets) WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN CORLL-STAR or	1100-0300
	(GPS or DME/DME-IRU equipped) WHITE J209 SBY KEMPR ILM AR15 HIBAC CWRLD	
Orlando Intl (MCO)	(RNAV)-STAR (Water-Turbojets) WHITE J209 SBY KEMPR ILM AR15 HIBAC APOLO ORL	1100-0400
	or (Turbojets) WHITE J209 SBY J79 KATZN J193	
	J121 CHS J79 OMN BITHO-STAR	1100-0300
	(GPS or DME/DME-IRU equipped) WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN CWRLD (RNAV)-STAR	1100-0400
	or (GPS or DME/DME–IRU equipped) WHITE J209	1100 0400
	SBY KEMPR ILM AR15 HIBAC CWRLD (RNAV)-STAR	1100-0400
Phoenix (PHX)	ELIOT J80 AIR J110 STL J19 ZUN FOSSL-STAR ELIOT J80 VINSE NESTO-STAR	
Portland (PWM) Raleigh/Durham (RDU)	GREKI V419 JUDDS CAM CON CON067 PARSO WHITE J209 CYN J37 J191 PXT PXT238 HPW025 HPW ARGAL-STAR	
Richmond (RIC)	WHITE J209 SBY V1 CCV HPWLANNA J48 MOL	
Rochester (ROC)	(Turbojets) NEION J223 CORDS ULW V31 GIBBE . or (Turboprops) COATE J36 CFB154 CFB V252	
Salt Laka City (SLC)	GIBBE	
Salt Lake City (SLC)	RAP J158 DDY J107 OCS OGD	
Sarasota/Bradenton (SRQ)	BIGGY J75 TAY J85 GNV LAL(Turbojets) WHITE J209 SBY J79 CHS	
St. Louis (STL) St. Petersburg (PIE) Syracuse (SYR)	ELIOT J80 AIR J110 VHP VLA-STAR BIGGY J75 TAY LZARD-STAR (Turbojets) NEION J223 CORDS CFB V29	
Tampa (TPA)	or (Turboprops) COATE J36 CFB154 CFB BIGGY J75 TAY LZARD-STAR	
Toledo (TOL)	ELIOT J60 DJB VWV(Turbojets) GAYEL J95 BUF V36	
	or (Turboprops) COATE J36 ULW141 ULW V36	

		Times
Terminals	Route	(UTC)
Tri-City (TRI)	LANNA J48 MOL J22 PSK V16 HMV	
Washington Dulles (IAD)	PARKE J6 LRP V143 MULRR AML	
Washington Natl (DCA)	BIGGY J75 MXE V378 BAL	
	(GPS or DME/DME-IRU equipped) BIGGY J75	
	MXE CLIPR (RNAV)-STAR	
West Palm Beach (PBI)	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) WAVEY EMJAY J174 SWL CEBEE	
	WETRO DIW AR19 AYBID FRWAY (RNAV)-STAR	
	(Water-Turbojets) WAVEY EMJAY J174 SWL	
	CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE	
	SWOMP SANZZ CASKI	
	Or (Turboioto) WHITE 1200 SBV 170 KAT7N ISO 1424	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN TUXXI-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	WHITE J209 SBY J79 KATZN ISO J121 CHS J79	
	OMN FRWAY (RNAV)-STAR	
Winston-Salem (INT)	BIGGY J75 GSO	
Youngstown (YNG)	ELIOT J60 PSB PSB292060	
From NEWARK (EWR) only		
Akron (CAK)	ELIOT J60 PSB PSB292 YNG V72 ACO	
Akron (AKR)	ELIOT J60 PSB PSB292060 YNG V72 ACO	
Allegheny County (AGC)	ELIOT J80 VINSE NESTO-STAR	
Atlanta (ATL)	LANNA J48 ODF WHINZ-STAR	
	or (RNAV only) LANNA J48 ODF FALCON	
	(RNAV)-STAR	
Augusta (AGS)	BIGGY J75 GVE J37 SPA	1100-0300
Baltimore (BWI)	BIGGY J75 MXE V378 BAL	
Binghamton (BGM)	NEION J223 CORDS CFB	
Birmingham (BHM)	LANNA J48 MOL J22 VXV VUZ	
Boca Raton (BCT)	(Turbojets-GPS or DME/DME-IRU equipped)	
	WHITE J209 SBY J79 KATZN ISO J121 CHS J79	
	OMN CAYSL (RNAV)-STAR	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121	
	CHS J79 OMN TUXXI-STAR	
	or	
	(Water–Turbojets GPS or DME/DME–IRU	
	equipped) WHITE J209 SBY KEMPR DIW AR19	
	AYBID CAYSL (RNAV)-STAR	
	(Water-Turbojets) WHITE J209 SBY KEMPR DIW	
	AR19 AYBID MIMMI NEUBE SWOMP SANZZ	
D. Hala (DUE)	CAYSL	
Buffalo (BUF)	(Turbojets) NEION J223 CORDS ULW ULW306 V164	
	or	
	(Turboprops) COATE J36 ULW141 ULW ULW306 V164	
Charleston (CHS)	(Turbojets) WHITE J209 SBY J79 KATZN TYI CHS .	
Charleston (CRW)	PARKE J6 HVQ	
Charlotte (CLT)	BIGGY J75 GVE LYH MAJIC-STAR	1100-0300
Charlottesville (CHO)	BIGGY J75 GVE	
Chattanooga (CHA)	LANNA J48 MOL J22 VXV	
Chicago Midway (MDW)	ELIOT J60 GSH GSH-STAR	
Chicago O'Hare (ORD)	COATE J36 FNT PAITN-STAR	0000–2359
Cincinnati (CVG)	PARKE J6 COLNS HNN JAVIT-STAR	
	Or COLNE IAVIT STAD	
	COLNS JAVIT-STAR	
	(RNAV only) PARKE J6 COLNS GAVNN	
	(RNAV)-STAR	
	,,	

		Times
Terminals	Route	(UTC)
	Or (all others) DADKE IS COLNE IAVIT STAD	
Cleveland (CLE)	(all others) PARKE J6 COLNS JAVIT-STAR ELIOT J60 PSB PSB292 YNG CXR	
Columbus (CMH)	ELIOT J80 AIR AIR260 BREMN	
Dallas/Fort Worth (DFW)	PARKE J6 LIT BYP	
Dayton (DAY)	ELIOT J80 AIR APE DANEI-STAR	
Daytona Beach (DAB)	WHITE J209 SBY J79 KATZN J193 J121 CHS J79	
Saytona South (S/IS)	OMN	
Dekalb (Peachtree) (PDK)	LANNA J48 ODF AWSON-STAR	
Denver (DEN)	ELIOT J60 IOW J10 LBF SAYGE-STAR	
Detroit Metro Wayne Co (DTW)	GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR	
	YQO SPICA-STAR	
Detroit Satellites:		
Coleman A Young (DET), Windsor		
(CYQG), Pontiac (PTK), Willow Run		
(YIP)	GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR	
,	Y00	
Ann Arbor (ARB)	GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPER	
, ,	YQG	
Fayetteville (FAY)	BIGGY J75 GVE SBV RDU	
Fort Lauderdale (FLL)	(Turbojets-GPS or DME/DME-IRU equipped)	
	WHITE J209 SBY J79 KATZN ISO J121 CHS J79	
	OMN FISEL (RNAV)-STAR	
	or	
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) WHITE J209 SBY KEMPR ILM AR21	
	CRANS FISEL (RNAV)-STAR	
	or	
	(Water-Turbojets) WHITE J209 SBY KEMPR ILM	
	AR21 CRANS HIILL FATHR GISSH-STAR	
	or	
	(Water-Turboprops) WHITE J209 SBY KEMPR ILM	
	AR21 CRANS HILL FATHR GISSH-STAR	
	or	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121	
	CHS J79 OMN GISSH-STAR	
	or	
	(Turboprops) WHITE J209 SBY J79 KATZN J193	
	J121 CHS J79 OMN MLB BLUFI-STAR	
	or	
	(Water-Turboprops-GPS or DME/DME-IRU	
	equipped) WHITE J209 SBY KEMPR ILM AR21	
	CRANS FISEL (RNAV)-STAR	
Fort Myers (FMY, RSW)	(GPS or DME/DME-IRU equipped) BIGGY J75	
	GSO J75 DUNKN SHFTY (RNAV)-STAR	
Fort Wayne (FWA)	ELIOT J80 SUZIE J64	0000 0050
Greensboro (GSO)	BIGGY J75 GVE LYH V222 HENBY	0000–2359
Greer (GSP)	BIGGY J75 GVE J37 SPA LANNA J48 EMI CSN V140 MOL	
Hot Springs (HSP)		
Houston George Bush Intcntl (IAH)	(non-advanced NAV only) LANNA J48 MOL J22  MEI AEX DAS-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	LANNA J48 MOL J22 MEI AEX TXMEX	
	(RNAV)-STAR	
Houston Hobby (HOU)	(GPS or DME/DME-IRU equipped) LANNA J48	
Tiouston Tiouby (Tiou)	MOL J22 MEI AEX ROKIT (RNAV)-STAR	
	or	
	(non-advanced NAV only) LANNA J48 MOL J22	
	MEI AEX DAS-STAR	
Indianapolis (IND)	ELIOT J80 EMPTY DQN CLANG-STAR	
Ithaca (ITH)	(Turbojets) NEION J223 CORDS CFB V423	
Kansas City (MKC)	ELIOT J80 SPI BQS-STAR	
Knoxville (TYS)	LANNA J48 MOL J22	
Lewisburg (LWB)	LANNA J48 EMI CSN V140 MOL	
Lexington (LEX)	PARKE J6 HVQ	

Terminals	Route	Times (UTC)
Los Angeles (LAX)	ELIOT J80 MCI J24 SLN J102 ALS J44 RSK J64	
Louisville (LOU, SDF)	CIVET CIVET-STAR PARKE J6 HVQ J6 YOCKY DARBY-STAR	
Marco Island (MKY)	(GPS or DME/DME-IRU equipped) BIGGY J75	
Malla com a (MLD)	GSO J75 DUNKN SHFTY (RNAV)–STAR	
Melbourne (MLB)	WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN BITHO-STAR	
Memphis (MEM)	PARKE LRP J6 BWG WLDER-STAR	
Miami (MIA)	(Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN HILEY (RNAV)-STAR	
	or (Water-Turbojets-GPS or DME/DME-IRU	
	equipped) WHITE J209 SBY KEMPR DIW AR22 JORAY HILEY (RNAV)-STAR	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN ANNEY-STAR	
	(Water-Turbojets) WHITE J209 SBY KEMPR DIW AR22 JORAY OSOGY ENVOY YOSSI MILSY	
	BOYUR HILEY KAINS	
	(Turboprops) WHITE J209 SBY J79 KATZN J193	
Milweyles (MIZE)	J121 CHS J79 OMN ANNEY-STAR	
Milwaukee (MKE) Minneapolis (MSP)	COATE J36 FNT MKG V2 SUDDSGAYEL J95 BUF YWT J63 TVC J522 GRB EAU-	
	STAR	
Mobile (MOB)	BIGGY J75 GVE J37 MGM MVC V20 AXSIS	
Montgomery (MGM) Montreal (CYUL)	BIGGY J75 GVE J37GREKI V419 JUDDS CAM J222 PLB PLB-STAR	
Naples (APF)	(Turbojets-GPS or DME/DME-IRU equipped) BIGGY J75 GSO J75 DUNKN SHFTY	
Nashville (BNA)	(RNAV)-STAR PARKE J6 YOCKY GUITR- STAR	
New Orleans (MSY)	LANNA J48 MOL J22 MEI J31	
Norfolk (ORF)	WHITE J209 SBY V1 CCV	
Orlando Executive (ORL)	(Turbojets) WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN CORLL-STAR or	1100-0300
	(GPS or DME/DME-IRU equipped) WHITE J209 SBY KEMPR ILM AR15 HIBAC CWRLD	
Orlando Intl (MCO)	(RNAV)-STAR(Turbojets) WHITE J209 SBY J79 KATZN J193	1100-0400
onuluo ina (moo)	J121 CHS J79 OMN BITHO-STAR	1100-0300
	(Water-Turbojets) WHITE J209 SBY KEMPR ILM AR15 HIBAC APOLO ORL	1100-0300
	or	1100 0000
	(GPS or DME/DME-IRU equipped) WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN	
	CWRLD (RNAV)-STARor	1100-0400
	(GPS or DME/DME-IRU equipped) WHITE J209 SBY KEMPR ILM AR15 HIBAC CWRLD	1100-0400
Phoenix (PHX)Pittsburgh (PIT)	(RNAV)-STAR ELIOT J80 AIR J110 STL J19 ZUN FOSSL-STAR ELIOT J80 VINSE NESTO-STAR	1100-0400
Portland (PWM)Raleigh-Durham (RDU)	GREKI V419 JUDDS CAM CON CON067 PARSO WHITE J209 CYN J37 J191 PXT PXT238 HPW025	
Richmond (RIC)	HPW ARGAL-STAR WHITE J209 SBY V1 CCV HPW	
Roanoke (ROA)	LANNA J48 MOL	
	or	

Effective Times

Terminals	Route (Turboprops) COATE J36 CFB154 CFB V252	(UTC)
Salt Lake City (SLC)	GIBBEGAYEL J95 BUF J16 ECK J38 GRB ODI FSD J82	
	RAP J158 DDY J107 OCS OGD	
San Francisco (SF0)	GAYEL J95 BUF J16 ECK J38 GRB J106 GEP J70 ABR J32 FMA ILA PYE GOLDEN GATE-STAR	
Sarasota/Bradenton (SRQ)	BIGGY J75 TAY J85 GNV LAL	
Savannah (SAV)	(Turbojets) WHITE J209 SBY J79 CHS	
St. Louis (STL) St. Petersburg (PIE)	ELIOT J80 AIR J110 VHP VLA-STAR BIGGY J75 TAY LZARD-STAR	
Syracuse (SYR)	(Turbojets) NEION J223 CORDS CFB V29	
	COATE J36 CFB154 CFB	
Tampa (TPA)	BIGGY J75 TAY LZARD-STARor	
	(GPS or DME/DME-IRU equipped) BIGGY J75 TAY	
Talada (TOL)	DADES (RNAV)-STAR	
Toledo (TOL) Toronto (CYYZ)	ELIOT J60 DJB VWV(Turbojets) GAYEL J95 BUF V36or	
	(Turboprops) COATE J36 ULW141 ULW V36	
Tri-City (TRI)	LANNA J48 MOL J22 PSK V16 HMV	
Washington Dulles (IAD) Washington Natl (DCA)	PARKE J6 LRP V143 MULRR AML BIGGY J75 MXE V378 BAL	
	or	
	(GPS or DME/DME-IRU equipped) BIGGY J75	
West Palm Beach (PBI)	MXE CLIPR (RNAV)-STAR(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) WHITE J209 SBY KEMPR DIW AR19	
	AYBID FRWAY (RNAV)-STAR or	
	(Turbojets–GSP or DME/DME–IRU equipped)	
	WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN FRWAY (RNAV)-STAR	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN TUXXI-STAR	
	or (Water-Turbojets) WHITE J209 SBY KEMPR DIW	
	AR19 AYBID NEUBE SWOMP SANZZ CASKI	
Winston Salem (INT)	BIGGY J75 GSO	
Youngstown (YNG)	ELIOT J60 PSB PSB292	
Akron (CAK)	ELIOT J60 PSB PSB292 YNG V72 ACO	
Akron (AKR)	ELIOT J60 PSB PSB292060 YNG V72 ACO	
Allegheny County (AGC)	ELIOT J80 VINSE NESTO-STARLANNA J48 ETX215 J75 GVE J37 SPA	1100-0300
Augusta (AGS) Baltimore (BWI)	BIGGY J75 MXE V378 BAL	1100-0300
Binghamton (BGM)	(Turbojets) NEION J223 CORDS CFB	
Birmingham (BHM) Boca Raton (BCT)	LANNA J48 MOL J22 VXV VUZ(Turbojets-GPS or DME/DME-IRU equipped)	
boca Naton (BC1)	WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN CAYSL (RNAV)-STAR	
	or	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY KEMPR DIW AR19	
	AYBID CAYSL (RNAV)—STAR	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN TUXXI-STAR	
	or (Water-Turbojets) WHITE J209 SBY KEMPR DIW	
	AR19 AYBID MIMMI NEUBE SWOMP SANZZ CAYSL	
Buffalo (BUF)	(Turbojets) NEION J223 CORDS ULW ULW306	
	V164	

Terminals	Route	Effective Times (UTC)
Tommad	or	(0.0)
	(Turboprops) COATE J36 ULW141 ULW ULW306 V164	
Charleston (CRW)	(Turbojets) WHITE J209 SBY J79 KATZN TYI CHS . PARKE J6 HVQ	
Charleston (CRW)	LANNA J48 ETX215 J75 GVE LYH MAJIC-STAR	1100-0300
Charlottesville (CHO)	LANNA J48 ETX215 J75 GVE	
Chattanooga (CHA) Chicago O'Hare (ORD)	LANNA J48 MOL J22 VXV COATE J36 FNT PAITN-STAR	0000-2359
Cincinnati (CVG)	(RNAV only) PARKE J6 COLNS GAVNN (RNAV)-STAR	
	or (all others) PARKE J6 COLNS JAVIT-STAR	
Columbus (CMH)	ELIOT J80 AIR AIR260 BREMN	
Dallas/Fort Worth (DFW) Daytona Beach (DAB)	PARKE J6 LIT BYP WHITE J209 SBY J79 KATZN J193 J121 CHS J79	
,	OMN	
Dekalb (Peachtree) (PDK) Detroit Metro Wayne Co (DTW)	LANNA J48 ODF AWSON-STARGAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR	
bedok mede wajne ee (b.m/	YQO SPICA-STAR	
Detroit Satellites: Coleman A Young (DET), Windsor		
(CYQG), Pontiac (PTK), Willow Run (YIP), Ann Arbor (ARB)	GAYEL J95 CFB CFB286 TRAAD ULW306	
	KOOPR YQO	
Fayetteville (FAY)Fort Lauderdale (FLL)	LANNA J48 ETX215 J75 GVE SBV RDU(Turbojets-GPS or DME/DME-IRU equipped)	
,	WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN FISEL (RNAV)-STAR	
	or (Water-Turbojets-GPS or DME/DME-IRU	
	equipped) WHITE J209 SBY KEMPR ILM AR21	
	CRANS FISEL (RNAV)-STAR	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121	
	CHS J79 OMN GISSH-STAR	
	(Water-Turbojets) WHITE J209 SBY KEMPR ILM	
	AR21 CRANS HILL FATHR GISSH-STAR	
	(Water-Turboprops-GPS or DME/DME-IRU	
	equipped) WHITE J209 SBY KEMPR ILM AR21	
	CRANS FISEL (RNAV)-STAR(Turboprops) WHITE J209 SBY J79 KATZN J193	
	J121 CHS J79 OMN MLB BLUFI-STAR or	
	(Water–Turboprops) WHITE J209 SBY KEMPR ILM AR21 CRANS HILL FATHR (GISSH)–STAR	
Fort Myers (FMY, RSW)	(GPS or DME/DME-IRU equipped) LANNA J48 J53 SPA J85 AMG SHFTY (RNAV)-STAR	
	or (WATER-Turbojets-GPS or DME/DME-IRU	
	equipped) WHITE J209 SBY KEMPR WETRO ILM	
Fort Wayne (FWA)	AR15 HIBAC SHFTY (RNAV)-STAR ELIOT J80 SUZIE J64	
Greensboro (GSO)	LANNA J48 ETX215 J75 GVE LYH V222 HENBY	0000-2359
Greer (GSP)	LANNA J48 ETX215 J75 GVE J37 SPA LANNA J48 EMI CSN V140 MOL	
Houston George Bush Intcntl (IAH)	(non-advanced NAV only) LANNA J48 MOL J22	
	VUZ AEX DAS-STAR	
	or (Turbojets-GPS or DME/DME-IRU equipped)	
	LANNA J48 MOL J22 VUZ AEX TXMEX	
Houston Hobby (HOU)	(RNAV)-STAR(GPS or DME/DME-IRU equipped) LANNA J48	
	MOL J22 VUZ AEX ROKIT (RNAV)–STAR	

T	P. 45	Times
Terminals	Route or	(UTC)
	(non-advanced NAV only) LANNA J48 MOL J22	
	VUZ AEX DAS-STAR	
Indianapolis (IND)	ELIOT J80 EMPTY DQN CLANG-STAR	
Ithaca (ITH)	(Turbojets) NEION J223 CORDS CFB V423	
Jacksonville (JAX)	(Turbojets) WHITE J209 SBY J79 KATZN TYI CHS	
Lewisburg (LWB)	SSI-STARLANNA J48 EMI CSN V140 MOL	
Lexington (LEX)	PARKE J6 HVQ	
Los Angeles (LAX)	ELIOT J80 MCI J24 SLN J102 ALS J44 RSK J64	
	CIVET CIVET-STAR	
Louisville (LOU, SDF)	PARKE J6 HVQ J6 YOCKY DARBY-STAR	
Marco Island (MKY)	(GPS or DME/DME-IRU equipped) LANNA J48 J53	
Molhaurna (MLP)	SPA J85 AMG SHFTY (RNAV)-STAR	
Melbourne (MLB)	WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN BITHO-STAR	
Miami (MIA)	(Turbojets-GPS or DME/DME-IRU equipped)	
	WHITE J209 SBY J79 KATZN ISO J121 CHS J79	
	OMN HILEY (RNAV)-STAR	
	or	
	(Water–Turbojets–GPS or DME/DME–IRU	
	equipped) WHITE J209 SBY KEMPR DIW AR22	
	JORAY HILEY (RNAV)-STARor	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121	
	CHS J79 OMN ANNEY-STAR	
	or	
	(Water-Turbojets) WHITE J209 SBY KEMPR DIW	
	AR22 JORAY OSOGY ENVOY YOSSI MILSY	
	BOYUR HILEY KAINS	
	or (Turboprops) WHITE J209 SBY J79 KATZN J193	
	J121 CHS J79 OMN ANNEY-STAR	
Milwaukee (MKE)	COATE J36 FNT MKG V2 SUDDS	
Minneapolis (MSP)	GAYEL J95 BUF YWT J63 TVC J522 GRB	
	EAU-STAR	
Mobile (MOB)	LANNA J48 J53 SPA J37 MGM MVC V20 AXSIS	
Montgomery (MGM)	LANNA J48 J53 SPA J37GREKI V419 JUDDS CAM J222 PLB V91 NAPEE	
Naples (APF)	(Turbojets-GPS or DME/DME-IRU equipped)	
	LANNA J48 J53 SPA J85 AMG SHFTY	
	(RNAV)-STAR	
Nashville (BNA)	PARKE J6 YOCKY GUITR-STAR	
Norfolk (ORF) Orlando Executive (ORL)	WHITE J209 SBY V1 CCV	
Offafido Executive (ORL)	(Turbojets) WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN CORLL-STAR	1100-0300
Orlando Intl (MCO)	(Turbojets) WHITE J209 SBY J79 KATZN J193	1100 0000
	J121 CHS J79 OMN BITHO-STAR	1100-0300
	or	
	(Water-Turbojets) WHITE J209 SBY KEMPR ILM	4400 0000
Phoenix (PHX)	AR15 HIBAC APOLO ORL ELIOT J80 AIR J110 STL J19 ZUN FOSSL-STAR	1100-0300
Portland (PWM)	GREKI V419 JUDDS CAM CON CON067 PARSO	
Richmond (RIC)	WHITE J209 SBY V1 CCV HPW	
Roanoke (ROA)	LANNA J48 MOL	
Rochester (ROC)	(Turbojets) NEION J223 CORDS ULW V31 GIBBE .	
	or (Turboprops) COATE J36 CFB154 CFB V252	
	GIBBE	
Salt Lake City (SLC)	GAYEL J95 BUF J16 ECK J38 GRB ODI FSD J82	
	RAP J158 DDY J107 OCS OGD	
Savannah (SAV)	(Turbojets) WHITE J209 SBY J79 CHS	
St. Petersburg (PIE)	LANNA J48 J53 SPA J85 TAY LZARD-STAR	
Syracuse (SYR)	(Turbojets) NEION J223 CORDS CFB V29	
	(Turboprops) COATE J36 CFB154 CFB	

Terminals	Route
Tampa (TPA)	LANNA J48 J53 SPA J85 TAY LZARD-STAR
Talada (TOL)	(GPS or DME/DME-IRU equipped) LANNA J48 J53 SPA J85 TAY DADES (RNAV)-STAR
Toledo (TOL) Toronto (CYYZ)	ELIOT J60 DJB VWV
Tri-City (TRI)	(Turboprops) COATE J36 ULW141 ULW V36 LANNA J48 MOL J22 PSK V16 HMV PARKE J6 LRP V143 MULRR AML BIGGY J75 MXE V378 BAL (Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN FRWAY-STAR
	or (Water-Turbojets-GPS or DME/DME-IRU
	equipped) WHITE J209 SBY KEMPR DIW AR19 AYBID FRWAY (RNAV)-STAR
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN TUXXI-STAR
	(Water-Turbojets) WHITE J209 SBY KEMPR DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CASKI
Winston Salem (INT)	BIGGY J75 GSO
Youngstown (YNG)	ELIOT J60 PSB PSB292060
FROM TETERBORO (TEB) only Boca Raton (BCT)	(Water-Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY KEMPR DIW AR19 AYBID CAYSL (RNAV)-STAR
	(Water-Turbojets) WHITE J209 SBY KEMPR DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CAYSL
	(Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN CAYSL (RNAV)-STARor
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121
Charleston (CHS) Cincinnati (CVG)	CHS J79 OMN TUXXI-STAR (Turbojets) WHITE J209 SBY J79 KATZN TYI CHS . (RNAV only) PARKE J6 COLNS GAVNN (RNAV)-STAR
	or (all others) PARKE J6 COLNS JAVIT-STAR
Detroit Satellites: Coleman A Young (DET), Pontiac (PTK), Windsor (CYQG), Ann Arbor (ARB),	(all bullets) PARKE 30 COLING SAVIT—STAR
Willow Run (YIP)	GAYEL J95 BUF J547 YXU PICES-STAR
Ft. Lauderdale (FLL, OPF)	or ELIOT J60 PSB LLEEO-STAR(Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN FISEL (RNAV)-STAR
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN GISSH-STARor
	(Turboprops) WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN MLB BLUFI-STAR
	(Water-Turboprops) WHITE J209 ORF J174 ILM AR21 CRANS HILL FATHR GISSH-STAR

		Effective Times
Terminals	Route	(UTC)
	or (Water-Turboprops-GPS or DME/DME-IRU equipped) WHITE J209 ORF J174 ILM AR21 CRANS FISEL (RNAV)-STAR	
	(Water–Turbojets–GPS or DME/DME–IRU equipped) WHITE J209 SBY KEMPR ILM AR21	
	CRANS FISEL (RNAV)-STARor	
Laster and The CIAVO	(Water-Turbojets) WHITE J209 SBY KEMPR ILM AR21 CRANS FATHR GISSH-STAR	
Jacksonville (JAX) Marco Isle (MKY)	(Turbojets) WHITE J209 SBY J79 CHS SSI-STAR (Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY KEMPR ILM AR15 HIBAC	
Miami (MIA, TMB, HST)	SHFTY (RNAV)-STAR (Water-Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY KEMPR DIW AR22 JORAY HILEY (RNAV)-STAR	
	or (Turbojets–GPS or DME/DME–IRU equipped)	
	WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN HILEY (RNAV)-STAR	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN ANNEY-STARor	
	(Water-Turbojets) WHITE J209 SBY KEMPR DIW AR22 JORAY OSOGY ENVOY YOSSI MILSY BOYUR HILEY KAINS	
	or (Turboprops) WHITE J209 SBY J79 KATZN J193	
Naples (APF)	J121 CHS J79 OMN ANNEY-STAR	
Orlando Intl (MCO)	(Turbojets) WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN BITHO-STAR	1100-0300
	(GPS or DME/DME-IRU equipped) WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN	
	CWRLD (RNAV)-STARor (GPS or DME/DME-IRU equipped) WHITE J209	1100-0400
Orlando/Exec (ORL)	SBY KEMPR ILM AR15 HIBAC CWRLD (RNAV)-STAR(Turbojets) WHITE J209 SBY J79 KATZN J193	1100-0400
ondindo, Exce (one)	J121 CHS J79 OMN CORLL-STAR	1100-0300
	(Water–Turbojets) WHITE J209 SBY KEMPR ILM AR15 HIBAC APOLO ORLor	
	(GPS or DME/DME-IRU equipped) WHITE J209 SBY KEMPR ILM AR15 HIBAC CWRLD (RNAV)-STAR	1100-0400
Savannah (SAV)	(Turbojets) WHITE J209 SBY J79 CHS(Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN FRWAY (RNAV)-STAR	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN TUXXI-STAR	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY KEMPR DIW AR19 AYBID FRWAY (RNAV)-STAR	

Terminals	Route or	Times (UTC)
	(Water-Turbojets) WHITE J209 SBY KEMPR DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CASKI	
FROM WHITE PLAINS (HPN)		
Allagheny (AGC)	ELIOT J80 VINSE NESTO-STARLANNA J48 ODF WHINZ-STAR	
, ,	or	
Baltimore (BWI)	(RNAV only) LANNA J48 ODF FLCON (RNAV)-STAR BIGGY J75 MXE V378 BAL (Turbojets) NEION J223 CORDS CFB (Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY J79 KATZN J193 J121 CHS	
	J79 OMN CAYSL (RNAV)-STAR	
	or (Turbojets) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN TUXXI-STAR	
	or (Water-Turbojets-GPS or DME/DME-IRU equipped) WAVEY EMJAY J174 SWL CEBEE WETRO DIW AR19 AYBID CAYSL (RNAV)-STAR	
	or (Water) WAVEY EMJAY J174 SWL CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CAYSL	
Boston (BOS)	MERIT ORW ORW-STAR	
Buffalo (BUF)	(Turbojets) NEION J223 CORDS ULW ULW306 V164or	
	(Turboprops) GAYEL J95 CFB V270 ULW306 V164	
Burlington (BTV)	GREKI V419 JUDDS CAM	
Charleston (CHS)	(Turbojets) WHITE J209 SBY J79 KATZN TYI CHS . PARKE J6 HVQ	
Charlotte (CLT)	BIGGY J75 GVE LYH MAJIC-STAR	
Chicago Midway (MDW)	ELIOT J60 GSH GSH-STAR	
Chicago O'Hare (ORD) Cincinnati (CVG)	COATE J36 FNT PAITN-STAR(RNAV only) PARKE J6 COLNS GAVNN	0000–2359
omonitati (ova)	(RNAV)-STARor	
	(all others) PARKE J6 COLNS JAVIT-STAR	
Cleveland (CLE) Columbus (CMH)	ELIOT J60 PSB PSB292 YNG CXRELIOT J80 AIR AIR260 BREMN	
Dallas/Ft Worth (DFW)	PARKE J6 LIT BYP	
Dayton (DAY)	ELIOT J80 AIR APE DANEI-STAR	
Daytona Beach (DAB)	WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN	
Denver (DEN)  Detroit Metro-Wayne Co (DTW)	ELIOT J60 IOW J10 LBF SAYGE-STAR GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR YQO SPICA-STAR	
Detroit Satellites: Coleman A Young (DET), Pontiac (PTK), Windsor (CYQG), Willow Run (YIP), Ann	•	
Arbor (ARB)	GAYEL J95 CFB CFB286 TRAAD ULW306 KOOPR YQG	
Fayetteville (FAY) Fort Lauderdale (FLL, FXE, OPF)	BIGGY J75 GVE SBV RDU(Turbojets-All Others) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN GISSH-STAR or	
	(Turbojets)-/E,/G,/R,/J,/L,/Q equipped) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN	
	FISEL (RNAV)-STARor	
	(Turboprops) WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN MLB BLUFI-STAR	

or

Terminals	Route
Terminais	(Water–Turboprops–/E,/G,/R,/J,/L,/Q equipped)
	WHITE J209 SBY KEMPR ILM AR21 CRANS
	FISEL (RNAV)-STAR
Fort Myers (FMY, RSW)	(GPS or DME/DME-IRU equipped) BIGGY J75
	GSO J75 DUNKN SHFTY (RNAV)-STAR
Fort Wayne (FWA)	ELIOT J80 SUZIE J64
Greensboro (GSO)	BIGGY J75BIGGY J75 GVE J37 SPA
Hot Springs (HSP)	LANNA J48 EMI CSN V140 MOL
Houston George Bush Intrcntl (IAH)	(non-advanced NAV only) LANNA J48 MOL J22 VUZ AEX DAS-STAR
	or (Turbojets–GPS or DME/DME–IRU equipped) LANNA J48 MOL J22 VUZ AEX TXMEX
Houston Hobby (HOU)	(RNAV)-STAR (GPS or DME/DME-IRU equipped) LANNA J48 MOL J22 VUZ AEX ROKIT (RNAV)-STAR
	or (non–advanced NAV only) LANNA J48 MOL J22
	VUZ AEX DAS-STAR
Indianapolis (IND)	ELIOT J80 EMPTY DQN CLANG-STAR
Ithaca (ITH)	(Turbojets) NEION J223 CORDS CFB V423 (Turbojets) WHITE J209 SBY J79 CHS SSI-STAR
Lewisburg (LWB)	LANNA J48 EMI CSN V140 MOL
Lexington (LEX)	PARKE J6 HVQ
Los Angeles (LAX)	ELIOT J80 MCI J24 SLN J102 ALS J44 RSK J64 CIVET CIVET-STAR
Louisville (SDF)	PARKE J6 HVQ J6 YOCKY DARBY-STAR
Marco Island (MKY)	(GPS or DME/DME-IRU equipped) BIGGY J75
	GSO J75 DUNKN SHFTY (RNAV)-STAR
	(Turbojets-GPS or DME/DME-IRU equipped)
	WHITE J209 SBY KEMPR ILM AR15 HIBAC
	SHFTY (RNAV)-STAR
Melbourne (MLB)	WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN BITHO-STAR
Memphis (MEM)	PARKE J6 BWG WLDER-STAR
Miami (MIA, TMB, HST)	(Water-Turbojets-GPS or DME/DME-IRU
	equipped) WAVEY EMJAY J174 SWL CEBEE WETRO DIW AR22 JORAY HILEY (RNAV)-STAR or
	(Turbojets-GPS of DME/DME-IRU equipped)
	WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN HILEY (RNAV)-STAR
	or
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121 CHS J79 OMN ANNEY-STAR
	or (Turboprops) WHITE J209 SBY J79 KATZN J193
	J121 CHS J79 OMN ANNEY-STAR
	(Water-Turbojets) WAVEY EMJAY J174 SWL
	CEBEE WETRO DIW AR22 JORAY OSOGY ENVOY
	YOSSI MILSY BOYUR HILEY KAINS
Milwaukee (MKE)	COATE J36 FNT MKG V2 SUDDS
Minneapolis (MSP)	GAYEL J95 BUF YWT J63 TVC J522 GRB EAU-STAR
Mobile (MOB)	BIGGY J75 GVE J37 MGM MVC V20 AXSIS
Montreal (CYUL)	GREKI V419 JUDDS CAM J222 PLB PLB-STAR
Naples (APF)	(Turbojets-GPS or DME/DME-IRU equipped)
	BIGGY J75 GSO J75 DUNKN SHFTY
	(RNAV)-STAR
	or

	_	Times
erminals	Route	(UTC)
	(Turbojets-GPS or DME/DME-IRU equipped) WHITE J209 SBY KEMPR ILM AR15 HIBAC	
	SHFTY (RNAV)-STAR	
Nashville (BNA)	PARKE J6 YOCKY GUITR-STAR	
Norfolk (ORF)	WHITE J209 SBY V1 CCV	
Orlando Exec (ORL)	(Turbojets) WHITE J209 SBY J79 KATZN J193 J121 CHS J79 OMN CORLL-STAR	
	or	
	(GPS or DME/DME-IRU equipped) WHITE J209	
	SBY KEMPR ILM AR15 HIBAC CWRLD	
	(RNAV)-STAR	1100-0400
Orlando Intl (MCO)	(Turbojets) WHITE J209 SBY J79 KATZN J193	
	J121 CHS J79 OMN BITHO-STAR	
	Or	
	(Water-Turbojets) WHITE J209 SBY KEMPR ILM	
	AR15 HIBAC APOLO ORL	
	OF (CDS or DME (DME IDII oquipped) WHITE 1200	
	(GPS or DME/DME-IRU equipped) WHITE J209	
	SBY J79 KATZN J193 J121 CHS J79 OMN	1100 0400
	CWRLD (RNAV)-STAR	1100-0400
	or (GPS or DME/DME-IRU equipped) WHITE J209	
	SBY KEMPR ILM AR15 HIBAC CWRLD	
	(RNAV)-STAR	1100-0400
Phoonix (PHY)	ELIOT J80 AIR J110 STL J19 ZUN FOSSL-STAR	1100-0400
Phoenix (PHX) Portland (PWM)	GREKI V419 JUDDS CAM CON CON067 PARSO	
Richmond (RIC)	WHITE J209 SBY V1 CCV HPW	
cochester (ROC)	(Turbojets) NEION J223 CORDS ULW V31 GIBBE	
alt Lake City (SLC)	GAYEL J95 BUF J16 ECK J16 BAE DBQ J94 OCS	
are barre only (620)	OGD	
avannah (SAV)	(Turbojets) WHITE J209 SBY J79 CHS	
t. Louis (STL)	ELIOT J80 AIR J110 VHP VLA-STAR	
t. Petersburg (PIE)	BIGGY J75 TAY LZARD-STAR	
yracuse (SYR)	(Turbojets) NEION J223 CORDS CFB V29	
ampa (TPA)	BIGGY J75 TAY LZARD-STAR	
	or	
	(GPS or DME/DME-IRU equipped) BIGGY J75 TAY	
	DADES (RNAV)-STAR	
oledo (TOL)	ELIOT J60 DJB VWV	
oronto (CYYZ)	GAYEL J95 BUF V36	
ri City (TRI)	LANNA J48 MOL J22 PSK V16 HMV	
Vashington Dulles (IAD)	PARKE J6 LRP V143 MULRR AML	
Vashington Natl (DCA)	BIGGY J75 MXE V378 BAL	
	or (GPS or DME/DME-IRU equipped) BIGGY J75	
	MXE CLIPR (RNAV)-STAR	
Vest Palm Beach (PBI)	(Water–Turbojets–GPS or DME/DME–IRU	
2000. (. 2.)	equipped) WAVEY EMJAY J174 SWL CEBEE	
	WETRO DIW AR19 AYBID FRWAY (RNAV)-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	WHITE J209 SBY J79 KATZN ISO J121 CHS J79	
	OMN FRWAY-STAR	
	or	
	(Turbojets) WHITE J209 SBY J79 KATZN ISO J121	
	CHS J79 OMN TUXXI-STARor	
	(Water-Turbojets) WAVEY EMJAY J174 SWL	
	CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE	
	SWOMP SANZZ CASKI	
Winston/Salem (INT)	BIGGY J75 GSO	
Youngstown (YNG)	ELIOT J60 PSB PSB292060	
DRFOLK (ORF)		
Chicago O'Hare (ORD)	MOL GEFFS J149 FWA KNOX-STAR	
	MOL GEFFS J149 ROD WATSN (RNAV)-STAR	

		Effective Times
Terminals	Route	(UTC)
Cincinnati (CVG)	(at or above FL240) WAIKS ORF290 KELLE	, ,
	MOL130 MOL HNN090/50 HNN JAVIT-STAR or	
	(at or below FL220) WAIKS ORF290 KELLE	
	MOL130 MOL HNN JAVIT-STAR	
	(RNAV only-at or above FL240) WAIKS KELLE	
	MOL HNN090/50 HNN GAVNN (RNAV)-STAR	
	(RNAV only-at or below FL220) WAIKS KELLE	
	MOL HNN GAVNN (RNAV)-STAR	
Detroit Metro Wayne Co (DTW)	WAIKS ORF290 KELLE MOL130 MOL GEMNI-STAR	
Houston George Bush Intenti (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) VUZ	
Trouston deorge Bush medici (Min)	AEX TXMEX (RNAV)-STAR	
	(non-advanced NAV only) VUZ AEX DAS-STAR	
Houston Hobby (HOU)	(GPS or DME/DME-IRU equipped) VUZ AEX ROKIT	
	(RNAV)–STARor	
	(non-advanced NAV only) VUZ AEX DAS-STAR	
Islip (ISP)	SCHOL SBY200 J121 SARDI CCC	1100-0400
Kennedy (JFK)	SCHOL SBY 200 J121 SIE CAMRN-STAR	1100-0400
La Guardia (LGA)	HPW V213 PXT KORRY-STAR	1100-0300
Newark (EWR)	HPW HPW025 J14 PXT DYLIN-STAR or	
	(GPS or DME/DME-IRU equipped) HPW HPW025	
	J14 PXT PHLBO (RNAV)-STAR	
Philadelphia (PHL)	SCHOL SBY200 V139 RADDS VCN-STAR	1100-0400
Teterboro (TEB)	HPW V213 PXT JAIKE-STAR	1100-0300
	or (non advanced navigation, turbojets only) WAIKS ORF290079 FAK BRV AML J227 J49 J70 LVZ LVZ-STAR	1100-0300
	LVZ-STAR	1100-0300
PHILADELPHIA METRO AREA (PHL, PNE)		
Albany (ALB)	DITCH J225 JFK244016 LGA LGA055 V487	
Address (ATL)	CANAN V130	
Atlanta (ATL)	MXE MXE278 PENSY J48 ODF WHINZ-STAR or	
	(RNAV only) MXE MXE278 PENSY J48 ODF FLCON (RNAV)-STAR	
Boca Raton (BCT)	(Turbojets-/E,/G,/R,/J,/L,/Q equipped) 00D	
	TEBEE HAYDO SBY J79 KATZN ISO J121 CHS	
	J79 OMN CAYSL (RNAV)-STAR	
	Or (Turbointo All Othoro) OOD TEREE HAVDO SRV	
	(Turbojets-All Others) OOD TEBEE HAYDO SBY J79 KATZN ISO J121 CHS J79 OMN	
	TUXXI-STAR	
	or (Water-Turbojets-/E,/G,/R,/J,/L,/Q equipped)	
	OOD TEBEE HAYDO SBY J209 ORF KEMPR DIW	
	AR19 AYBID CAYSL (RNAV)-STAR	
	or (Water-Turbojets-All Others) OOD TEBEE HAYDO	
	SBY J209 ORF KEMPR DIW AR19 AYBID NEUBE	
	SWOMP SANZZ CAYSL (RNAV)-STAR	
Boston (BOS)	DITCH J225 JFK ORW-STAR	
Buffalo (BUF)	PTW PTW320 J64 RAV RAV312 BUF162	
Burlington (BTV)	DITCH J225 JFK J222 CAM	
Charleston (CHS)	(Turbojets) OOD TEBEE HAYDO SBY J79 CHS	
Charlotte (CLT)	MXE J75 GVE LYH MAJIC-STAR	
Chicago Midway (MDW)	PTW PTW320 SARAA RAV PSB J60 GSH	
	GSH-STAR	
Chicago O'Hare (ORD)	PTW PTW320 J64 FWA OXI-STAR	0000–2359

or

Effectiv
Times
(UTC)

Terminals	Route (GPS OR DME/DME-IRU equipped) PTW PTW320 SARMA J64 MAINE ZANLA WATSN	(UTC)
Cincinnati (CVG)	(RNAV)-STAR (RNAV only) MXE PENSY J110 FLIRT J6 COLNS GAVNN (RNAV)-STAR	
Claveland (CLE)	(all others) MXE PENSY J110 FLIRT J6 COLNS JAVIT-STAR PTW PTW320 J64 RAV PSB PSB292 YNG CXR	
Cleveland (CLE)  Columbus (CMH)  Dallas/Fort Worth (DFW)	MXE MXE278 PENSY J110 AIR BREMN-STAR MXE MXE278 PENSY J110 FLIRT J6 LIT	
Dayton (DAY)	BONHAM-STAR MXE MXE278 PENSY J110 AIR APE DANEI-STAR PTW PTW320 J64 RAV PSB J60 IOW J10 LBF	
Detroit Metro-Wayne Co (DTW)	SAYGE-STAR  MXE MXE278 PENSY J110 LEJOY J518 DJB  GEMNI-STAR	
Detroit Satellites: Coleman A Young (DET), Windsor		
(CYQG), Pontiac (PTK)	PTW PTW320 J64 RAV PSB LLEEO-STARPTW PTW320 J64 RAV PSB ERI	
Fort Lauderdale (FLL)	(Water-Turboprops-GPS or DME/DME-IRU equipped) OOD TEBEE HAYDO SBY KEMPR ILM AR21 CRANS FISEL (RNAV)-STAR or	
	(Turbojets-GPS or DME/DME-IRU equipped) OOD TEBEE HAYDO SBY J79 KATZN ISO J121 CHS J79 OMN FISEL (RNAV)-STAR	
	or (Water-Turbojets-GPS or DME/DME-IRU equipped) OOD TEBEE HAYDO SBY KEMPR ILM AR21 CRANS FISEL (RNAV)-STAR	
	or (Turbojets) OOD TEBEE HAYDO SBY J79 KATZN ISO J121 CHS J79 OMN GISSH-STAR	
	or (Water-Turboprops) OOD TEBEE HAYDO SBY KEMPR ILM AR21 CRANS HIILL FATHR GISSH-STAR	
	or (Water-Turbojets) OOD TEBEE HAYDO SBY	
	KEMPR ILM AR21 CRANS HILL FATHR GISSH-STAR	
	(Turboprops) OOD TEBEE HAYDO SBY J79 KATZN J193 J121 CHS J79 OMN MLB BLUFI-STAR	
Fort Myers (FMY, RSW)	(GPS or DME/DME-IRU equipped) MXE J75 GS0 J75 DUNKN SHFTY (RNAV)-STAR	
	(WATER-Turbojets) OOD TEBEE HAYDO SBY KEMP ILM AR15 HIBAC SHFTY (RNAV)-STAR	
Greensboro (GSO)  Hot Springs (HSP)  Houston George Bush Intrcntl (IAH)	MXE J75 GVE LYH V222 HENBY MXE MXE278 PENSY J48 MOL(non-advanced NAV only) MXE MXE278 PENSY	0000–2359
	J48 MOL J22 VUZ AEX DAS-STAR or (Turbojets-GPS or DME/DME-IRU equipped) MXE	
	MXE278 PENSY J48 MOL J22 VUZ AEX TEXMX (RNAV)-STAR	
Houston Hobby (HOU)	(GPS or DME/DME-IRU equipped) MXE MXE278 PENSY J48 MOL J22 VUZ AEX ROKIT (RNAV)-STAR	
	or (non-advanced NAV only) MXE MXE278 PENSY	
	J48 MOL J22 VUZ AEX DAS-STAR	

Effective
Times
(UTC)

Terminals	Route	(UTC)
Indianapolis (IND)	MXE MXE278 PENSY J110 AIR J80 EMPTY DQN	
	CLANG-STAR	
Jacksonville (JAX)	(Turbojets) OOD TEBEE HAYDO SBY J79 CHS	
Kansas City (MKC)	SSI-STARMXE MXE278 J110 AIR J80 SPI BRAYMER-STAR	
Knoxville (TYS)	MXE MXE278 PENSY J48 MOL J22	
Lewisburg (LWB)	MXE MXE278 PENSY J48 MOL V140 COVEY	
Lexington (LEX)	MXE MXE278 PENSY J110 LEJOY HVQ	
Louisville (SDF)	MXE MXE278 PENSY J110 FLIRT J6 YOCKY	
	DARBY-STAR	
Manchester (MHT)	DITCH J225 JFK J37 ALB EEN MHT	
Marco Island (MKY)	(GPS or DME/DME-IRU equipped) MXE J75 GSO	
Memphis (MEM)	J75 DUNKN SHFTY (RNAV)-STAR MXE MXE278 PENSY J110 FLIRT J6 BWG	
wempins (wew)	WLDER-STAR	
Miami (MIA)	(Water-Turbojets) OOD TEBEE HAYDO SBY	
	KEMPR DIW AR22 JORAY OSOGY ENVOY YOSSI	
	MILSY BOYUR HILEY KAINS	
	or	
	(Water-GPS or DME/DME-IRU equipped) OOD	
	TEBEE HAYDO SBY KEMPR DIW AR22 JORAY	
	HILEY (RNAV)-STAR	
	Or (Turksists) OOD TEREE HAVDO CRY 170 (ATZN	
	(Turbojets) OOD TEBEE HAYDO SBY J79 KATZN ISO J121 CHS J79 OMN ANNEY-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped) OOD	
	TEBEE HAYDO SBY J79 KATZN ISO J121 CHS	
	J79 OMN HILEY (RNAV)-STAR	
	or	
	(Turboprops) OOD TEBEE HAYDO SBY J79 KATZN	
Milweyles (MIZE)	J193 J121 CHS J79 OMN ANNEY-STAR	
Milwaukee (MKE)	PTW PTW320 J64 RAV PSB J60 DJB J34 J70 PMM V170 BRAVE	
Minneapolis (MSP)	PTW PTW320 J64 RAV PSB J60 DJB J34 BAE	
willineapons (wor)	EAU-STAR	
Montreal (CYUL)	DITCH J225 JFK J222 PLB PLB-STAR	
Naples (APF)	(Turbojets-GPS or DME/DME-IRU equipped) MXE	
	J75 GSO J75 DUNKN SHFTY (RNAV)-STAR	
Nashville (BNA)	MXE MXE278 PENSY J110 FLIRT J6 YOCKY	
	GUITR-STAR	
New Orleans (MSY)	MXE MXE278 PENSY J48 MOL J22 MEI	
Newport News (PHF)	RYTHM-STAR 00D 00D198 SBY018 SBY VI CCV	
Orlando Executive (ORL)	OOD OOD198 SBY018 SBY J79 KATZN J193	
	J121 CHS J79 OMN CORLL-STAR	1100-0300
Orlando Intl (MCO)	OOD OOD198 SBY018 SBY J79 KATZN J193	
	J121 CHS J79 OMN BITHO-STAR	1100-0300
	or	
	(Water-Turbojets) OOD TEBEE HAYDO SBY	
	KEMPR ILM AR15 HIBAC APOLO ORL	
	or (GPS or DME/DME-IRU equipped) OOD OOD198	
	SBY018 SBY J79 KATZN J193 J121 CHS J79	
	OMN CWRLD (RNAV)-STAR	1100-0400
	or	· · ·
	(GPS or DME/DME-IRU equipped) OOD TEBEE	
	HAYDO SBY KEMPR ILM AR15 HIBAC CWRLD	
Dittale with (DIT)	(RNAV)-STAR	1100-0400
Pittsburgh (PIT) Portland (PWM)	MXE MXE278 PENSY J110 VINSE NESTO-STAR DITCH V312 DRIFT CCC BOS BOS048 MESHL	1100-0300
Providence (PVD)	DITCH V312 DRIFT CCC BOS BOSO48 MESHL DITCH V312 DRIFT J121 HTO JORDN-STAR	1100-0300
	or	
	(Turbojet, NonAdvanced Navigation) DITCH V312	
	DRIFT J121 HTO V268 MINNK	
Raleigh/Durham (RDU)	OOD OOD198 SBY018 SBY ARGAL-STAR	

Terminals	Route	(UTC)
Richmond (RIC)	OOD OOD198 SBY018 SBY V1 CCV HPW	
Roanoke (ROA)	MXE MXE278 PENSY J48 MOL	
Rochester (ROC)	PTW PTW320 J64 RAV RAV312 J227 ULW V31	
	GIBBE	
San Francisco (SFO)	PTW PTW320 J64 HLC J80 OAL MOD-STAR	
Sarasota/Bradenton (SRQ)	MXE J75 TAY J85 GNV GNV174055 LAL	
Savannah (SAV) St. Louis (STL)	ODD TEBEE HAYDO SBY J79 CHS MXE MXE278 PENSY J110 VHP VLA-STAR	
St. Petersburg (PIE)	MXE J75 TAY LZARD-STAR	
Tampa (TPA)	MXE J75 TAY LZARD-STAR	
ταπρα (117)	or	
	(GPS or DME/DME-IRU equipped) MXE J75 TAY	
	DADES (RNAV)-STAR	
Toronto (CYYZ)	PTW PTW320 J64 RAV PSB J61 BUF V36	
West Palm Beach (PBI)	(Turbojets-GPS or DME/DME-IRU equipped) OOD	
	TEBEE HAYDO SBY J79 KATZN J193 J121 CHS	
	J79 OMN FRWAY (RNAV)-STAR	
	or	
	(Turbojets) OOD TEBEE HAYDO SBY J79 KATZN	
	ISO J121 CHS J79 OMN TUXXI-STAR	
	Or	
	(Water-Turbojets GPS or DME/DME-IRU	
	equipped) OOD TEBEE HAYDO SBY KEMPR DIW	
	AR19 AYBID FRWAY (RNAV)-STAR	
	(Water-Turbojets) OOD TEBEE HAYDO SBY	
	KEMPR DIW AR19 AYBID MIMMI NEUBE	
	SWOMP SANZZ CASKI	
White Plains (HPN)	DITCH V312 CYN BOUNO-STAR	
Windsor Locks (BDL)	DITCH J225 JFK DPK DPK-STAR	
PITTSBURGH (PIT) Albany (ALB)	EWC EWC050 J584 SLT RKA RKA099 V449	
Boston (BOS)	EWC EWC050 J584 SLT KKA KKA099 V449	
B03t011 (B03)	GDM-STAR	
Buffalo (BUF)	EWC EWC038 EWC038060 DKK BUF	
Chicago Midway (MDW)	BSV BSV297 MAYZE J60 GSH GSH-STAR	
Chicago O'Hare (ORD)	BSV BSV286 OXIO95 OXI OXI-STAR	1100-0300
	or	
	BSV ZANLA WATSN (RNAV)-STAR	
Fort Lauderdale (FLL)	(/E, /G, /R, /J, /L, /Q) CKB CKB197 PSK014	
	PSK CAE SAV J103 OMN FISEL (RNAV)-STAR	
	Or	
	(all others) CKB CKB197 PSK014 PSK CAE SAV	
Houston George Bush Intrcntl (IAH)	J103 OMN GISSH-STAR(Turbojets-GPS or DME/DME-IRU equipped) LIT	
Houston deorge Bush Intichti (IAH)	J180 SWB TXMEX (RNAV)-STAR	
	or	
	(non-advanced NAV only) LIT J180 SWB	
	DAS-STAR	
Houston Hobby (HOU)	(GPS or DME/DME-IRU equipped) LIT J180 SWB	
	ROKIT (RNAV)-STAR	
	or	
	(non-advanced NAV only) LIT J180 SWB	
	DAS-STAR	
Islip (ISP)	EWC EWC050 J584 SLT J190 CFB HNK J68 V130	
Manage des (IEM)	ORW V308 BOROS CCC	
Kennedy (JFK)	EWC EWC050 J584 SLT J190 J70 LVZ	
La Guardia (LGA)	LENDY-STAR	
La Guardia (LGA)	TON PSB MIP-STAR(/E, /G, /R, /J, /L, /Q) CKB CKB197 PSK014	
maili (MIA)	PSK CAE SAV J103 OMN HILEY (RNAV)-STAR	
	or	
	(all others) CKB CKB197 PSK014 CAE SAV J103	
	OMN ANNEY-STAR	
Newark (EWR)	EWC EWC050 J584 SLT FQM-STAR	
Philadelphia (PHL)	JST J152 HAR V210 BUNTS	

Terminals	Route	Effective Times (UTC)
Tampa (TPA)	CKB197 PSK014 PSK CAE J75 TAY LZARD-STAR.	(===)
	(GPS or DME/DME-IRU equipped) CKB197 PSK014 PSK CAE J75 TAY DADES (RNAV)-STAR	
White Plains (HPN)	(Above 250 kts) EWC EWC050 J584 SLT J190 CFB DNY280 DNY VALRE-STAR	
Windsor Locks (BDL)	(250 kts or less) EWC EWC050 J584 SLT J190 CFB DNY280 DNY NOBBI-STAR EWC EWC050 J584 SLT RKA SWEDE-STAR	
	EWO EWOODO 3304 SET KKA SWEDE-STAK	
PORTLAND (PWM) Chicago O'Hare (ORD)	CAM SYR J63 EHMAN YXU J547 FNT PAITN-STAR	1100-0300
Cincinnati (CVG)	(RNAV only) ENE J547 SYR JOSSY MAULL KODIE CTW TIGRR (RNAV)-STARor	
La Cuandia (LCA)	(all others) ENE J547 SYR J29 KELIE SLT016 SLT SLT249 KODIE CTW081 CTW CINCE-STAR	1100 0200
La Guardia (LGA) Newark (EWR)	CON CAM ALB PWL IGN V157CON CAM ALB V213 SAX	1100-0300 1100-0300
Philadelphia (PHL)	PSM WITCH CCC SHERL J121 BRIGS VCN-STAR	1100-0300
Pittsburgh (PIT)	CAM ALB J49 HNK HNK271 J190 SLT	
Washington Dulles (IAD)	GRACE-STARPSM WITCH GLYDE BAF J77 SAX J6 LRP	1100-0300
	DELRO-STAR	1100-0300
PROVIDENCE (PVD)		
Atlanta (ATL)	PUT BAF J77 PTW J48 ODF WHINZ-STAR or (RNAV only) PUT BAF J77 PTW J48 ODF FLCON	1100-0300
	(RNAV)-STAR	1100-0300
Baltimore (BWI) Boca Raton (BCT)	PUT PUT283 NELIE CMK J75 MXE V378 BAL (Turbojets-GPS or DME/DME-IRU equipped) PVD180 JUMPR MVY260 RIFLE J174 ORF ISO J121 CHS J79 OMN CAYSL (RNAV)-STAR	1100-0300
	or	
	(Turbojets) PVD180 JUMPR MVY260 RIFLE J174	
	ORF ISO J121 CHS J79 OMN TUXXI-STAR	
	(Water-GPS or DME/DME-IRU equipped) PVD180 JUMPR MVY260 J174 SWL CEBEE WETRO DIW	
	AR19 AYBID CAYSL (RNAV)–STAR	
	(Water-Turbojets) PVD180 JUMPR MVY260 J174 SWL CEBEE WETRO DIW AR19 AYBID NEUBE	
Chicago O'Hare (ORD)	SWOMP SANZZ CAYSL (RNAV)-STAR PUT CTR CAM SYR J63 EHMAN YXU J547 FNT	
Cincinnati (CVG)	PAITN-STAR (RNAV only) CTR HNK J49 PSB MAULL KODIE CTW TIGRR (RNAV)-STAR	1100-0300
	or	
	(all others) CTR HNK J49 PSB PSB281 MAULL SLT249 KODIE CTW081 CTW CINCE-STAR	
Detroit Metro-Wayne Co (DTW) Detroit Satellites: Coleman A Young (DET), Windsor (CYQG), Pontiac (PTK), Willow Run	PUT CTR CAM SYR J547 BUF YQO SPICA-STAR	1100-0300
(YIP), Ann Arbor (ARB)	PUT CTR CAM J547 BUF YQO	1100-0300
Fort Lauderdale (FLL)	(Water-Turbojets-GPS or DME/DME-IRU equipped) PVD180 JUMPR MVY260 J174 SWL CEBEE WETRO ILM AR21 CRANS FISEL	
	(RNAV)-STARor	1100-0300

		Times
Terminals	Route (Water-Turboprops-GPS or DME/DME-IRU equipped) PVD180 JUMPR MVY260 RIFLE J174 SWL CEBEE WETRO ILM AR21 CRANS FISEL	(UTC)
	(RNAV)–STAR	1100-0300
	Of Curbojets-GPS or DME/DME-IRU equipped) PVD180 JUMPR MVY260 RIFLE J174 ORF ISO J121 CHS J79 OMN FISEL (RNAV)-STAR or	
	(Turboprops) PVD180 JUMPR MVY260 RIFLE J174 ORF J121 CHS J79 OMN MLB BLUFI-STAR	1100-0300
	or (Turbojets) PVD180 JUMPR MVY260 RIFLE J174 ORF ISO J121 CHS J79 OMN GISSH-STAR or	
	(Water-Turboprops) PVD180 JUMPR MVY260 RIFLE J174 SWL CEBEE WETRO ILM AR21 CRANS HIILL FATHR GISSH-STAR or	
	(Water-Turbojets) PVD180 JUMPR MVY260 J174 SWL CEBEE WETRO ILM AR21 CRANS HIILL FATHR GISSH-STAR	1100-0300
Fort Myers (RSW)	(WATER-Turbojets) PVD180 JUMPR MVY J174 SWL CEBEE WETRO ILM AR15 HIBAC SHFTY	
La Guardia (LGA)	(RNAV)-STAR(Above 250 kts) PUT BAF IGN V157	1100-0300 1100-0300
	or (250 kts or less) PUT BAF V106 PWL V405	
Miami (MIA)	CASSH V123 HAARP (Water) PVD180 JUMPR MVY260 J174 SWL CEBEE WETRO DIW AR22 JORAY OSOGY ENVOY YOSSI MILSY BOYUR HILEY KAINS	1100-0300
	(Water-GPS or DME/DME-IRU equipped) PVD180 JUMPR MVY260 J174 SWL CEBEE WETRO DIW AR22 JORAY HILEY (RNAV)-STAR	
	or (Turbojets) PVD180 JUMPR MVY260 RIFLE J174	
	ORF ISO J121 CHS J79 OMN ANNEY-STAR or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	PVD180 JUMPR MVY260 RIFLE J174 ORF ISO J121 CHS J79 OMN HILEY (RNAV)-STAR or	
	(Turboprops) PVD180 JUMPR MVY260 RIFLE	
Minneapolis/St Paul (MSP)	J174 ORF J121 CHS J79 OMN ANNEY-STAR PUT CTR CAM SYR J547 BUF YWT J63 TVC J522	
Newark (EWR)	GRB EAU-STARV146 BAF V292 V213 SAX	1100-0300 1100-0300
Orlando Executive (ORL)	or (250 kts or less) V146 BAF V292 V489 COATE PVD180 JUMPR MVY260 J174 ORF J121 CHS	1100-0300
	J79 OMN CORLL-STAR	1100-0300
	(GPS or DME/DME-IRU equipped) PVD180 JUMPR MVY260 J174 SWL CEBEE WETRO ILM	
Orlando Intl (MCO)	AR15 HIBAC CWRLD (RNAV)-STAR PVD180 JUMPR MVY260 J174 ORF J121 CHS	1100-0400
	J79 OMN BITHO-STAR or	1100-0300
	(Water-Turbojets) PVD180 JUMPR MVY260 J174 SWL CEBEE WETRO ILM AR15 HIBEC APOLO	
	ORLor	

Terminals	Route	Effective Times (UTC)
	(GPS or DME/DME-IRU equipped) PVD180 JUMPR MVY260 J174 ORF J121 CHS J79 OMN	
	CWRLD (RNAV)-STARor	1100-0400
	(GPS or DME/DME-IRU equipped) PVD180 JUMPR MVY260 J174 SWL CEBEE WETRO ILM	
Philadelphia (PHL)	AR15 HIBAC CWRLD (RNAV)-STAR PVD180 JUMPR MVY260 J121 PLUME V139	1100-0400
Pittsburgh (PIT)Raleigh-Durham (RDU)	BRIGS VCN-STAR PUT CTR HNK HNK271 J190 SLT GRACE-STAR PVD180 JUMPR MVY260 RIFLE J174 SWL	1100-0300 1100-0300
St. Louis (STL)	ARGAL-STAR PUT BAF J77 SAX J80 J110 VHP VLA-STAR	1100-0300 1100-0300
Tampa (TPA)	PUT PUT283 NELIE CMK J75 TAY LZARD-STAR or	1100-0300
	(GPS or DME/DME-IRU equipped) PUT PUT283 NELIE CMK J75 TAY DADES (RNAV)-STAR	1100-0300
Washington Dulles (IAD)	PUT BAF J77 SAX J6 LRP DELRO-STAR	1100-0300
Washington Natl (DCA)	PVD180 JUMPR MVY260 J174 ATR085 ATR V308 BILITor	1100-0300
	(GPS or DME/DME-IRU equipped) PVD180 JUMPR MVY260 J174 ATR085 ATR V308 LAFLN	
Week Delm Decek (DDI)	BILIT (RNAV)-STAR	1100-0300
West Palm Beach (PBI)	(Turbojets-GPS or DME-DME/IRU equipped) PVD180 JUMPR MVY260 RIFLE J174 ORF ISO	
	J121 CHS J79 OMN FRWAY (RNAV)-STAR or	1100-0300
	(Turbojets) PVD180 JUMPR MVY260 RIFLE J174 ORF ISO CHS J79 OMN TUXXI-STAR	
	(Water-GPS or DME/DME-IRU equipped) PVD180	
	JUMPR MVY260 J174 SWL CEBEE WETRO DIW AR19 AYBIB FRWAY (RNAV)-STAR	1100-0300
	or (Water-Turbojets) PVD180 JUMPR MVY260 J174 SWL CEBEE WETRO DIW AR19 AYBID MIMMI	
	NEUBE SWOMP SANZZ CASKI	1100-0300
READING (RDG)  Detroit Metro Wayne Co (DTW)RICHMOND (RIC)	KIPPI J80 J518 DJB GEMNI-STAR	
Cincinnati (CVG)	(RNAV only-at or above FL240) YEAST MOL HNN090/50 HNN GAVNN (RNAV)-STAR	
	or (RNAV only-at or below FL220) YEAST MOL HNN	
	GAVNN (RNAV)-STAR	
	(all others at or above FL240) YEAST-DP MOL HNN090/50 HNN JAVIT-STAR	
	or (all others at or below FL220) YEAST-DP MOL	
Detroit Metro Wayne Co (DTW)	HNN JAVIT-STAR YEAST-DP MOL GEMNI-STAR	
Houston George Bush Intrcntl (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) VUZ AEX TXMEX (RNAV)-STAR or	
Haratan Hakka (HOH)	(non-advanced NAV only) VUZ AEX DAS-STAR	
Houston Hobby (HOU)	(GPS or DME/DME-IRU equipped) VUZ AEX ROKIT (RNAV)- STAR	
POANOVE (POA)	(non-advanced NAV only) VUZ AEX DAS-STAR	
ROANOKE (ROA)  Detroit Metro Wayne Co (DTW)	BKW GEMNI-STAR	

Terminals	Route	Effective Times (UTC)
ROCHESTER (ROC) Cincinnati (CVG)	(RNAV only) GEE BURST MAULL KODIE CTW TIGRR (RNAV)-STAR	
	(all others) GEE GEE204 BURST SLT013 SLT SLT249 KODIE CTW081 CTW CINCE-STAR	
Detroit Satellites: Coleman A Young (DET), Pontiac (PTK), Ann Arbor (ARB), Windsor (CYQG),	VYII DIOFE CTAD	
Willow Run (YIP) La Guardia (LGA)	YXU PICES-STAR (Above 250 kts) V34 BEEPS J522 EXTOL RKA RKA-STAR or	
Newark (EWR)	(250 kts or less) V34 BEEPS DNY NOBBI-STAR (Above 250 kts) V34 BEEPS J522 HNK SHAFF-STAR	
	or (250 kts or less) V34 BEEPS J522 HNK V167 WEARD V489 COATE	
Philadelphia (PHL)  STATE COLLEGE (UNV)  Detroit Metro Wayne Co (DTW)	PSB ERI SPICA-STAR	
SYRACUSE (SYR) Cincinnati (CVG)	(RNAV only) SYR DINES MAULL KODIE CTW TIGRR	
	(RNAV)-STAR or (all others) SYR V483 DINES GEE GEE204 KELIE	
Detroit Satellites:	SLT013 SLT SLT249 KODIE CTW081 CTW CINCE-STAR	
Coleman A Young (DET), Pontiac (PTK), Windsor (CYQG), Ann Arbor (ARB), Willow Run (YIP)	BUF YXU PICES-STAR	
TORONTO (CYYZ) Cincinnati (CVG)	(RNAV only) THORL JHW MAULL KODIE CTW TIGRR (RNAV)-STAR	
	or (all others) THORL JHW JHW194 MAULL SLT249 KODIE CTW081 CTW CINCE-STAR	
Detroit Metro Area: Willow Run (YIP), Pontiac (PTK) Coleman		
A Young (DET), Windsor (CYQG) La Guardia (LGA)	ANCOL V104 YXU PICES-STAR(Above 250 kts) V252 GEE RKA-STARor	1100-0300
San Francisco (SFO)	(250 kts or less) V252 GEE V14 BEEPS J522 EXTOL RKA292 RKA NOBBI-STAR	
WASHINGTON/BALTIMORE METRO AREA (DO		
Asheville (AVL)	FLUKY DCA246 PAUKI MOL J22 PSK SUG FLUKY DCA246 PAUKI MOL WHINZ-STAR or	1100-0300 1100-0400
Binghamton (BGM)	(RNAV only) FLUKY DCA246 PAUKI MOL FLCON RNAV-STAR JERES J227 BABEE CFB	1100-0300 1100-0400
Birmingham (BHM) Boston (BOS)	FLUKY DCA246 PAUKI MOL J22 VUZ	1100-0300
	(Turboprops only) PALEO-DP SIE J121 HTO V308 ORW V16 WOONS	
Buffalo (BUF) Charleston (CHS)	JERES J220 BUF162  DAILY J61 HUBBS J193 WEAVR J121	1100-0300
Chattanooga (CHA)	FLUKY DCA246 PAUKI MOL J22 VXV	1100-0400 1100-0300
Chicago Midway (MDW)	AML J149 FWA GSH-STARAML J149 FWA KNOX-STAR	1100-0300 0000-2359

Terminals	Route	Effective Times (UTC)
Cincinnati (CVG)	or AML J149 ROD WATSN (RNAV)-STAR (RNAV only) LDN J134 COLNS GAVNN (RNAV)-STAR	0000–2359
Cleveland (CLE)	(all others) LDN J134 COLNS JAVIT-STAR JERES J211 YNG CXR AML J149 HACKS APE	
Dallas/Fort Worth (DFW)	LDN J134 J6 LIT BYP LDN J134 STL J110 GCK J154 RYLIE	1100-0300
Detroit Metro Wayne Co (DTW) Detroit Satellites: Coleman A Young (DET), Windsor (CYQG), Pontiac (PTK), Willow Run	DANDD-STAR	1100-0300 1100-0400
(YIP), Ann Arbor (ARB)	JERES J211 J60 HAGUD LLEEO-STAR (Turbojets) DAILY J61 HUBBS J193 HCM ISO J121 CHS J79 OMN GISSH-STAR	
	(Turboprops) DAILY J61 HUBBS J193 J121 CHS J79 OMN MLB BLUFI-STAR	
	(Water-Turboprops) DAILY J61 EDDYS J174 ILM AR21 CRANS HIILL FATHR GISSH-STAR or	
Fort Myers (FMY, RSW)	(Water-Turbojets) DAILY J61 HUBBS KEMPR ILM AR21 CRANS HILL FATHR GISSH-STAR (Turbojets-GPS or DME/DME-IRU equipped)	
Fort Wayne (FWA) Houston George Bush Intcntl (IAH)	HAFNR GVE J75 DUNKN SHFTY (RNAV)-STAR AML J149	1100-0300
	MOL J22 VUZ AEX DAS-STAR or (Turbojets-GPS DME/DME-IRU equipped) FLUKY DCA246 PAUKI MOL J22 VUZ AEX TXMEX	1100-0300
Houston Hobby (HOU)	(RNAV)-STAR(GPS or DME/DME-IRU equipped) FLUKY DCA246 PAUKI MOL J22 VUZ AEX ROKIT (RNAV)-STAR or	1100-0300 1100-0300
Indianapolis (IND)	(non-advanced NAV only) FLUKY DCA246 PAUKI MOL J22 VUZ AEX DAS-STAR AML J149 EMPTY DQN CLANG-STAR	1100-0300
Jacksonville (JAX)	DAILY J61 HUBBS J193 J121 CHS SSI-STAR	1100-0400
Kansas City Area (MCI)	LDN J134 STL MCM BQS-STAR	1100-0300
Knoxville (TYS)	FLUKY DCA246 PAUKI MOL 22	1100-0300
La Guardia (LGA)	PALEO V44 AGARD KORRY-STAR	1100-0400
Louisville (SDF)	LDN J134 J6 YOCKY DARBY-STAR	1100-0300
Memphis (MEM)	LDN J134 J6 BWG WLDER-STAR	1100-0300
	(Turboprops) DAILY J61 HUBBS J193 J121 CHS J79 VRB J45 ABLUFI AR1	
Milwaukee (MKE)	(Water) DAILY J61 EDDYS J174 DIW AR14 METTA AR1 HOBEE HEATT -STAR BUFFR J518 DJB J34 ALPHE J70 PMM V170	
Minneapolis (MSP)	BRAVEBUFFR J518 DJB J34 BAE EAU-STARLDN J134 J6 YOCKY GUITR-STAR	1100-0300
New Orleans (MSY) Orlando Intl (MCO)	FLUKY DCA246 PAUKI MOL J22 MEI J31 DAILY J61 HUBBS J193 J121 CHS J79 OMN	1100-0300
	BITHO-STAR or (Water) DAILY J61 EDDYS J174 DIW AR14 METTA	1100-0300
	AR1 HOBEE AR6 ORL	1100-0300
Phoenix (PHX)	LDN J134 LBL J19 ZUN FOSSL-STAR	1100-0300

Terminals	Route	Effective Times (UTC)
Pittsburgh (PIT)	BUFFR IHD NESTO-STAR	(0.0)
Rochester (ROC)	JERES J227 ULW V31 GIBBE	1100-0400
Sarasota/Bradenton (SRQ)	HAFNR GVE J75 TAY J85 GNV LAL	1100-0300
St. Louis (STL)	LDN J134 FLM PXV QBALL-STAR	1100-0300
Syracuse (SYR)	JERES J227 BABEE CFB	
Tampa (TPA)	HAFNR GVE J75 TAY LZARD-STAR or	1100-0300
	(GPS or DME/DME-IRU equipped) HAFNR GVE J75 TAY DADES (RNAV)-STAR	1100-0300
Teterboro (TEB)	(non-advanced navigation, turbojet only) JERES J227 J49 J70 LVZ LVZ-STAR	1100-0300
	or (advanced navigation, turbojet only) SWANN	1100 0000
	JAIKE-STAR	1100-0300
Toledo (TOL)	(FL180 and above) J211 J64 EWC MFD VWV	1100-0300
West Palm Beach (PBI)	(Water) DAILY J61 EDDYS J174 DIW AR14 METTA	
	AR1 HOBEE SURFN-STAR	1100-0300
	DAILY J61 HUBBS J193 J121 CHS J79 OMN SURFN-STAR	1100 0200
Windsor Locks (BDL)	SWANN V268 BROSS J42 RBV J222 JFK DPK	1100-0300
WIIIUSUI EUCKS (BDL)	DPK-STAR	1100-0400
From BALTIMORE (BWI) only		
Albany (ALB)	SWANN-DP OOD J42 RBV LGA LGA055 V487	
	CANAN V130	1100-0300
Boca Raton (BCT)	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) DAILY J61 HUBBS KEMPR WETRO	
	DIW AR19 AYBID CAYSL (RNAV)-STAR or	
	(Water-Turbojets) DAILY J61 HUBBS KEMPR	
	WETRO DIW AR19 AYBID MIMMI NEUBE	
	SWOMP SANZZ CAYSL	
	Or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	DAILY J61 HUBBS J193 HCM ISO J121 CHS	
	J79 OMN CAYSL (RNAV)-STAR or	
	(Turbojets) DAILY J61 HUBBS J193 HCM ISO	
	J121 CHS J79 OMN TUXXI-STAR	
Boston (BOS)	(Turbojets) SWANN-DP 00D J42 RBV J222 JFK	
	ORW-STAR	
	or	
	(Turboprops) PALEO-DP SIE J121 HTO V308 ORW V16 WOONS	
Bridgeport (BDR)	PALEO-DP SIE J121 MAD193 KEYED	1100-0300
Charleston (CHS)	(Turbojets) DAILY J61 HUBBS J193 HCM FKN J79 CHS	
Chicago (MDW)	AML J149 FWA GOSHEN-STAR	
Chicago (ORD)	AML J149 ROD WATSN (RNAV)-STAR or	
	AML J149 FWA KNOX-STAR	0000-2359
Dayton (DAY)	AML J149 HACKS APE DANEI-STAR	1100-0400
Detroit Metro Wayne Co (DTW)	AML J149 SINDE GEMNI-STARor	
	MCRAY J518 DJB DJB314 GEMNI GEMNI-STAR	
Fort Lauderdale (FLL, FXE, OPF)	(Turboprops) V93 PXT V213 COLIN HCM J193	
	J121 CHS J79 OMN MLB BLUFI-STAR or	
	(Water-Turboprops) V93 PXT V213 COLIN HCM	
	ILM AR21 CRANS HIILL FATHR GISSH-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	DAILY J61 HUBBS J193 HCM ISO J121 CHS	
	J79 OMN FISEL (RNAV)-STAR	
	or	

		Effective Times
Terminals	Route (Turbojets) DAILY J61 HUBBS J193 HCM ISO J121 CHS J79 OMN GISSH-STAR	(UTC)
	or (Water-Turboprops-GPS or DME/DME-IRU equipped) V93 PXT V213 COLIN HCM ILM AR21 CRANS FISEL (RNAV)-STAR	
	or (Water-Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR ILM AR21	
	CRANS FISEL (RNAV)-STARor  or  (Water-Turbojets) DAILY J61 HUBBS KEMPR ILM  AR21 CRANS HILL FATHR GISSH-STAR	
Fort Myers (FYM, RSW)	(Turbojets-GPS or DME/DME-IRU equipped) HAFNR GVE J75 DUNKN SHFTY (RNAV)-STAR or	
	(WATER-Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR ILM AR15 HIBAC SHFTY (RNAV)-STAR	
Hartford (HFD)  Islip (ISP)  Jacksonville (JAX)	SWANN-DP OOD J42 RBV J222 JFK DPK MAD V1 . PALEO-DP SIE J121 SARDI CCC(Turbojets) DAILY J61 HUBBS J193 HCM FKN J79	1100-0300 1100-0300
Miami (MIA, TMB, HST)	CHS SSI-STAR(Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS J193 HCM ISO J121 CHS J79 OMN HILEY (RNAV)-STAR	
	or (Turboprops) V93 PXT V213 COLIN HCM J193 J121 CHS J79 OMN ANNEY-STAR	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR WETRO DIW AR22 JORAY HILEY (RNAV)-STAR	
	(Water-Turbojets) DAILY J61 HUBBS KEMPR WETRO DIW AR22 JORAY OSOGY ENVOY YOSSI MILSY BOYUR HILEY KAINS	
	or (Turbojets) DAILY J61 HUBBS J193 HCM ISO J121 CHS J79 OMN ANNEY-STAR	
	(Water-Turboprops-GPS or DME/DME-IRU equipped) V93 PXT V213 COLIN HCM J193 CVI DIW AR22 JORAY HILEY (RNAV)-STAR	
	or (Water-Turboprops) V93 PXT V213 COLIN HCM J193 CVI DIW AR22 JORAY OSOGY ENVOY YOSSI MILSY BOYUR HILEY KAINS	
Newark (EWR)	SWANN-DP V445 DQO DYLIN-STAR or	1100-0300
Orlando Executive (ORL)	(GPS or DME/DME IRU equipped) SWANN-DP V445 DQO PHLBO (RNAV)-STAR(GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR ILM AR15 HIBAC	1100-0300
Orlando Intl (MCO)	CWRLD(RNAV)-STAR (Water-Turbojets) DAILY J61 HUBBS KEMPR ILM AR15 HIBAC APOLO ORL	1100-0400
	or (GPS or DME/DME-IRU equipped) DAILY J61 HUBBS J193 J121 CHS J79 OMN CWRLD (RNAV)-STAR	1100-0400
	(GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR ILM AR15 HIBAC CWRLD	4400 0400
Providence (PVD)	(RNAV)-STAR SWANN-DP OOD J42 RBV HTO GREEN-STAR	1100-0400 1100-0400

Terminals	Route or	Effective Times (UTC)
2	(Turbojets, Non-Advanced Nav only) SWANN-DP OOD J42 RBV HTO V268 MINNK	1100-0400
Savannah (SAV)	(Turbojets) DAILY J61 HUBBS J193 HCM FKN J79 CHS	
Teterboro (TEB)	(Turbojets, Non-Advanced Nav Only) JERES J227 J49 J70 LVZ LVZ-STAR	1100-0300
West Palm Beach (PBI)	(Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS J193 HCM ISO J121 CHS J79 OMN FRWAY (RNAV)-STAR	1100-0300
	or (Turbojets) DAILY J61 HUBBS J193 HCM ISO	4400 0000
	J121 CHS J79 OMN TUXXI-STAR or	1100-0300
	(Water-Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR WETRO DIW AR19 AYBID FRWAY (RNAV)-STAR	
	or (Water–Turbojets) DAILY J61 HUBBS KEMPR WETRO DIW AR19 AYBID MIMMI NEUBE	
White Plains (HPN)	SWOMP SANZZ CASKISWANN-DP OOD J150 CYN BOUNO-STARSWANN-DP ODD J42 RBV J222 JFK DPK-STAR	1100-0300 1100-0300
From WASHINGTON DULLES (IAD) only		
Albany (ALB)	SWANN V268 BROSS J42 RBV LGA LGA055 V487 CANAN V130	1100-0400
Boca Raton (BCT)	(Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS J193 HCM ISO J121 CHS J79 OMN CAYSL (RNAV)-STAR	
	or (Turbojets) DAILY J61 HUBBS J193 HCM ISO J121 CHS J79 OMN TUXXI-STAR	
	(Water-Turbojets GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR WETRO DIW AR19 AYBID CAYSL (RNAV)-STAR	
	or (Water-Turbojets) DAILY J61 HUBBS KEMPR WETRO DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CAYSL	
Bridgeport (BDR)	AML091 PALEO V44 SIE J121 MAD193 KEYED (Turbojets) DAILY J61 HUBBS J193 HCM FKN J79	1100-0400
Chicago (MDW)	CHS AML J149 FWA GOSHEN-STARAML J149 ROD WATSN (RNAV)-STAR	1100-0400
Dayton (DAY) Detroit Metro Wayne Co (DTW)	or AML J149 FWA KNOX-STAR AML J149 HACKS APE DANEI-STAR AML J149 SINDE GEMNI-STAR	1100-0400
Fort Lauderdale (FLL)	or MCRAY J518C DJB DJB314 GEMNI GEMNI-STAR . (Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS J193 HCM ISO J121 CHS	
	J79 OMN FISEL (RNAV)-STAR	
	(Turbojets) DAILY J61 HUBBS J193 J121 CHS J79 OMN GISSH-STARor	
	(Turboprops) DAILY J61 HUBBS J193 J121 CHS J79 VRB BLUFI-STAR or	
	(Water-Turboprops-GPS or DME/DME-IRU equipped) DAILY J61 EDDYS J174 ILM AR21 CRANS FISEL (RNAV)-STAR	
	or	

		Effective
Terminals	Route	Times (UTC)
Terminais	(Water-Turboprops) DAILY J61 EDDYS J174 ILM	(010)
	AR21 CRANS FATHR GISSH-STAR	
	or	
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) DAILY J61 HUBBS KEMPR ILM AR21	
	CRANS FISEL (RNAV)-STAR or	
	(Water-Turbojets) DAILY J61 HUBBS KEMPR ILM	
	AR21 CRANS FATHR GISSH-STAR	
Fort Myers (FMY, RSW)	(Turbojets–GPS or DME/DME–IRU equipped)	
	HAFNR GVE J75 DUNKN SHFTY (RNAV)-STAR	
	or (WATER-Turbojets-GPS or DME/DME-IRU	
	equipped) DAILY J61 HUBBS KEMPR WETRO	
	ILM AR15 HIBAC SHFTY (RNAV)-STAR	
Hartford (HFD)	SWANN V268 BROSS J42 RBV J222 JFK DPK	
	MAD V1	1100-0300
Islip (ISP)	AML091 PALEO V44 SIE J121 SARDI CCC	1100-0400
Jacksonville (JAX)	(Turbojets) DAILY J61 HUBBS J193 HCM FKN	
	CHS SSI-STAR	
Miami (MIA)	(Turbojets) DAILY J61 HUBBS J193 HCM ISO	
	J121 CHS J79 OMN ANNEY-STAR	
	Or (Motor Turboioto CDS or DME /DME IDII	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR WETRO	
	DIW AR22 JORAY HILEY (RNAV)-STAR	
	or	
	(Turbojets-GPS or DME/DME-IRU equipped)	
	DAILY J61 HUBBS J193 HCM ISO J121 CHS	
	J79 OMN HILEY (RNAV)-STAR	
	or	
	(Turboprops) V93 PXT V213 COLIN HCM J193	
	J121 CHS J79 OMN ANNEY-STAR	
	or (Water) DAILY J61 HUBBS KEMPR WETRO DIW	
	AR22 JORAY OSOGY ENVOY YOSSI MILSY	
	BOYUR HILEY KAINS	
Newark (EWR)	(GPS or DME/DME-IRU equipped) AML SWANN	
	V445 DQO PHLBO (RNAV)-STAR	1100-0400
Orlando Executive (ORL)	(GPS or DME/DME-IRU equipped) DAILY J61	
	HUBBS KEMPR ILM AR15 HIBAC CWRLD	
	(RNAV)-STAR	1100-0400
Orlando Intl (MCO)	(Water-Turbojets) DAILY J61 HUBBS KEMPR ILM	
	AR15 HIBAC APOLO ORL	
	or (GPS or DME/DME-IRU equipped) DAILY J61	
	HUBBS J193 J121 CHS J79 OMN CWRLD	
	(RNAV)-STAR	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) DAILY J61	
	HUBBS KEMPR ILM AR15 HIBAC CWRLD	
	(RNAV)-STAR	1100-0400
Providence (PVD)	SWANN V268 BROSS J42 RBV HTO GREEN-STAR	
		1100-0400
	or (Turbojets, Non–Advanced Navigation) SWANN	
	V268 BROSS J42 RBV HTO V268 MINNK	1100-0400
Savannah (SAV)	(Turbojets) DAILY J61 HUBBS J193 HCM FKN J79	
, ,	CHS	
Teterboro (TEB)	(Turbojets, Non-Advanced Nav Only) JERES J227	
	J49 J70 LVZ LVZ-STAR	1100-0300
West Palm Beach (PBI)	(Turbojets-GPS or DME/DME-IRU equipped)	
	DAILY J61 HUBBS KEMPR WETRO DIW AR19	
	AYBID FRWAY (RNAV)-STAR	
	or	

		Effective
Terminals	Pouto	Times (UTC)
Terminals	Route (Turbojets) DAILY J61 HUBBS J193 HCM ISO J121 CHS J79 OMN TUXXI-STAR	(010)
	or	
	(Turbojets–GPS or DME/DME–IRU equipped)	
	DAILY J61 HUBBS J193 HCM ISO J121 CHS	
	J79 OMN FRWAY (RNAV)-STAR or	
	(Water-Turbojets) DAILY J61 HUBBS KEMPR WETRO DIW AR19 AYBID MIMMI NEUBE	
White Plains (HPN)	SWOMP SANZZ CASKI SWANN V268 BROSS J150 CYN BOUNO-STAR	1100-0400
	SWANN V200 BROSS J130 CTN BOONG-STAN	1100-0400
From WASHINGTON NATL (DCA) only	OWANN VOCO BROOK 140 BRV LOA LOAGES VACO	
Albany (ALB)	SWANN V268 BROSS J42 RBV LGA LGA055 V487 CANAN V130	1100-0400
Boca Raton (BCT)	(Turbojets–GPS or DME/DME–IRU equipped)	
	DAILY J61 HUBBS J193 HCM ISO J121 CHS	
	J79 OMN CAYSL (RNAV)-STAR	
	(Turbojets) DAILY J61 HUBBS J193 HCM ISO	
	J121 CHS J79 OMN TUXXI-STAR	
	or	
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) DAILY J61 HUBBS KEMPR WETRO	
	DIW AR19 AYBID CAYSL (RNAV)-STAR	
	or (Water-Turbojets) DAILY J61 HUBBS KEMPR	
	WETRO DIW AR19 AYBID MIMMI NEUBE	
	SWOMP SANZZ CAYSL	
Boston (BOS)	(Turboprops) PALEO-DP SIE J121 HTO V308 ORW	
	V16 WOONS	
Bridgeport (BDR)	PALEO V44 SIE J121 MAD193 KEYED	1100-0400
Charleston (CHS)	(Turbojets) DAILY J161 HUBBS J193 HCM FKN J79 CHS	
Chicago (MDW)	AML J149 FWA GOSHEN-STAR	
Chicago (ORD)	AML J149 ROD WATSN (RNAV)-STAR	
	or	
	AML J149 FWA KNOX-STAR	
Dayton (DAY)	AML J149 HACKS APE DANEI-STAR	1100-0400
Detroit Metro Wayne Co (DTW)	AML J149 SINDE GEMNI-STAR	
	MCRAY J518 DJB DJB314 GEMNI GEMNI-STAR	
Fort Lauderdale (FLL)	(Turbojets-GPS or DME/DME-IRU equipped)	
	DAILY J61 HUBBS J193 HCM ISO J121 CHS	
	J79 OMN FISEL (RNAV)-STAR	
	Or (Motor Turboioto CDS or DME /DME IDII	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR ILM AR21	
	CRANS FISEL (RNAV)-STAR	
	or (Turbojets) DAILY J61 HUBBS J193 HCM ISO	
	J121 CHS J79 OMN GISSH-STAR	
	(Water-Turbojets) DAILY J61 HUBBS KEMPR ILM	
	AR21 CRANS HILL FATHR GISSH-STAR	
	or (Water-Turboprops-GPS or DME/DME-IRU	
	equipped) DAILY J61 EDDYS J174 ILM AR21	
	CRANS FISEL (RNAV)-STAR	
	or	
	(Turboprops) DAILY J61 HUBBS J193 J121 CHS	
	J79 OMN MLB BLUFI-STARor	
	(Water-Turboprops) DAILY J61 EDDYS J174 ILM	
	AR21 CRANS HILL FATHR GISSH-STAR	

Terminals	Route	Times (UTC)
Fort Myers (FMY, RSW)	(Turbojets–GPS or DME/DME–IRU equipped) HAFNR GVE J75 DUNKN SHFTY (RNAV)–STAR or	(010)
	(WATER-Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR WETRO	
Hartford (HFD)	ILM AR15 HIBAC SHFTY (RNAV)-STAR SWANN V268 BROSS J42 RBV J222 JFK DPK	
	MAD V1	1100-0400
Islip (ISP)	PALEO V44 SIE J121 SARDI CCC(Turbojets) DAILY J61 HUBBS J193 HCM FKN J79 CHS SSI-STAR	1100-0400
Miami (MIA, TMB, HST)	(Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS J193 HCM ISO J121 CHS J79 OMN HILEY (RNAV)-STAR	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR WETRO DIW AR22 JORAY HILEY (RNAV)-STAR	
	or	
	(Turbojets) DAILY J61 HUBBS J193 HCM ISO J121 CHS J79 OMN ANNEY-STAR	
	(Water-Turbojets) DAILY J61 HUBBS KEMPR WETRO DIW AR22 JORAY OSOGY ENVOY YOSSI	
Name (FMP)	MILSY BOYUR HILEY KAINS	
Newark (EWR)	(GPS or DME/DME-IRU equipped) SWANN V445 DQO PHLBO (RNAV)-STAR	1100-0400
Orlando Executive (ORL)	(GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR ILM AR15 HIBAC CWRLD	1100 0400
Orlando Intl (MCO)	(RNAV)-STAR (Water-Turbojets) DAILY J61 HUBBS KEMPR ILM AR15 HIBAC APOLO ORL	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) DAILY J61 HUBBS J193 J121 CHS J79 OMN CWRLD	
	(RNAV)-STARor	1100-0400
	(GPS or DME/DME-IRU equipped) DAILY J61 HUBBS KEMPR ILM AR15 HIBAC CWRLD	
Providence (PVD)	(RNAV)-STAR SWANN V268 BROSS J42 RBV HTO GREEN-STAR. or	1100-0400 1100-0400
	(Turbojets, Non-Advanced Navigation) SWANN V268 BROSS J42 RBV HTO V268 MINK	1100-0400
Savannah (SAV)	(Turbojets) DAILY J61 HUBBS J193 HCM FKN J79 CHS	
Teterboro (TEB)	(Turbojets, Non-Advanced Nav Only) JERES J227 J49 J70 LVZ LVZ-STAR	1100-0300
West Palm Beach (PBI)	(Turbojets-GPS or DME/DME-IRU equipped) DAILY J61 HUBBS J193 HCM ISO J121 CHS J79 OMN FRWAY (RNAV)-STAR	
	(Water-Turbojets-GPS or DME/DME IRU	
	equipped) DAILY J61 HUBBS KEMPR WETRO DIW AR19 AYBID FRWAY (RNAV)-STAR	
	or (Turbojets) DAILY J61 HUBBS J193 HCM ISO J121 CHS J79 OMN TUXXI-STAR	
	or	
	(Water-Turbojets) DAILY J61 HUBBS KEMPR WETRO DIW AR19 AYBID MIMMI NEUBE	
White Plains (HPN)	SWOMP SANZZ CASKISWANN V268 BROSS J150 CYN BOUNO-STAR	1100-0400
. ,		

Terminals	Route	Effective Times (UTC)
WILKES-BARRE/SCRANTON (AVP) Cincinnati (CVG)	(RNAV only) LVZ SEG PSB MAULL KODIE CTW	
	or	
	(all others) LVZ SEG PSB PSB281 MAULL SLT249 KODIE CTW081 CTW CINCE-STAR	
WINDSOR LOCKS (BDL)	PWL SAX J77 PTW J48 ODF WHINZ-STAR	
Atlanta (ATL)	or	
	(RNAV only) PWL SAX J77 PTW J48 ODF FLCON (RNAV)-STAR	
Baltimore (BWI)	PWL CMK J75 MXE V378 BAL	1100-0300
Boca Raton (BCT)	(Turbojets GPS or DME/DME-IRU equipped)  COASTAL (HI)-DP GEDIC J174 ORF ISO J121	
	CHS J79 OMN CAYSL (RNAV)-STAR or	
	(Turbojets) COASTAL (HI)-DP GEDIC J174 ORF	
	ISO J121 CHS J79 OMN TUXXI-STAR or	
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) COASTAL (HI)–DP GEDIC J174 SWL CEBEE WETRO DIW AR19 AYBID CAYSL	
	(RNAV)-STAR	
	or (Water-Turbojets) COASTAL (HI)-DP GEDIC J174	
	SWL CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CAYSL	
Chicago O'Hare (ORD)	CTR CAM SYR J63 EHMAN YXU J547 FNT	
Cincinnati (CVG)	PAITN-STAR CTR HNK J49 PSB PSB281 MAULL SLT249 KODIE	1100-0300
Dallas/Ft Worth (DFW)	CTW081 CTW CINCE-STARPWL SAX J6 LIT BYP	1100-0300
Detroit Metro Wayne Co (DTW)	CTR CAM J547 BUF BUF267 YQ0094 QU0 SPICA-STAR	1100-0300
Detroit Satellites:		
Ann Arbor (ARB), Pontiac (PTK), Windsor (CYQG), Willow Run (YIP)	SYR J547 YXU PICES-STAR	
	CTR CAM J547 BUF YQO	1100-0300
Fort Lauderdale (FLL, FXE, OPF)	(Water–Turbojets) COASTAL (HI)–DEP GEDIC J174 SWL CEBEE WETRO ILM AR21 CRANS HIILL	
	FATHR GISSH-STAR	1100-0300
	or (Water-Turboprops) COASTAL (HI)-DP GEDIC J174 ILM AR21 CRANS HIILL FATHR	
	GISSH-STAR	1100-0300
	or (Turbojets) COASTAL (HI)-DP GEDIC J174 ORF	
	ISO J121 CHS J79 OMN GISSH-STAR	1100-0300
	(Turboprops) COASTAL (HI)-DP GEDIC J174 ORF	
	J121 CHS J79 OMN MLB BLUFI-STAR or	1100-0300
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) COASTAL (HI)-DP GEDIC J174 SWL CEBEE WETRO ILM AR21 CRANS FISEL	
	(RNAV)-STARor	1100-0300
	(Water-Turboprops-GPS or DME/DME-IRU	
	equipped) COASTAL (HI)-DP GEDIC J174 ILM  AR21 CRANS FISEL (RNAV)-STAR  or	1100-0300
	(Turbojets-GPS or DME/DME-IRU equipped)	
	COASTAL (HI)-DP GEDIC J174 ORF ISO J121	1100-0300
	CHS J79 OMN FISEL (RNAV)-STAR	1100-0300

		Effective
Terminals	Route	Times (UTC)
Fort Myers (RSW)	(WATER-Turbojets) COASTAL (HI)-DP GEDIC J174 SWL CEBEE WETRO ILM AR15 HIBAC SHFTY	(010)
Miami (MIA, TMB, HST)	(RNAV)-STAR (Turbojets-GPS or DME/DME equipped) COASTAL (HI)-DP GEDIC 1174 ORF ISO J121 CHS J79 OMN HILEY (RNAV)-STAR	
	or	
	(Turbojets) COASTAL (HI)-DP GEDIC J174 ORF ISO J121 CHS J79 OMN ANNEY-STAR or	
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) COASTAL (HI)-DP GEDIC J174 SWL CEBEE WETRO DIW AR22 JORAY HILEY (RNAV)-STAR	
	or	
	(Water-Turbojets) COASTAL (HI)-DP GEDIC J174 SWL CEBEE WETRO DIW AR22 JORAY OSOGY	
	ENVOY YOSSI MILSY BOYUR HILEY KAINS or	
	(Turboprops) COASTAL (HI)-DP GEDIC J174 ORF	
	J121 CHS J79 OMN ANNEY-STAR	
Minneapolis/St Paul (MSP)	CTR CAM SYR J547 BUF YWT J63 TVC J522 GRB	
Orlando Exec (ORL)	EAU-STAR COASTAL (HI)-DP GEDIC J174 ORF J121 CHS J79 OMN BITHO-STAR	1100-0300
	or	1100-0300
	(GPS or DME/DME-IRU equipped) COASTAL	
	(HI)-DP GEDIC J174 SWL CEBEE WETRO ILM	
Orlanda Intl (MOO)	AR15 HIBACK CWRLD (RNAV)-STAR	1100-0400
Orlando Intl (MCO)	COASTAL (HI)-DP GEDIC J174 ORF J121 CHS J79 OMN BITHO-STARor	1100-0300
	(Water-Turbojets) COASTAL (HI)-DP GEDIC J174 SWL CEBEE WETRO ILM AR15 HIBAC APOLO	
	ORL	1100-0300
	or (GPS or DME/DME-IRU equipped) COASTAL	
	(HI)-DP GEDIC J174 ORF J121 CHS J79 OMN	
	CWRLD (RNAV)-STAR	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) COASTAL	
	(HI)-DP GEDIC J174 SWL CEBEE WETRO ILM AR15 HIBAC CWRLD (RNAV)-STAR	1100-0400
Philadelphia (PHL)	COASTAL-DP SHERL J121 BRIGS VCN-STAR	1100-0300
Pittsburgh (PIT)	CTR HNK HNK271 J190 SLT GRACE-STAR	1100-0300
Raleigh-Durham (RDU)	PWL CMK J75 GVE SBV	1100-0300
St. Louis (STL) Tampa (TPA)	PWL SAX J80 VHP VLA-STAR PWL CMK J75 TAY LZARD-STAR	1100-0300 1100-0300
Washington Dulles (IAD)	PWL SAX J6 LRP DELRO-STAR	1100-0300
Washington Natl (DCA)	COASTAL-DP GEDIC J174 ATR085 ATR V308 BILIT	1100-0300
	Or	
	(GPS or DME/DME-IRU equipped) COASTAL (HI)-DP GEDIC J174 ATRO85 ATR V308 LAFLN	
West Palm Beach (PBI)	BILIT (RNAV)-STAR(Turbojets-GPS or DME/DME-IRU equipped)	
	COASTAL (HI)-DP GEDIC J174 ORF ISO J121 CHS J79 OMN FRWAY (RNAV)-STAR	1100-0300
	or (Water-Turbojets) COASTAL (HI)-DP GEDIC J174	
	SWL CEBEE WETRO DIW AR19 AYBID MIMMI NEUBE SWOMP SANZZ CASKI	
	Or (Water Turboiete CBS or DME /DME IDII	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) COASTAL (HI)-DP GEDIC J174 SWL	
	CEBEE WETRO DIW AR19 AYBID FRWAY	
	(RNAV)-STAR	

ı

Effective

#### **SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES**

Terminals	Route	Effective Times (UTC)
		(010)
Traffic overflying Atlanta Center Eastbound origin GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR	ating South of a line from DFW to JFK:	
BOS	(Jet only) GRD J209 RDU J207 FKN J79 JFK	
	ORW-STAR	
	or (Prop only) SIE J121 HTO V308 ORW V16	
	WOONS	
BWI	SPA J14 RIC OTT-STAR	
	(GPS or DME/DME-IRU equipped) SPA J14	
	RIC RAVNN (RNAV)STAR	
DCA	SPA J14 RIC IRONS-STAR	
	Or (CDC or DME (DME IDII amilianad) CDA 14.4	
	(GPS or DME/DME-IRU equipped) SPA J14 RIC OJAAY (RNAV)-STAR	
EWR	SPA J14 J15 FAK DYLIN-STAR	
IAD	SPA J14 J51 FAK COATT-STAR	
JFK	GRD J209 ORF J121 SIE CAMRN-STAR	
LGA	AHN J208 HPW J191 PXT KORRY-STAR	
PHL	SPA J14 J51 FAK DPNT-STAR	
Traffic originating East of Chicago Terminating De	J60 IOW DSM J144 OBH J10 LBF	
	SAYGE-STAR	1300-0100
BAE	J16 MCW ONL J114 SNY LANDR-STAR	
STL	STL J110 GCK J154 RYLIE DANDD-STAR	1300-0100
Traffic overflying Cleveland Center and South of S	SLT:	
HPN	(Above 250 kts) SLT J190 CFB DNY280 DNY VALRE-STAR	
	or	
	PSB J49 CFB220 CFB DNY280 DNY	
	VALRE-STAR	
	or	
	(250 kts or less) SLT J190 CFB DNY280	
	DNY NOBBI-STAR	
	PSB J49 CFB220 CFB DNY280 DNY	
Traffic originating South of Wilmington, NC:	NOBBI-STAR	
ILM J109 FAK DYLIN-STAR	1100-0300	
JFK	ORF J121 SIE CAMRN-STAR	1100-0300
LGA	ILM TYI HPW J191 PXT KORRY-STAR	1100-0300
Traffic overflying Indianapolis Center area Eastbo		1100 0200
BOS	ROD J29 J82 ALB GDM GDM-STARROD J29 J70 LVZ LENDY-STAR	1100-0300 1100-0300
LGA	ROD J29 J146 MIP-STAR	1100-0300
	or	
	BKW J42 GVE KORRY-STAR	1100-0300
PHL	ROD J152 HAR V210 BUNTS	1100-0300
	or BKW J42 GVE DPNT-STAR	1100-0300
PIT	APE CTW V443 WISKE	1100-0300
	or	
	HNN JPU V117 WISKE	
TEB/MMU/CDW SATELLITES	(Non-Advanced Nav Aircraft only) ROD J29	
Traffic overflying Indianapolis Center area Eastbo	JHW J70 LVZ LVZ-STAR	V to IEK:
ABE	RID CXR H146	v to Ji N.

		Effective Times
Terminals	Route	(UTC)
ACY	ROD J152 HAR LRP DQO ENO SIE	
BDL	ROD J29 JHW J82 WILET RKA SWEDE-STAR .	
BWI	ROD J152 J162 MGW EMI-STAR	
CEF	ROD J29 JHW J82 ALB	
FRG	ROD J29 JHW J82 J522 HNK IGN V58 V91	
HPN	CCC	
ISP	or (250 kts or less) ROD J29 JHW J82 WILET DNY NOBBI-STAR	
	CCC	
	or	
	(250 kts or less) ROD J152 J78 PSB J49	
TEB/MMU/CDW/LDJ	HNK DNY LOVES-STARROD J29 JHW J70 LVZ-STAR	
Traffic overflying Indianapolis Center area Eastbou		to JFK:
ABE	BKW LDN LDN031 V377 HAR V162 DUMMR.	
ACY	BKW J42 OTT SIE	
BWI	BKW J147 CSN OTT-STAR	
	(GPS or DME/DME-IRU equipped) BKW J147	
	CSN RAVNN (RNAV)-STAR	
DAA	BKW J213 V143 V4 AML	
DCA/ADW	BKW WZRRD-STAR	
	or	
DOW	BKW ELDEE (RNAV)-STAR	
DOV	BKW J42 GVE ENO-STAR BKW J42 OOD J150 CYN BOUNO-STAR	
IAD	BKW ROYIL-STAR	1100-1830 and 2230-0300
	or BKW SHNON (RNAV)-STAR	1100-1830 and 2230-0300
	or	
	GSO J14 CREWE J51 FAK COATT-STAR or	1830-2230
	GSO J14 CREWE J51 FAK BARIN (RNAV)-STAR	1830-2230
LFI	BKW J42 MOL J24 HCM	1030-2230
NSF	BKW J213 FINKS AML259 AML	
PHL TEB/MMU/CDW/LDJ	BKW J42 GVE DPNT-STAR(Advanced-Nav Aircraft only) BKW J42 GVE	
	JAIKE-STAR	
WRI	BKW J42 OTT SIE-STAR	
Traffic overflying Indianapolis (ZID) or Cleveland C		
BWI	MGW EMI-STARor	1100-0300
	BKW J147 CSN OTT-STARor	1100-0300
	(GPS or DME/DME-IRU equipped) BKW J147	
	CSN RAVNN (RNAV)-STAR	1100-0300
DCA	APE J30 BUCKO BUCKO-STAR	1100-0300
	BKW FINKS-STAR	1100-0300
	(GPS or DME/DME-IRU equipped) APE J30	
	BUCKO ELDEE (RNAV)-STAR	1100-0300
	or (GPS or DME/DME-IRU equipped) BKW	
	ELDEE (RNAV)–STAR	1100-0300
	APE J30 SHAAR WZRRD-STAR	1100-0300
	or	

		Times
Terminals	Route	(UTC)
	or	
	APE J30 SHAAR ELDEE	
	Or DKW ELDEE (DNAV) STAD	
	or	
IAD	APE AIR MGW MGW121 VERNI ESL	
	ROYIL-STAR	
	or BKW ROYIL-STAR	
	or	
	HVQ ROYIL-STAR	
	(GPS or DME/DME-IRU equipped) APE AIR MGW VERNI ESL SHNON (RNAV)-STAR	
	or BKW SHNON (RNAV)-STAR	
	or	
Traffic everflying Flygod City VORTAC (FWC) North	HVQ SHNON (RNAV)-STAR	
Traffic overflying Elwood City VORTAC (EWC) Northl	EWC EWC050130 GEE	
BUF	EWC DKK DKK020 WELLA	
SYR	EWC EWC050130	
Traffic entering ZBW originating South and West of	a line from HNK to ROC landing HYA/ACK/MVY:	
J16 J94	J16 ALB ENE V167 LFV	1100-0300
J82	J82 ALB ENE V167 LFV	1100-0300 1100-0300
J190	J190 ALB ENE V167 LFV	1100-0300
HNK Traffic entering ZBW via RBV or JFK landing HYA:	HNK ENE V167 LFV	1100-0300
RBV	J62 MVY241 MVY	
	FLAPE MVY	1100-0300
JFK	J79 MVY241 MVY	
	or FLAPE MVY	1100-0300
Traffic entering ZBW via RBV or JFK landing MVY:		
RBV	LIBBE FLAPE MVY	1100-0300
311	or	
Traffic entaring ZBW via DBV or JEV landing ACV.	LIBBE FLAPE MVY	1100-0300
Traffic entering ZBW via RBV or JFK landing ACK: RBV	J62 ACK	
NDV	or	
	FLAPE CLAMY ACK	1100-0300
	RIFLE DEEPO (RNAV)-STAR	1100-0300
J79 J62 ACK		
	or FLAPE CLAMY ACK	1100-0300
	or	
Traffic entering ZBW via J174 or J121 landing HYA		1100-0300
J121	J121 SHLEP J62 MVY241 MVY	
	J121 SHLEP LIBBE FLAPE MVY	1100-0300
J174	J174 RIFLE J62 MVY241 MVY or	
Traffic entering ZBW via J174 or J121 landing MVY	J174 RIFLE FLAPE MVY	1100-0300
J121	J121 SHLEP J62 MVY241 MVY	
	Or	1100 0200
J174	J121 SHLEP LIBBE FLAPE MVY	1100-0300
	or	4400 0000
	J174 RIFLE LIBBE FLAPE MVY	1100-0300

Terminals	Route	Effective Times (UTC)
Traffic entering ZBW via J174 or J121 landing ACk	<:	
J121	J121 SHLEP J62 ACK	
	or	
	J121 SHLEP FLAPE CLAMY	1100-0300
J174	J174 RIFLE J62 ACK	
	or	
	J174 RIFLE FLAPE CLAMY	1100-0300
	or	
	J174 RIFLE DEEPO (RNAV)-STAR	1100-0300

# HIGH ALTITUDE—SINGLE DIRECTION ROUTES

Airway	Segment Fixes	Direction Effective	Effective Times (UTC)
J6	Lancaster, PA to Little Rock, AR	Southwest	1100-0300
J8	Charleston, WV to Casanova, VA	East	1100-0300
J14	Greensboro, NC to Richmond, VA	Northeast	1100-0300
J22	Montebello, VA to Pulaski, VA	Southwest	1100-0300
J30	Joliet, IL to TRIXY Int., VA	East	1100-0300
J34	Bellaire, OH to TRIXY Int., VA	East	1100-0300
J37	Coyle, NJ to Spartanburg, SC	Southwest	1100-0300
J40	Wilmington, NC to Richmond, VA	North	1100-0300
J42	Texarkana, AR to Robbinsville, NJ	Northeast	1100-0300
J48	Pottstown, PA to Foothills, GA	Southwest	1100-0300
J51	Columbia, SC to Yardley, NJ	Northeast	1100-0300
J52	Columbia, SC to Richmond, VA	Northeast	1100-0300
J55	Florence, SC to HUBBS Int., VA	Northeast	1100-0300
J61	Philipsburg, PA to EDDYS Int., VA	South	1100-0300
J75	Modena, PA to Greensboro, NC	Southwest	1100-0300
J109	Wilmington, NC to Buffalo, NY	North	1100-0300
J134	Linden, VA to Henderson, WV	West	1100-0300
J147	Beckley, WV to Casanova, VA	Northeast	1100-0300
J149	Armel, VA to Rosewood, OH	West	1100-0300
J150	Gordonsville, VA to Hampton, NY	East	1100-0300
J162	Bellaire, OH to Martinsburg, WV	East	1100-0300
J165	Charleston, SC to Richmond, VA	North	1100-0300
J191	Wilmington, NC to Robbinsville, NJ	North	1100-0300
J193	HUBBS Int., VA to Wilmington, NC	South	1100-0300
J207	Florence, SC to Franklin, VA	Northeast	1100-0300
J208	Athens, GA to Hopewell, VA	Northeast	1100-0300
J209	Greenwood, SC to Norfolk, VA	Northeast	1100-0300
J211	Westminster, MD to Johnstown, PA	Northwest	1100-0300
J213	Beckley, WV to Armel, VA	East	1100-0300
J518	Baltimore, MD to Indian Head, PA	Northwest	1100-0300

448 Q-ROUTES

#### **Q-ROUTES REGULATORY**

# Q1, Q3, Q5, Q7, Q9 and Q11 are preferred single direction (Southbound) Q routes; flight planning Northbound not authorized.

Q routes are RNAV routes that require the use of GNSS or DME/DME/IRU RNAV, unless otherwise indicated. Please note that this section does not apply to Q routes in the Gulf of Mexico. Gulf of Mexico Q routes are explained in the Southeast and South Central A/FD volumes. Q routes listed in this AF/D volume have at least part of one of their leg segments within this volume's area of coverage.

GNSS and DME/DME/IRU RNAV operations are authorized along Q routes at FL 180 and above. GNSS and DME/DME/IRU RNAV MEAs will only be published if above FL 180.


DME facilities that have been assessed for RNAV operations are listed below. Q routes with no DME facilities listed are limited to GNSS RNAV operations only. Those routes will have an enroute chart note "GNSS REQUIRED".


Route	Segment	DME
Q1	ELMAA-ERAVE	BTG, OLM, HQM, HUH, UBG
	ERAVE-EASON	BTG, OLM, HQM, HUH, LTJ, CVO, DSD, OED, UBG, ONP, EUG
	EASON-EBINY	CVO, DSD, OED, BTG, UBG, ONP, EUG, LMT
	EBINY-ENVIE	CVO, OED, EUG, LMT, RBL, ENI, ONP, FJS
	ENVIE-ETCHY	OED, PYE, OAK, LIN, ECA, LMT, RBL, ENI, SAC, FJS
	ETCHY-POINT REYES	LIN, ECA, RBL, ENI, SAC, OAK
Q2	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR
	HEDVI-HOBOL	BZA, GBN, BLH, EED, PXR, IPL, TFD, DRK, TUS
	HOBOL-ITUCO	TFD, GBN, BLH, PXR, TUS, CIE, SSO
0.2	ITUCO-NEWMAN	EWM, TFD, PXR, CIE, SSO, TUS, TCS
Q3	FEPOT-FAMUK	OLM, TOU, HQM, CVO, BTG, DSD, LTJ, UBG, ONP, EUG
	FAMUK-FRFLY	BTG, DSD, OED, CVO, EUG, ONP, UBG, RBL, LMT
	FRFLY-FINER	OED, EUG, RBL, LMT, ENI, CVO, FJS
	FINER-FOWND	OED, PYE, ECA, LIN, OAK, ENI, RBL, LMT, SAC, FJS
04	FOWND-POINT REYES	LIN, ECA, PYE, RBL, SAC, ENI
Q4	BOILE-HEDVI	HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR EED, BLH, BZA, GBN, TRM, IPL, TFD
	HEDVI-SCOLE SCOLE-SPTFR	EED, BLH, BZA, GBN, TRM, IPL, TFD
	SPTFR-ZEBOL	EED, IPL, BZA, GBN, TKM, IPL, 110
	ZEBOL-SKTTR	PXR, BLH, BZA, GBN, TFD, TUS, SSO, CIE, SVC, TCS
	SKTTR-EL PASO	EWM, CUS, SVC, TCS, SSO, CIE, ELP, DMN, CME
Q5	HAROB-HISKU	OLM, ONP, CVO, EUG, HQM, UBG, BTG, LTJ, DSD, HUH
	HISKU-HARPR	ONP, CVO, EUG, LTJ, DSD, UBG, BTG, RBL, OED, LMT, FJS, LKV
	HARPR-HOMEG	CVO, EUG, OED, RBL, LMT, ENI, FJS, LKV
	HOMEG-HUPTU	SAC, PYE, LIN, OAK, ECA, LMT, RBL, ENI, OED, FJS
	HUPTU-STIKM	OAK, ECA, PYE, LIN, SAC, ENI, RBL
Q7	JINMO-JOGEN	CVO, HQM, LTJ, UBG, BTG, ONP, IMB, EUG, OLM, DSD, YKM, PDT, SEA
	JOGEN-JUNEJ	LTJ, IMB, UBG, EUG, CVO, RBL, LMT, FMG, DSD, LKV, OED, BTG
	JUNEJ-JAGWA	RBL, LMT, FMG, LIN, SAC, ECA, ENI, MOD, SWR, OAK, LKV, CZQ, AVE, SNS
	JAGWA-AVENAL	OAK, MOD, ECA, EHF, PRB, AVE, SNS, CZQ
Q9	SUMMA-SMIGE	OLM, UBG, SEA, YKM, BTG, ONP, IMB, HQM, PDT, EUG, LTJ, CVO, DSD, OED,
		EPH, MWH
	SMIGE-SUNBE	IMB, UBG, EUG, IMB, RBL, LMT, FMG, SAC, OED, CVO, LKV, DSD, BTG
	SUNBE-REBRG	RBL, LMT, FMG, SAC, ECA, MVA, CZQ, OAK, EHF, PMD, LKV, LIN, MOD, AVE, OED,
		SWR
	REBRG-DERBB	CZQ, PMD, EHF, LAX, RZS, AVE, MOD, ECA
Q11	PAAGE-PAWLI	EPH, UBG, CVO, EUG, HQM, YKM, OLM, PDT, BTG, ONP, IMB, LTJ, DSD, LKV,
	BANKI BITUE	OED, SEA
	PAWLI-PITVE	EUG, FMG, SAC, IMB, LKV, OED, DSD, RBL, LMT, CVO, REO
	PITVE-PUSHH	FMG, SAC, LIN, SWR, MOD, OAL, RBL, LKV, LMT, MVA, CZQ
Q13	PUSHH–LOS ANGELES All segments	SAC, ECA, FMG, LIN, OAL, MOD, EHF, LAX, PMD, PDZ, HEC, OCN, CZQ, AVE, RZS None; GNSS required
Q15 Q15	All segments	None; GNSS required
Q19	PLESS-NASHVILLE	ENL, GQO, PXV, BNA, IIU, FAM, BWG, CSX
Q20	CORONA-HONDS	CNX, ABQ, ACH, ONM, TXO, LVS, TCC, CME
<b>4</b> 20	HONDS-UNNOS	CNX, INK, CME, TXO, TCC
	UNNOS-FUSCO	FST, ACH, INK, CME, SJT, TXO, TCC
	FUSCO-JUNCTION	ABI, CWK, CSI, INK, LZZ, JCT, SJT, STV, FST
Q21	JONEZ-RAZORBACK	BYP, EOS, TUL, TXK, ADM, RZC, OKM
Q22	GUSTI-OYSTY	AEX, DAS, MCB, LLA, BTR, LCH, HRV, LFT, LEV
•	OYSTY-ACMES	RQR, GCV, MCB, BTR, PCU, GPT, HRV, LEV, SJI
	ACMES-CATLN	SJI, MGM, MCB, BFM, GPT, GCV, HRV, CEW, MVC, PCU, MEI

Route	Segment	DME
Q23 Q24	FORT SMITH-RAZORBACK LAKE CHARLES-BATON	OKM, RZC, EOS, TUL AEX, DAS, LCH, MCB, LFT, BTR
	ROUGE BATON ROUGE-IRUBE	AEX, LEV, MCB, LCH, RQR, HRV, BTR, GCV, MCB, PCU, SJI, LBY
	IRUBE-PAYTN	GCV, MCB, JYU, PCU, MEI, HRV, CEW, SJI
Q25	MEEOW-WALNUT RIDGE WALNUT RIDGE-WLSUN	ELD, MEM, LIT, FAM, RZC MEM, STL, BWG, PXV, ENL, FAM, ARG, BNA, CSX, TTH
	WLSUN-POCKET CITY	BWG, PXV, ENL, BNA, TTH
Q26 Q27	WALNUT RIDGE-DEVAC FORT SMITH-ZALDA	LIT, JKS,GQO, MEM, BNA, FAM, ARG, DYR, VUZ, RMG OKM, SGF, RZC, EOS, TUL
Q28	GRAZN-PYRMD	EIC, LIT, ELD, OKM, TXK
	PYRMD-HAKAT HAKAT-ESTEE	ARG, LIT, FAM, ELD, SGF, RZC, MEM, TXK ARG, LIT, FAM, SGF, MEM
000	ESTEE-POCKET CITY	ARG, CSX, FAM, PXV, ENL, MEM, STL, BWG, TTH, BNA
Q29	HARES-MEMPHIS MEMPHIS-SIDAE	MEM, ARG, LIT, JAN, ELD, SQS MEM, PXV, BNA, BWG, ARG, ENL
	SIDAE-POCKET CITY	PXV, TTH, BWG, ENL
Q30 Q31	SIDON-VULCAN DHART-JODOX	GLH, MEM, VUZ, JAN, JYU, MEI, MGM, SQS, RMG SQS, LIT, TXK
•	JODOX-MARVELL	SQS, LIT, ELD, MEM, ARG
	MARVELL-TIIDE TIIDE-POCKET CITY	ARG, BWG, PXV, FAM, LIT, MEM, ENL, TTH BWG, PXV, ENL, TTH
Q32	EL DORADO-GAGLE	AEX, JAN, MEM, SQS, SWB, ELD, LIT, TXK
	GAGLE-CRAMM CRAMM-NASHVILLE	JAN, SQS, MEM, ARG, VUZ, BNA, LIT BWG, MEM, VUZ, BNA, GQO
022	NASHVILLE-SWAPP	BWG, IIU, PXV, VXV, BNA, GQO
Q33	DHART-LITTLE ROCK LITTLE ROCK-PROWL	AEX, ELD, LIT, TXK, SWB, ARG, MEM, SQS ELD, SGF, FAM, LIT, ARG, MEM, RZC, CSX, STL
Q34	TEXARKANA-MATIE	LIT, SWB, TXK, BYP, EIC, ELD, SQS
	MATIE-MEMPHIS MEMPHIS-SWAPP	LIT, ARG, MEM, ELD, SQS BWG, ARG, MEM, MKL, SQS,PXV, BNA, GQO, IIU, VXV
Q35	KIMBERLY-NEERO NEERO-WINEN	LTJ, PDT, DSD, IMB, LKV, BOI, REO, BAM, SDO
	WINEN-CORKR	BQU, SDO, BAM, REO, BVL, ILC, DTA, ELY, CDC, MLF, BCE CDC, BCE, BLD, ILC, MLF, TBC, PGS, INW, DRK
026	CORKR-DRAKE RAZORBACK-TWITS	TBC, BCE, BLD, DRK, PGS, FLG, GCN, INW, TFD
Q36	TWITS-DEPEC	RZC, MEM, SGF, BUM, TUL, EOS, FAM, ARG, LIT MEM, GQO, BNA, BWG, FAM, ARG, PXV, IIU
	DEPEC-NASHVILLE NASHVILLE-SWAPP	GQO, BWG, BNA, PXV, IIU VXV, BWG, BNA, GQO, PXV, IIU
Q38	ROKIT-INCIN	DAS, LCH, SWB, IAH, LFK, HUB, AEX
	INCIN-LAREY LAREY-BESOM	JAN, MCB, SWB, AEX JAN, JYU, MEI, SQS, VUZ
Q40	ALEXANDRIA-DOOMS	AEX, SWB, LCH, JAN, HEZ, MCB
	DOOMS-WINAP WINAP-MISLE	JAN, SQS, MEI, MCB MEI, VUZ, JYU
Q42	KIRKSVILLE-STRUK	CID, IOW, UIN, LMN, IRK, BDF, STL, DEC, ENL, CSX
	STRUK-DANVILLE	ENL, IOW, UIN, BDF, DEC, STL, CSX, SPI, TTH, BVT, JOT, VHP, OXI, ENL, OKK, OBK, GIJ, FWA, GSH, IRK
	DANVILLE-MUNCIE	GIJ, SPI, BDF, OBK, OKK, VHP, BVT, DEC, GSH, FWA, JOT, TTH, OXI, ROD, FLM
	MUNCIE-HIDON	FLM, VHP, GSH, TTH, GIJ, OKK, FWA, ROD, OXI, CRL, GSH, APE, DJB, DXO, HNN, AIR, HVO, CXR, EWC
	HIDON-BUBAA	AIR, APE, HNN, CXR, HVQ, EWC, DJB
	BUBAA-PSYKO PSYKO-BRNAN	AIR, APE, DJB, CXR, HNN, EWC, SLT, CSN, JHW, ETG, PSB PSB, JHW, EWC, AIR, ETG, CSN, EMI, SLT
	BRNAN-MAALS	EMI, SLT, CSN, EWC, PSB, ETG, SAX, RBV, HNK, HUO, SIE
	MAALS-SUZIE SUZIE-EAST TEXAS	ETG, EMI, CSN, HUO, SIE, JFK, PSB, SLT, HNK JFK, EMI, PSB, SLT, HNK, SIE, RBV, SAX, HUO, CYN
0104	EAST TEXAS-ELIOT	HUO, RBV, EMI, CYN, SAX, JFK, PSB, HNK
Q104	DEFUN–HEVVN HEVVN–PLYER	PIE, PZD, CRG, SZW, TAY, JYU, CEW, MGM, OTK, CRG PIE, ORL, OMN, SRQ, TAY, LAL, CRG, SZW, PZD
	PLYER-SWABE	PIE, ORL, OMN, SRQ, TAY
	SWABE-ST PETERSBURG ST PETERSBURG-	LAL, ORL, OMN, SRQ, PHK, PIE PHK, PBI, SRQ, PIE, VRB, ORL, FLL, LAL, OMN
	CYPRESS	

450 Q-ROUTES

Route	Segment	DME
Q106	SMELZ-BULZI	LAL, ORL, OMN, PHK, PIE, CRG, VRB, TAY, OTK, PZD, AMG, SZW
	BULZI-DRABK	AMG, PZD, TAY, CRG, SZW, MGM, OTK, JYU, CEW, SJI
	DRABK-GADAY	MGM, PZD, OTK, JYU, SZW, CEW, SJI
Q108	GADAY-CLAWZ	MGM, SJI, CEW, JYU, PZD, OTK, MCN, SZW, LGC, TAY, AMG
Q110	THNDR-JAYMC	SRQ, VRB, PHK, PIE, LAL, VKZ, ORL, PBI
	JAYMC-RVERO	VKZ, VRB, PHK, PIE, LAL, SRQ, ORL, OMN, PBI, DHP
	RVERO-KPASA	OMN, PIE, PBI, SRQ, ORL, LAL
	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-GULFR	OMN, AMG, CRG, SZW, PIE, TAY, PZD, OTK
	GULFR-FEONA	TAY, MCN, PZD, CRG, OTK, SZW, AMG, MCN, ATL, MGM
Q112	DEFUN-HEVVN	PIE, OTK, CRG, OMN, LAL, SZW, SRQ, ORL, VRB
	HEVVN-INPIN	JYU, PZD, CEW, SZW, MGM, OTK, TAY, AMG, PIE, CRG
Q116	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-GULFR	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK
	GULFR-CEEYA	MCN, AMG, PZD, OTK, SZW, TAY
Q118	KPASA-BRUTS	SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG
	BRUTS-LENIE	OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK, MCN
Q501	VIXIS-GOPHER	ECK, FNT, APN, SSM, GRR, MBL, SAW, BAE, MNM, DLL, AUW, ODI, STE, FGT, EAU,
		DLH, GEP, BRD, MCW, MSP, ASP, TVC, GRB, RWF
	GOPHER-SOBME	FGT, BRD, MCW, GEP, ABR, FAR, DLH, ODI, RWF, FSD
Q502	KENPA-GOPHER	SSM, FNT, ECK, APN, SAW, GRB, BAE, DLL, AUW, ODI, FGT, DLH, EAU, MCW,
		MSP, MNM, ASP, TVC, GEP, RWF, BRD
	GOPHER-SOBME	FGT, DLH, ODI, MCW, ABR, FAR, MSP, GEP, RWF, FSD, BRD
Q504	NOTAP-CESNA	SSM, ECK, APN, GLR, PLN, ISQ, MNM, DLL, RHI, DLH, GEP, FGT, ODI, ASP, TVC,
		SAW, GRB, BRD
	CESNA-HEMDI	ODI, GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, DLL, BRD
Q505	OMAGA-RIMBE	SSM, TVC, ASP, SAW, GRB
	RIMBE-CESNA	SSM, RHI, DLL, DLH, GEP, FGT, TVC, SAW, GRB, BRD, ODI
	CESNA-HEMDI	GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, BRD, ODI, GRB
*Denotes 0	Critical DME Facility	





NE, 22 OCT 2009 to 17 DEC 2009

# TOWER ENROUTE CONTROL (TEC)

Within the national airspace system it is possible for a pilot to fly IFR from one point to another without leaving approach control airspace. This is referred to as "tower enroute" which allows flight beneath the enroute structure. The tower enroute concept has been expanded (where practical) by reallocating airspace vertically/geographically to allow flight planning between city pairs while remaining within approach control airspace. Pilots are encouraged to solicit tower enroute information from FSS's and to use the route descriptions provided in this directory when filing flight plans. Other airways which appear to be more direct between two points may take the aircraft out of approach control airspace thereby resulting in additional delays or other complications. All published TEC routes are designed to avoid enroute airspace and the majority are within radar coverage. Additional routes and other changes will appear in forthcoming editions as necessary. The acronym "TEC" should be included in the remarks section of the flight plan. This will advise ATC that the pilot intends to remain within approach control airspace for the entire flight. The following items should be noted before using the graphics and route descriptions:

- 1. The graphic is not to be used for navigation nor detailed flight planning. Not all city pairs are depicted. It is intended to show general geographic areas connected by tower enroute control. Pilots should refer to route descriptions for specific flight planning.
- 2. The route description contains four columns of information: i.e., the approach control area (listed alphabetically) within which the departure airport is located (check appropriate flight information publications), the specific route (airway, radial, etc.), the highest altitude allowed for the route, and the destination airport (listed alphabetically). Be advised, many destination airports are associated with a larger primary airport. Check the legend preceding this listing for this association.
- 3. The word "DIRECT" will appear as the route when radar vectors will be used or no airway exists. Also, this indicates that a Standard Instrument Departure (SID) or Standard Terminal Arrival Route (STAR) may be applied by ATC.
- 4. When a NAVAID or intersection identifier appears with no airway immediately preceding or following the identifier, the routing is understood to be DIRECT to or from that point unless otherwise cleared by ATC.
- 5. Routes beginning or ending with an airway indicate that the airway essentially overflies the airport or radar vectors will be applied.
- 6. Where more than one route is listed to the same destination, the pilot may select which route is desired. Unless otherwise stated, all routes may be flown in either direction.
- 7. Routes are effective only during each respective terminal facility's normal operating hours. Pilots are cautioned to check NOTAMS to ensure appropriate terminal facilities will be operating for the planned flight time.
  - 8. All identifiers used for NAVAIDS, airports, and intersections are official identifiers.
- 9. Altitudes are listed in thousands of feet. ATC may require altitude changes to maintain flight within approach control airspace. ATC will provide radar monitoring and, if necessary, course guidance if the highest altitude assigned by ATC is below the Minimum Enroute Altitude (MEA).
- 10. Although all airports are not listed under the destination column, IFR flight may be planned to satellite airports in proximity to major airports via the same routing.
  - 11. Flight plans should be filed with a Flight Service Station (FSS).

#### TOWER ENROUTE CONTROL CITY PAIRS

- (1) Single Engine only.
- (2) Props less than 210 KT IAS.
- (3) Props less than 250 KT IAS.
- (4) Jets and Props greater than 210 KT IAS.
- (5) Jets and Props greater than 250 KTS IAS.

Boston—NO SATS = BED/LWM/BVY/FIT/6B6/2B2

SO SATS = BOS/OWD/1B9/3B2

 $\mathsf{Bradley} = \mathsf{BDL}/\mathsf{BAF}/\mathsf{CEF}/\mathsf{7B2}$ 

Bradley/Hartford = HFD/MMK/IJD/4B8

Bradley/Worcester = ORH/3B0/1B6 Manchester = MHT/ASH/CON/LCI

Manchester/Pease = PSM/DAW/3B4

New York/Bridgeport = BDR/HVN/OXC/3B9

Portland = PWM/IWI/NHZ/RKD

(

Portland/Augusta = AUG/LEW/WVL/IZG/81B

Providence = PVD/EWB/TAN/SFZ/UUU/5B3

Providence/Groton = GON/WST/BID/0B8

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
Albany	 ALB GDM V431 LOBBY	10000	Bedford
	 V14 V428 V29	6000	Binghamton
	 ALB GDM V431 REVER	10000	Boston
	 Direct	10000	Bradley
	 V130	10000	Bradley
	 ALB V44 DENNA	10000	Bridgeport
	 V14	10000	Buffalo
	 (3) ALB V123 HAARP	10000	Danbury

Approach Control Area (Including Satellites)	Route	Highest Altitude	Destination
	(4) ALB V157 HAARP	10000	Danbury
	V14 V428	8000	Elmira
	V2	10000	Griffiss
	ALB V130 BDL GON	10000	Groton
	Direct	10000	Hartford
	ALB CTR PVD V151 GAILS	10000	Hyannis
	V14 V428	8000	Ithaca
	ALB EEN MHT	10000	Manchester
	ALB CTR V405 PVD	10000	Marthas Vineyard
	ALB CTR PVD PVD PVD167 NEWBE DEEPO	10000	Nantucket
	ALB GDM V431 LOBBY	10000 10000	Norwood Portland
	ALB CAM CON ALB CON	10000	Portsmouth
	ALB CON	10000	Providence
	ALB CTR PVD V151 GAILS	10000	Provincetown
	V2	10000	Rochester
	V14 BEEPS	10000	Rochester
	ALB V123 TRESA	10000	Stewart
	ALB V130 MOLDS	10000	Worcester
	FJC V149 LHY	8000	Albany
	ETX LHY	8000	Albany
	V149 MAZIE ARD CYN	5000	Atlantic City
	V93 LRP	8000	Baltimore
	ETX V162 DUMMR V93 LRP	6000	Baltimore
	V39 LRP	8000	Baltimore
	V130	10000	Bradley
	Direct	10000	Bradley
	FJC STW	5000	Caldwell
	(2) ETX V30 SBJ	5000	Farmingdale
	ETX V162 HAR	8000	Harrisburg
	Direct	10000	Hartford
	ETX ETX004 WEISS	4000	Hazleton
	ETX V39	4000	Lancaster
	(2) ETX BWZ	5000	Newark
	(4) FJC BWZ	6000	Newark
	FJC V149 MAZIE ARD	5000	North Philadelphia
	(2) ETX V29 PTW (piston only)	4000	Philadelphia
	(4) FJC V149 MAIZE (turbojet only)	7000	Philadelphia
	ETX V29 PTW (turboprop only)	5000	Philadelphia
	FJC V6 SEG ETX V30 SEG	8000 8000	Pittsburgh Pittsburgh
	V276 RAV	8000	Pittsburgh
	FJC RAV	8000	Pittsburgh
	ETX V39 FLOAT	4000	Reading
	ETX V164 FQM	6000	Rochester
	FJC V162 HUO	5000	Westchester Co.
	V93 LVZ	7000	Wilkes-Barre
	FJC V149 RITTY	7000	Wilkes-Barre
	ETX V29 PTW	4000	Wilmington
Atlantic City	V229 DIXIE V276 ARD	5000	Allentown
	V1 DIXIE V276 ARD (Single Engine only)	5000	Allentown
	V1 ATR V308 OTT	4000	Andrews AFB
	LEEAH V268 BAL	4000	Baltimore
	V1 JFK V229 HFD CLOWW (Single engine and /E, /F, /G only)	5000	Bangor
	V1 JFK V229 HFD CLOWW (Single engine and /E, /F, /G only)	5000	Bar Harbor
	V1 JFK V229 HFD HFD053 DREEM (Single Engine only)	5000	Boston (North)
	V1 JFK V229 HFD V3 WOONS (Single Engine only)	5000	Boston
	V1 JFK V229 HFD FOSTY WOONS (Single engine and /E, /F, /G only)	5000	Boston
	V1 JFK V229 BDR BDR014 JUDDS (Single Engine only)	5000	Bradley
	V184 ZIGGI JFK 210 JFK V229 BDR (Twins only, n/a between 1400-2100)	5000	Bridgeport
	HOWIE V1 JFK V229 BDR (Single engine only) V184 00D DQ0 V469 HAR	5000 4000	Bridgeport Capital City

Approach	<b>Control Area</b>
(Including	(Satellites)

Route	Highest Altitude	Destination
LEEAH V268 ENO	4000	Dover
LEEAH V268 BAL BAL294 KROLL AML (No	4000	Dulles
 jets)		
 LEEAH V229 PXT V16 V286 CSN (Jets only)	4000	Dulles
V268 ENO V29 AVP V147	4000	Elmira
V1 JFK BDR MAD MAD126 MONDI (Single	5000	Groton
Engine only)		
 V184 00D DQ0 V469	4000	Harrisburg
V1 JFK V229 (Single engine only)	5000	Hartford
V1 JFK V229 HFD V167 PVD V151 GAILS	5000	Hyannis
(Single Engine only)		•
 V1 JFK CCC (Single Engine only)	5000	Islip
 V184 ZIGGI JFK210 JFK CCC (No Single	5000	Islip
Engine; n/a btn 1400-2100 local)		
 V1 JFK (Single Engine only)	5000	Kennedy
 V184 ZIGGI JFK210 JFK (Jets/multiengine	5000	Kennedy
Props only; no OTFC)		
 V1 DIXIE V276 RBV V123 NANCI (Single	5000	LaGuardia
Engine only)		
 V229 DIXIE V276 RBV V123 NANCI (No Single	5000	LaGuardia
Engine)		
 V229 DIXIE V276 RBV V123 NANCI (Jets only)	7000	LaGuardia
V184 OOD DQO DQO319 LRP144 LRP	4000	Lancaster
HOWIE V1 CYN	5000	McGuire AFB
VCN V16 CYN	7000	McGuire AFB
 V229 PANZE (Helicopters only)	3000	McGuire AFB
SIE V44 PANZE	5000	McGuire AFB
SIE V139 HARBO	5000	McGuire AFB
 V1 JFK V229 HFD CLOWW (Single engine and	5000	Manchester
/E, /F, /G only)		
 V1 JFK V229 BDR MAD (Single Engine only)	5000	Meriden Markham
 V1 JFK V229 BDR MAD V475 V188 GON	5000	Martha's Vineyard
V374 (Single engine only)	=000	
 V1 JFK V229 BDR MAD V475 V188 GON	5000	Nantucket
V58 NEWBE DEEPO (Single Engine only)	=000	
 V229 DIXIE V276 RBV RBV005 OWBIE	5000	Newark
(Non-jets only)	F000	Manager
V229 DIXIE V276 RBV V249 METRO	5000	Newark Newark
 V229 DIXIE V276 RBV RBV005 OWBIE (Jets	6000	inewark
only)	E000	Na Dadfard
 V1 JFK V229 BDR MAD V475 V188 GON	5000	New Bedford
V374 MINNK (Single Engine only) V229 DIXIE V276 ARD	5000	Namba Dhiladalahia
ACY V184 00D	4000	North Philadelphia Philadelphia
V1 JFK V229 HFD CLOWW (Single engine and	5000	Portland
 	3000	roitianu
/E, /F, /G only) V1 JFK V229 BDR MAD V475 V188 GON	5000	Providence
 (Single Engine only)	3000	Trovidence
V1 JFK V229 HFD V167 PVD V151 GAILS	5000	Provincetown
 (Single Engine only)	0000	TTOVITICETOWIT
V1 JFK V229 BDR MAD V475 V188 GON	5000	Quonset
	0000	Quonset
(Single Engine only) V184 OOD DQO MXE MXE334 HUMEL	4000	Reading
	6000	Salisbury
 SIE V139	4000	Snow Hill
	6000	Snow Hill
V1 JFK V229 BDR MAD V475 V188 GON V374	5000	Taunton Muni
MINNK (Single Engine only)		
 V229 PANZE V184 ZIGGI V276 RBV V249	4000	Teterboro
METRO (Turbojet only)		
 LEEAH V1 ATR V308 OTT (Props only)	4000	Washington
 V229 DIXIE V276 RBV V249 SAX V39 BREZY	5000	Westchester Co.
(Multi-engine Props only)		
 V1 DIXIE V276 RBV V249 SAX V39 BREZY	5000	Westchester Co.
(Multi-engine props only)		
 V1 JFK V229 HFD V1 GRAYM (Single Engine	5000	Worcester
only)		

Approach Control Area (Including Satellites)	Route	Highest Altitude	Destination
Baltimore	 V93 LRP V39 ETX	7000	Allentown
	V268 LEEAH V229	7000	Atlantic City
	V268 ENO V16 JFK V229 HFD CLOWW (Single	7000	Bangor
	engine and /E, /F, /G only)		
	 V268 ENO V16 JFK V229 HFD CLOWW (Single	7000	Bar Harbor
	 engine and /E, /F, /G only)		
	V93 LRP V499	7000	Binghamton
	V268 ENO V16 JFK V229	7000	Boston (North)
	HFD HFD053 DREEM (Single engine only)		
	 V268 ENO V16 JFK V229 HFD	7000	Boston
	V3 WOONS (Single Engine only)		
	 V268 ENO V16 JFK V229 HFD FOSTY WOONS	7000	Boston
	(Single engine and /E, /F, /G only)		
	 V268 ENO V16 JFK V229 BDR BDR014	7000	Bradley
	JUDDS (Single Engine only)		
	 V268 ENO V16 JFK V229 BDR (Single Engine	7000	Bridgeport
	only)		
	V31 HAR	7000	Capital City
	 V268 ENO	7000	Dover AFB
	 Direct	5000	Dulles
	 V268 ENO V16 JFK V229 BDR MAD	7000	Groton
	MAD126 MONDI (Single Engine only)		
	 EMI EMI321 HGR089 HGR	6000	Hagerstown
	 HAR	7000	Harrisburg
	V268 ENO V16 JFK	7000	Islip
	V268 ENO V16 JFK (Single Engine)	7000	Kennedy
	V214 DQO V479 RUUTH V123 NANCI	7000	LaGuardia
	V499 LRP	5000	Lancaster
	V214 DQ0 00D V312 CYN GXU	5000	McGuire
	 V268 ENO V16 JFK V229 HFD CLOWW (Single	7000	Manchester
	engine and /E, /F, /G only)	7000	
	 V268 ENO V16 JFK V229 BDR MAD V475	7000	Martha's Vineyard
	V188 GON V374 MVY (Single Engine only)		
	V214 MRB	8000	Martinsburg
	 V268 ENO V16 JFK V229 BDR MAD V475	7000	Nantucket
	V188 GON V58 NEWBE DEEPO (Single Engine		
	only)	F000	Manager
	 BAL V378 MXE ARD V214 METRO (-180	5000	Newark
	kts only)		
	V93 PXT V16 V33 V286 STEIN	6000	Norfolk
	V214 DQ0 (Non turbojets only)	5000	N. Philadelphia
	V166 DQ0 (Non turbojets only)	5000	N. Philadelphia
	V419 MXE (Non turbojets only)	5000	N. Philadelphia
	V378 MXE (Non turbojets only) V214 DQO (Turbojets only except ILG/N92)	5000 9000	N. Philadelphia N. Philadelphia
		6000	Patuxent River
	V214 DQ0 (Non turbojets only)	7000	Philadelphia
	V214 DQO (Non turbojets only)	9000	Philadelphia
	V268 ENO V16 JFK V229 HFD CLOWW (Single	7000	Portland
	 engine and /E, /F, /G only)		
	 V93 PXT V16	6000	Richmond
	BAL BAL133 SBY332 SBY	5000	Salisbury
	V268 ENO V16 JFK CCC (Single Engine)	7000	Suffolk
	BAL V378 MXE V3 SBJ TEB (-180 kts only)	7000	Teterboro
		4000	Washington
	V93 LRP V39 V162 FJC STW SAX V39 BREZY	7000	Westchester Co
	 V93 LRP ETX FJC BWZ SAX V39 BREZY	7000	Westchester Co
	 V93 LVZ	7000	Wilkes Barre
Bangor	 ENE LWM	10000	Bedford
	 (3) ENE PSM PSM221 STEVO LWM	10000	Boston
	 (4) ENE V167 SCUPP	10000	Boston
	ENE V106 GDM V229 WITNY	10000	Bradley
	 CLOWW WITNY (/E, /F, /G only)	10000	Bradley
	ENE V106 GDM V229 HFD	10000	Bridgeport
	CLOWW WITNY HFD (/E, /F, /G only)	10000	Bridgeport
	AUG V39 CON	10000	Concord
	 (3) AUG V39 GDM V229 HFD V1 MAD V475	10000	Danbury
	BDR BDR288 RYMES		

Approach Control Area (Including Satellites)	Route	Highest Altitude	Destination
(Including Satellites)	(3) CLOWW WITNY HFD V1 MAD V475 BDR	10000	Danbury
	 BDR288 RYMES (/E, /F, /G only)	10000	Danbary
	 AUG V39 GDM V14 ORW GON	10000	Groton
	AUG V39 GDM V229 HFD	10000	Hartford
	 CLOWW WITNY HFD (/E,/F,/G only)	10000	Hartford
	ENE V139 TONNI	10000	Hyannis
	ENE V106 GDM V14 ORW V16 CCC	10000	Islip
	ENE V106 GDM V14 ORW V16 DPK	10000	Kennedy
	ENE MHT	10000	Manchester
	ENE V139 TONNI ENE V139 TONNI	10000 10000	Marthas Vineyard Nantucket
	(3) CLOWW WITNY HFD V3 CMK V623 SAX	10000	Newark & SATS
	 (/E, /F, /G only)	10000	Newant & Otto
	 (3) ENE V106 GDM V3 CMK V188 SAX	10000	Newark & SATS
	(1) CLOWW WITNY HFD V229 V188 CMK V623	10000	Newark & SATS
	SAX (/E, /F, /G only)		
	 (1) ENE V106 GDM V229 SEALL V188 SAX	10000	Newark & SATS
	 ENE LWM	10000	Norwood
	 ENE V139 BURDY	10000	Providence
	ENE V139 TONNI	10000	Provincetown
	AUG V39 CON V93 STUBY V205 TRESA	10000	Stewart
	 (3) CLOWW WITNY HFD V1 MAD V475 BDR	10000	White Plains
	BDR288 RYMES (/E, /F,/G only)		
	 ENE V106 GDM V229 SPENO	10000	Worcester
Binghamton	 V29 LVZ V613	8000	Allentown
	 V252 GEE V14	8000	Buffalo
		8000	Elmira
		8000	Ithaca
	V29 LVZ V613 FJC ARD	8000	N. Philadelphia
		8000	Philadelphia
	V423 ITH	8000	Rochester
		8000	Syracuse
	 V29 LVZ V226 MUGZY V29	8000 8000	Teterboro Wilkes-Barre
Boston	GLYDE V270 CTR	10000	Albany
NO SATS	(1) V419 V14 ORW V16 JFK V229	10000	Atlantic City
SO SATS	(1) V268 HTO CCC V16 V229	10000	Atlantic City
NO SATS	V419 V14 ORW V308 BRIGS	10000	Atlantic City
SO SATS	 V268 BRIGS	10000	Atlantic City
	 PSM ENE	10000	Augusta
NO SATS	(1) V419 V14 ORW V16 V44 V268	10000	Baltimore
SO SATS	(1) V268 HTO CCC V16 V44 V268	10000	Baltimore
NO SATS	V419 V14 ORW HTO V268	10000	Baltimore
SO SATS		10000	Baltimore
	PSM ENE BGR	10000	Bangor
	PSM ENE POSOV VA10 WITNY	10000	Bar Harbor
NO SATS	BOSOX V419 WITNY BOSOX V1 HFD	10000 10000	Bradley
SO SATS	V268 SEY V34 CREAM	10000	Bridgeport Bridgeport
30 JA13	V270 CTR V146 V14	10000	Buffalo
	MHT V141	10000	Burlington
	MHT CON	10000	Concord
	(3) BOSOX V1 MAD V475 BDR BDR288 RYMES	10000	Danbury
	(5) GLYDE BAF IGN V157 HAARP	10000	Danbury
NO SATS	 (1) V419 V14 ORW V16 ENO	10000	Dover AFB
SO SATS	(1) V268 HTO CCC V16 ENO	10000	Dover AFB
NO SATS	V419 V14 ORW HTO V268 ENO	10000	Dover AFB
SO SATS	V268 ENO	10000	Dover AFB
	GLYDE V270	10000	Elmira
	GLYDE V270	10000	Erie
NO CATC		10000	Groton
NO SATS	BOSOX V1 HFD	10000	Hartford
NO SATS	DRUNK V141 GAILS V419 V14 ORW V16 CCC	10000 10000	Hyannis Islip
SO SATS	V268 HTO V46 CCC	10000	Islip
30 3A13		10000	Keene
NO SATS	V419 V14 ORW V16 DPK	10000	Kennedy
SO SATS	V268 HTO V46 DPK	10000	Kennedy
	(3) BOSOX V1 MAD V475	10000	LaGuardia

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
	 MHT	10000	Lebanon
	 MHT	10000	Manchester
	MVY359035 MVY	10000	Martha's Vineyard
NO SATS	 (1) V419 V14 ORW V16 CYN	10000	McGuire AFB
SO SATS	 (1) V268 HTO CCC V16 CYN	10000	McGuire AFB
NO SATS	V419 V14 ORW V308 DRIFT V312 CYN	10000	McGuire AFB
SO SATS	V268 DRIFT V312 CYN	10000	McGuire AFB
	DRUNK V141	10000	Nantucket
	 (1) BOSOX V1 HFD V229 SEALL V188 CMK V623 SAX	10000	Newark & SATS
	(3) BOSOX V1 HFD V3 CMK V623 SAX	10000	Newark & SATS
NO SATS	BOSOX V1 HFD	10000	New Haven
SO SATS	V268 SEY V34 CREAM	10000	New Haven
NO SATS	(1) V419 V14 ORW V16 DIXIE V276 ARD	10000	N.E. Philadelphia
SO SATS	(1) V268 HTO CCC V16 DIXIE V276 ARD	10000	N.E. Philadelphia
NO SATS SO SATS	V419 V14 ORW V308 MANTA V276 ARD V268 MANTA V276 ARD	10000 10000	N.E. Philadelphia N.E. Philadelphia
NO SATS	(1) V419 V14 ORW V16 VCN OOD	10000	Philadelphia
SO SATS	(1) V268 HTO CCC V16 VCN OOD	10000	Philadelphia
NO SATS	V419 V14 ORW V308 BRIGS ACY V184 OOD	10000	Philadelphia
SO SATS	V268 BRIGS ACY V184 00D	10000	Philadelphia
		10000	Portland
		10000	Portsmouth
		10000	Providence
	 Direct	10000	Provincetown
NO SATS	 (1) V419 V14 ORW V16	10000	Richmond
SO SATS	 (1) V268 HTO CCC V16	10000	Richmond
NO SATS	 V419 V14 ORW HTO V268 ENO V16	10000	Richmond
SO SATS	 V268 ENO V16	10000	Richmond
	 BOSOX V419 BDL V205 TRESA	10000	Stewart
	MHT V490 UCA	10000	Syracuse
NO SATS	(1) V419 V14 ORW V16 DIXIE V276 RBV	10000	Trenton
SO SATS	(1) V268 HTO CCC V16 DIXIE V276 RBV	10000	Trenton
NO SATS	V419 V14 ORW V308 MANTA V276 RBV	10000	Trenton
SO SATS	V268 MANTA V276 RBV	10000	Trenton
	 (3) BOSOX V1 MAD V475 BDR BDR288 RYMES	10000	White Plains
NO SATS	 V419 V14 ORW V16 CREAM HTO	10000	Westhampton Bch
NO SATS	 V268 HTO	10000	Westhampton Bch
	 Direct	10000	Worcester
Boston ARTCC/Keene	 GDM V431 LOBBY	10000	Bedford
	V431 REVER	10000	Boston
		10000	Bradley
	GDM V229 HFD	10000	Bridgeport
	 (3) GDM V229 HFD V1 MAD V475 BDR BDR288 RYMES	10000	Danbury
	 GDM V14 ORW GON	10000	Groton
	GDM V229 HFD	10000	Hartford
	 GDM V151 GAILS	10000	Hyannis
	 GDM V151 PVD V405 MVY	10000	Marthas Vineyard
	 GDM V151 PVD PVD167 NEWBE DEEPO	10000	Nantucket
	GDM V431 LOBBY	10000	Norwood
	GDM V151 PVD	10000	Providence
	GDM V151 GAILS	10000	Provincetown
	CTR V93 STUBY V205 TRESA	10000	Stewart
D	GDM V229 SPENO	10000	Worcester
Boston ARTCC/Lebanon	 LEB LEB167 BASUU (BED/FIT/6B6) or V141 CON LWM (BVY/LWM/2B2)	10000	Bedford
	 V141 CON CON135 TOMIE LWM	10000	Boston
		10000	Bradley
	V151 GDM V229 HFD	10000	Bridgeport
	 V151 GDM V229 HFD V1 MAD V475 BDR BDR288 RYMES	10000	Danbury
	V151 GDM V14 ORW GON	10000	Groton
	V151 GDM V14 OKW GON V151 GDM V229 HFD	10000	Hartford
	V141 CON LWM BOS GAILS	10000	Hyannis
	V141 CON LWM BOS	10000	Marthas Vineyard
	V141 CON LWM BOS LFV	10000	Nantucket
	LEB LEB167 BASUU	10000	Norwood
	V151 PVD	10000	Providence

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
(motauming dutomitod)	 V141 CON LWM BOS	10000	Provincetown
	V151 GDM V229 SPENO	10000	Worcester
Bradley		10000	Albany
	PWL V106 WEETS HUO V162	5000	Allentown/Harrisburg
	(1) GON CCC V16 JFK V229	10000	Atlantic City
	GON HTO V308 BRIGS	10000	Atlantic City
	EEN V93 CON (1) GON CCC V16 ENO V268	10000 10000	Augusta Baltimore
	GON HTO V268	10000	Baltimore
	EEN V93 CON V39 AUG	10000	Bangor
	 EEN V93 ENE	10000	Bar Harbor
	GRAYM HFD053 DREEM	10000	Bedford & NO SATS
	PUT PUT 105 WOONS	10000	Boston & SO SATS
		10000	Bridgeport
	 EEN V93 CON	10000	Buffalo
	(3) HFD V1 MAD V475 BDR BDR288 RYMES	10000 10000	Concord Danbury
	(5) V405 VEERS IGN V157 HAARP	10000	Danbury
	(1) GON CCC V16 ENO	10000	Dover AFB
	GON HTO V268 ENO	10000	Dover AFB
	 CTR V270	10000	Elmira
	CTR V270	10000	Erie
	HFD GON	10000	Groton
	PVD V151 GAILS	10000	Hyannis
	GON CCC	10000	Islip
	 GON CCC V16 DPK	10000 10000	Keene Kennedy
	(3) HFD V1 MAD V475	10000	LaGuardia
	EEN V151	10000	Lebanon
		10000	Manchester
	 PVD V405 MVY	10000	Marthas Vineyard
	(1) GON CCC V16 CYN	10000	McGuire AFB
	GON HTO V308 DRIFT V312 CYN	10000	McGuire AFB
	PVD PVD167 NEWBE DEEPO	10000	Nantucket
	(1) HFD V229 SEALL V188 CMK V623 SAX (3) HFD V3 CMK V623 SAX	10000 10000	Newark & SATS Newark & SATS
	(1) GON CCC V16 DIXIE V276 ARD	10000	N.E. Philadelphia
	GON HTO V308 MANTA V276 ARD	10000	N.E. Philadelphia
	PUT PUT105 WOONS	10000	Norwood
	 (1) GON CCC V16 VCN OOD	10000	Philadelphia
	GON HTO V308 BRIGS ACY V184 00D	10000	Philadelphia
		10000	Portland
	(3) VAPER V39 GDM V106 RAYMY	10000	Portsmouth
		10000 10000	Portsmouth Providence
	PVD V151 GAILS	10000	Provincetown
	(1) GON CCC V16	10000	Richmond
	GON HTO V268 ENO V16	10000	Richmond
		10000	Rochester
	VEERS V205 TRESA	10000	Stewart
		10000	Syracuse
	(1) GON CCC V16 DIXIE V276 RBV	10000	Trenton
	GON HTO V308 MANTA V276 RBV GON HTO	10000 10000	Trenton Westhampton Beach
	(3) HFD V1 MAD V475 BDR BDR288 RYMES	10000	White Plains
	PWL V106 LHY	5000	Wilkes-Barre
Bradley/Hartford	 DIRECT	10000	Albany
	 PWL V106 WEETS HUO V162	5000	Allentown/Harrisburg
	(1) GON CCC V16 JFK V229	10000	Atlantic City
	GON HTO V308 BRIGS	10000	Atlantic City
	HFD V229 GDM V39 CON	10000	Augusta
	HFD CLOWW (/E, /F, /G only) (1) GON CCC V16 ENO V268	10000 10000	Augusta Baltimore
	GON HTO V268	10000	Baltimore
	HFD V229 GDM V39 AUG	10000	Bangor
	HFD CLOWW (/E, /F, /G only)	10000	Bangor
	HFD V229 GDM V106 ENE	10000	Bar Harbor
	HFD CLOWW (/E, /F, /G only)	10000	Bar Harbor
	 HFD HFD053 DREEM	10000	Bedford & NO SATS

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
_	 HFD V3 WOONS	10000	Boston & SO SATS
	 DIRECT	10000	Bridgeport
	 ALB V14	10000	Buffalo
	HFD V229 GDM V39 CON	10000	Concord
	HFD CLOWW (/E, /F, /G only)	10000	Concord
	(3) HFD V1 MAD V475 BDR BDR288 RYMES	10000	Danbury
	(5) BDL V405 VEERS IGN V157 HAARP	10000	Danbury
	(1) GON CCC V16 ENO	10000	Dover AFB
	GON HTO V268 ENO	10000	Dover AFB
	CTR V270	10000	Elmira Erie
	CTR V270 HFD GON	10000 10000	Groton
	HFD V167 PVD V151 GAILS	10000	Hyannis
	GON CCC	10000	Islip
	HFD V229 GDM	10000	Keene
	GON CCC V16 DPK	10000	Kennedy
	(3) HFD V1 MAD V475	10000	LaGuardia
	HFD V229 GDM V151	10000	Lebanon
	HFD V229 GDM V106 MHT	10000	Manchester
	 HFD CLOWW (/E, /F, /G only)	10000	Manchester
	GON V374 MVY	10000	Marthas Vineyard
	 (1) GON CCC V16 CYN	10000	McGuire AFB
	 GON HTO V308 DRIFT V312 CYN	10000	McGuire AFB
	 GON V58 NEWBE DEEPO	10000	Nantucket
	 (1) HFD V229 SEALL V188 CMK V623 SAX	10000	Newark & SATS
	(3) HFD V3 CMK V623 SAX	10000	Newark & SATS
	(1) GON CCC V16 DIXIE V276 ARD	10000	N.E. Philadelphia
	GON HTO V308 MANTA V276 ARD	10000	N.E. Philadelphia
	PUT PUT105 WOONS	10000	Norwood
	(1) GON CCC V16 VCN OOD	10000	Philadelphia
	GON HTO V308 BRIGS ACY V184 OOD	10000	Philadelphia
	HFD V229 GDM V106 ENE	10000	Portland
	HFD CLOWW (/E, /F, /G only)	10000	Portland
	HFD V229 GDM V106 RAYMY	10000	Portsmouth
	HFD CLOWW (/E, /F, /G only) HFD V167 PVD	10000 10000	Portsmouth Providence
	PVD V151 GAILS	10000	Provincetown
	(1) GON CCC V16	10000	Richmond
	GON HTO V268 ENO V16	10000	Richmond
		10000	Rochester
	VEERS V205 TRESA	10000	Stewart
		10000	Syracuse
	(1) GON CCC V16 DIXIE V276 RBV	10000	Trenton
	 GON HTO V308 MANTA V276 RBV	10000	Trenton
	 GON HTO	10000	Westhampton Beach
	 (3) HFD V1 MAD V475 BDR BDR288 RYMES	10000	White Plains
	 PWL V106 LHY	5000	Wilkes-Barre
Bradley/Worcester	 CTR	10000	Albany
Bradiey/ Wordester	PWL V106 WEETS HUO V162	5000	Allentown/Harrisburg
	(1) ORW V16 JFK V229	10000	Atlantic City
	ORW HTO V308 BRIGS	10000	Atlantic City
	GDM V93 CON	10000	Augusta
	(1) ORW V16 ENO V268	10000	Baltimore
	 ORW HTO V268	10000	Baltimore
	 GDM V39 AUG	10000	Bangor
	 GDM V106 ENE	10000	Bar Harbor
		10000	Bedford & NO SATS
	PUT PUT105 WOONS	10000	Boston & SO SATS
	HFD	10000	Bridgeport
	CTR ALB V14	10000	Buffalo
		10000	Concord
	(3) HFD V1 MAD V475 BDR BDR288 RYMES	10000	Danbury
	(5) BAF IGN V157 HAARP (1) ORW V16 ENO	10000	Danbury Davor AFR
	ORW HTO V268 ENO	10000 10000	Dover AFB Dover AFB
	CTR V270	10000	Elmira
	CTR V270	10000	Erie
	ORW GON	10000	Groton
	PUT V151 GAILS	10000	Hyannis
	ORW V16 CCC	10000	Islip
			•

Approach Control Area			Highest	
(Including Satellites)		Route	Altitude	Destination
_		GDM	10000	Keene
		ORW V16 DPK	10000	Kennedy
		(3) HFD V1 MAD V475	10000	LaGuardia
		GDM V151	10000	Lebanon
		GDM V106 MHT	10000	Manchester
		PUT V151 PVD V405 MVY	10000	Marthas Vineyard
		(1) ORW V16 CYN	10000	McGuire AFB
		ORW V308 DRIFT V312 CYN	10000	McGuire AFB
		PUT V151 PVD PVD167 NEWBE DEEPO	10000 10000	Nantucket Newark & SATS
		(1) HFD V229 SEALL V188 CMK V623 SAX (3) HDF V3 CMK V623 SAX	10000	Newark & SATS
		(1) ORW V16 DIXIE V276 ARD	10000	N.E. Philadelphia
		ORW V308 MANTA V276 ARD	10000	N.E. Phildelphia
		PUT PUT105 WOONS	10000	Norwood
		(1) ORW V16 VCN OOD	10000	Philadelphia
		ORW V308 BRIGS ACY V184 OOD	10000	Philadelpia
		GDM V106 ENE	10000	Portland
		GDM V106 RAYMY	10000	Portsmouth
			10000	Providence
		PUT V151 GAILS	10000	Provincetown
		(1) ORW V16	10000	Richmond
		ORW HTO V268 ENO V16	10000	Richmond
			10000	Rochester
		VEERS V205 TRESA	10000 10000	Stewart
		(1) ORW V16 DIXIE V276 RBV	10000	Syracuse Trenton
		ORW V308 MANTA V276 RBV	10000	Trenton
		ORW HTO	10000	Westhampton Beach
		(3) HFD V1 MAD V475 BDR BDR288 RYMES	10000	White Plains
		PWL V106 LHY	5000	Wilkes-Barre
Dridgenart (Coa Naw Vari	l. (Duidean			
Bridgeport (See New York	к/владеро	rt)		
Buffalo			10000	Detroit
		V14	10000	Erie
		V115	10000	Jamestown
		V2	10000	Rochester
Burlington		CAM	10000	Albany
2ag.co		V141 LEB LEB167 BASUU	10000	Bedford
		V141 CON LWM	10000	Beverly
		(3) V141 CON TOMIE LWM	10000	Boston
		* *	10000	Bradley
		ALB V44 DENNA	10000	Bridgeport
		(3) ALB V123 HAARP	10000	Danbury
		(4) ALB V157 HAARP	10000	Danbury
		V229 GDM V14 ORW GON	10000	Groton
		V229 HFD	10000	Hartford
		V141 CON LWM BOS GAILS	10000	Hyannis
		V141 CON LWM BOS	10000	Marthas Vineyard
		V141 CON LWM BOS LFV	10000 10000	Nantucket
		V229 SPENO V141 LEB LEB167 BASUU	10000	Norwich Norwood
		V229 GDM V151 PVD	10000	Providence
		V141 CON LWM BOS	10000	Provincetown
		ALB V123 TRESA	10000	Stewart
Cape/Hyannis		PVD V146	10000	Albany
		MVY MVY230 V34 SEY HTO V308 BRIGS	10000	Atlantic City
		(1) MINNK V374 GON CCC V16 JFK V229	10000	Atlantic City
		FREDO BOS PSM ENE MVY MVY230 V34 SEY HTO V268	10000 10000	Augusta Baltimore
		(1) MINNK V374 GON CCC V16 ENO V268		Baltimore
		FREDO BOS PSM ENE BGR	10000 10000	Bangor
		FREDO BOS PSM ENE	10000	Bar Harbor
			10000	Bedford
			10000	Boston & Sats
		PVD V405 BDL	10000	Bradley
		(water) MVY MVY230 V34 SEY HTO HT0302	10000	Bridgeport
		KEYED		

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
	 (land) MINNK V374 CREAM	10000	Bridgeport
	 PVD V146 ALB V14	10000	Buffalo
	 PVD V151 GDM V229	10000	Burlington
	FREDO BOS MHT CON	10000	Concord
	 (3) PVD HFD V1 MAD V475 BDR BDR288	10000	Danbury
	RYMES		
	(5) PVD V146 BAF V157 HAARP	10000	Danbury
	MVY MVY230 V34 SEY HTO V268 ENO	10000	Dover AFB
	(1) MINNK V374 GON CCC V16 ENO	10000	Dover AFB
	PVD V146 CTR V270	10000	Elmira
	PVD V146 CTR V270 (5) MVY MVY230 V34 SEY V268 HTO V46 DPK	10000	Erie
	(1) MINNK V374 GON CCC V16 DPK	10000 10000	Farmingdale
		10000	Farmingdale Groton
		10000	Hartford
	(5) MVY MVY230 V34 SEY V268 HTO V46 CCC	10000	Islip
	(1) MINNK V374 GON CCC	10000	Islip
	PVD V151 GDM	10000	Keene
	(5) MVY MVY230 V34 SEY HTO V46 DPK	10000	Kennedy
	(1) MINNK V374 GON CCC V16 DPK	10000	Kennedy
	 PVD V167 HFD VI MAD V475	10000	LaGuardia
	 PVD V151	10000	Lebanon
	 FREDO BOS	10000	Manchester
	 MVY MVY230 V34 SEY HTO V308 DRIFT V312	10000	McGuire AFB
	CYN		
	(1) MINNK V374 GON CCC V16 CYN	10000	McGuire AFB
	 (1) PVD V167 HFD V229 SEALL V188 CMK	10000	Newark & SATS
	V623 SAX		
	(3) PVD V167 HFD V3 CMK V623 SAX	10000	Newark & SATS
	 MVY MVY230 V34 SEY V268 HTO V46 CCC V16	10000	N.E. Philadelphia
	DIXIE V276 ARD		
	(1) MINNK V374 GON CCC V16 DIXIE V276 ARD	10000	N.E. Philadelphia
		10000	Norwood
	 MVY MVY230 V34 SEY HTO V308 BRIGS ACY	10000	Philadelphia
	V184 OOD (1) MINNK V374 GON CCC V16 VCN OOD	10000	Dhiladalphia
	FREDO BOS PSM ENE	10000 10000	Philadelphia Portland
	FREDO BOS	10000	Portsmouth
		10000	Providence
	MVY MVY230 V34 SEY HTO V308 CHOPS V16	10000	Richmond
	(1) MINNK V374 GON CCC V16	10000	Richmond
	PVD V146 ALB	10000	Rochester
	PVD V405 BDL V205 TRESA	10000	Stewart
	 PVD V146 ALB	10000	Syracuse
	 MVY MVY230 V34 SEY HTO V308 MANTA V276	10000	Trenton
	RBV		
	(1) MINNK V374 GON CCC V16 DIXIE V276 ARD	10000	Trenton
	(5) MVY MVY230 V34 SEY V268 HTO V46 CCC	10000	Westhampton Beach
	(1) MINNK V374 GON CCC	10000	Westhampton Beach
	 PVD V167 HFD V1 MAD V475 BDR BDR288	10000	White Plains
	RYMES	10000	14/
	 PVD PUT	10000	Worcester
Cana (Martha)a	DVD V4.46	10000	Albany
Cape/Martha's	PVD V146	10000 10000	Albany
Vineyard	MVY MVY230 V34 SEY HTO V308 BRIGS (1) V374 GON CCC V16 JFK V229	10000	Atlantic City Atlantic City
	MVY MVY230 V34 SEY HTO V268	10000	Baltimore
	(1) V374 GON CCC V16 ENO V268	10000	Baltimore
	FREDO BOS PSM ENE	10000	Bar Harbor
		10000	Boston & SATS
	PVD V405 BDL	10000	Bradley
	 MVY MVY230 V34 SEY HTO HT0302 KEYED	10000	Bridgeport
	(water)		
	 (land) V374 CREAM	10000	Bridgeport
	PVD V146 ALB V14	10000	Buffalo
	PVD V151 GDM V229	10000	Burlington
	FREDO BOS MHT CON	10000	Concord
	 (3) PVD HFD V1 MAD V475 BDR BDR288	10000	Danbury
	RYMES	10000	Dambum
	 (5) MVY V146 BAF IGN V157 HAARP	10000	Danbury

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
	 (1) MVY MVY230 V34 SEY HTO V268 ENO	10000	Dover AFB
	(1) V374 GON CCC V16 ENO	10000	Dover AFB
	PVD V146 CTR V270	10000	Elmira
	PVD V146 CTR V270	10000	Erie
	(5) MVY MVY230 V34 SEY V268 HTO V46 DPK	10000	Farmingdale
	(1) V374 GON CCC V16 DPK	10000	Farmingdale
	 MVY MVY230 V58 HFD	10000	Groton
	(5) MVY MVY230 V34 SEY V268 HTO V46 CCC	10000 10000	Hartford Islip
	(1) V374 GON CCC	10000	Islip
	PVD V151 GDM	10000	Keene
	(5) MVY MVY230 V34 SEY V268 HTO V46 DPK	10000	Kennedy
	(1) V374 GON CCC V16 DPK	10000	Kennedy
	 PVD V167 HFD V1 MAD V475	10000	LaGuardia
	 PVD V151	10000	Lebanon
•••	 FREDO BOS MHT	10000	Manchester
***	 MVY MVY230 V34 SEY HTO V308 DRIFT V312	10000	McGuire AFB
	CYN		
	(1) V374 GON CCC V16 CYN	10000	McGuire AFB
	(1) PVD V167 HFD V229 V188 CMK V623 SAX	10000	Newark & SATS
	(3) PVD V167 HFD V3 CMK V623 SAX	10000	Newark & SATS
•••	 MVY MVY230 V34 SEY HTO V308 MANTA V276	10000	N.E. Philadelphia
	ARD (1) V374 GON CCC V16 DIXIE V276 ARD	10000	N.E. Philadelphia
		10000	Norwood
	MVY MVY230 V34 SEY HTO V308 BRIGS ACY	10000	Philadelphia
	 V184 00D		
•••	 (1) V374 GON CCC V16 VCN OOD	10000	Philadelphia
	FREDO BOS PSM ENE	10000	Portland
	FREDO BOS PSM	10000	Portsmouth
	 MVY MVY230 V34 SEY HTO V308 CHOPS V16	10000 10000	Providence Richmond
	(1) V374 GON CCC V16	10000	Richmond
	PVD V146 ALB	10000	Rochester
	PVD V405 BDL V205 STUBY	10000	Stewart
	 PVD V146 ALB	10000	Syracuse
	 MVY MVY230 V34 SEY HTO V308 MANTA V267	10000	Trenton
	RBV	10000	Trenton
	(1) V374 GON CCC V16 DIXIE V276 ARD MVY MVY230 V34 SEY V268 HTO V46 CCC	10000	Westhampton Beach
	(1) V374 GON CCC	10000	Westhampton Beach
	PVD V167 HFD V1 MAD V475 BDR BDR288	10000	White Plains
•••	 RYMES	10000	William Common
	 PVD PUT	10000	Worcester
Cano (Nantusket	ACK 146	10000	Albany
• *	ACK V34 SEY HTO V308 BRIGGS	10000 10000	Albany Atlantic City
	(1) ACK V146 MVY V374 GON CCC V16 JFK	10000	Atlantic City Atlantic City
	V229		· · · · · · · · · · · · · · · · · · ·
	 ACK FREDO BOS PSM ENE	10000	Augusta
	 ACK V34 SEY HTO V268	10000	Baltimore
•••	 (1) ACK V146 MVY V374 GON CCC V16 ENO V268	10000	Baltimore
	ACK FREDO BOS PSM ENE BGR	10000	Bangor
	ACK FREDO BOS PSM ENE	10000	Bar Harbor
	ACK FREDO	10000	Bedford
	ACK FREDO	10000	Boston & SATS
	ACK V146 PVD V405 BDL	10000	Bradley
	 ACK V34 SEY HTO HTO302 KEYED (water)	10000	Bridgeport
	(land) ACK V146 MVY V374 CREAM	10000	Bridgeport
	ACK V146 ALB V14	10000	Buffalo
	ACK V146 PVD V151 GDM V229	10000	Burlington
	ACK FREDO BOS MHT CON (3) ACK V146 PVD HFD V1 MAD V475 BDR	10000 10000	Concord Danbury
	 BDR288 RYMES	10000	Dalibury
•••	 (5) ACK V146 BAF IGN V157 HAARP	10000	Danbury
	ACK V34 SEY HTO V268 ENO	10000	Dover AFB
	(1) ACK V146 MVY V374 GON CCC V16 ENO	10000	Dover AFB
	ACK V146 CTR V270	10000	Elmira
	 ACK V146 CTR V270	10000	Erie

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
	(5) ACK V34 SEY V268 HTO V46 DPK	10000	Farmingdale
	(1) ACK V146 MVY V374 GON CCC V16 DPK	10000	Farmingdale
		10000	Groton
	ACK V58 HFD (5) ACK V34 SEY V268 HTO V46 CCC	10000 10000	Hartford Islip
	(1) ACK V146 MVY V374 GON CCC	10000	Islip
	ACK V146 PVD V151 GDM	10000	Keene
	(5) ACK V34 SEY V268 HTO V46 DPK	10000	Kennedy
	(1) ACK V146 MVY V374 GON CCC V16 DPK	10000	Kennedy
	ACK V146 PVD V167 HFD V1 MAD V475	10000	La Guardia
	 ACK V146 PVD V151	10000	Lebanon
	 ACK FREDO BOS MHT	10000	Manchester
	ACK V34 SEY HTO V308 DRIFT V312 CYN	10000	McGuire AFB
	(1) ACK V146 MVY V374 GON CCC V16 CYN	10000	McGuire AFB
	 (1) ACK V146 PVD V167 HFD V229 V188 CMK V623 SAX	10000	Newark & SATS
	(3) ACK V146 PVD V167 HFD V3 CMK V623 SAX	10000	Newark & SATS
	ACK V34 SEY HTO V308 MANTA V276 ARD	10000	N.E. Philadelphia
	 (1) ACK V146 MVY V374 GON CCC V16 DIXIE V276 ARD	10000	N.E. Philadelphia
	 ACK FREDO	10000	Norwood
	 ACK V34 SEY HTO V308 BRIGS ACY V184 00D	10000	Philadelphia
	 (1) ACK V146 MVY V374 GON CCC V16 VCN OOD	10000	Philadelphia
	 ACK FREDO BOS PSM ENE	10000	Portland
	 ACK FREDO BOS PSM	10000	Portsmouth
	 ACK V146 PVD	10000	Providence
	ACK V34 SEY HTO V308 CHOPS V16	10000	Richmond
	(1) ACK V146 MVY V374 GON CCC V16	10000	Richmond
	ACK V146 PVD V405 BDL V205 TRESA	10000	Stewart
	ACK V146 ALB ACK V34 SEY HTO V308 MANTA V276 RBV	10000 10000	Syracuse Trenton
	(1) ACK V146 MVY V374 GON CCC V16 DIXIE V276 ARD	10000	Trenton
	 (5) ACK V34 SEY V268 HTO	10000	Westhampton Beach
	(1) ACK V146 MVY V374 GON CCC	10000	Westhampton Beach
	ACK V146 PVD V167 HFD V1 MAD V475 BDR BDR288 RYMES	10000	White Plains
	 ACK V146 PUT	10000	Worcester
Charleston	 V35	9000	Clarksburg
		9000	Elkins
	HVQ HVQ268 KIRRK	10000	Huntington
Olevienie	VOE	40000	Observation
=		10000	Charleston
	V37 EKN V4	10000	Charleston
	 V37 (OTFC only)	8000 8000	Morgantown Pittsburgh
	ENO V268 LEEAH	7000	Atlantic City
	ENO V268 SWANN	6000	Baltimore
	V16 JFK V229 BDR (Single Engine only)	7000 3000	Bridgeport Easton
	ENO V16 HEDGE V16 JFK V229 (Single Engine only)	7000	Hartford
	ENO V16 CYN	7000	McGuire AFB
	ENO V29 SBY V1	6000	Norfolk
	ENO V16	6000	Patuxent River
	ENO V29 PXT063 PXT	4000	Patuxent River
	ENO V29 DQ0	5000	Philadelphia
	ENO V29	6000	Salisbury
	ENO V16 V308 OTT	6000	Washington
	 ENO V29 DQ0	5000	Wilmington
		4000	Baltimore
	 MRB V214 WOOLY EMI V419 MXE ARD V214 METRO (-180 kts)	7000	Newark
	 MRB V214 WOOLY EMI V419 MXE V3 SBJ TEB METRO (-180 kts only)	7000	Teterboro
		3000	Washington

Elmira	Approach Control Area (Including Satellites)	Route	Highest Altitude	Destination
W712   8000   Binghanton Rochester   V314   8000   Rochester   V31   8000   Rochester   V314   8000   Rochester   V325   8000   Wilkes-Barre   V326   V329   8000   Wilkes-Barre   V326   V329   8000   Wilkes-Barre   V326   V329   8000   Wilkes-Barre   V326   V329   V	Elmira	 V428 V14	8000	Albany
V.147   S000   Rochester   V.35   S000   Rochester   V.35   S000   Syracuse   V.35   S000   Syracuse   V.35   S000   Syracuse   V.36   V.36   V.36   S000   Wilkes-Barre   V.147   S000   Wilkes-Barre   V.147   S000   Wilkes-Barre   V.148   S000   Wilkes-Barre   V.149   S000   Buffalo   V.149   S000   Buffalo   V.149   S000   Buffalo   V.149   S000   Buffalo   S000   V.149   S000   S000   S000   S000   V.149   V.149   V.149   S000   V.149   V.149   V.149   S000   V.149   V.14			8000	
V31		 V147	8000	
W35			8000	Rochester
Wise-Barre   Wilkes-Barre   Wilkes				
Erie				
V14				
V14	Erio	1/42	0000	Puffolo
V2	Elle			
W90 DKK   9000 Buffalo   JHW V115   9000 Buffalo   JHW V1265 DKK   9000 Buffalo   JHW V265 DKK   9000 Buffalo   W522 V188 JFN (East-bound)   8000 Cleveland   V522 (East-bound)   8000 Cleveland   JFN V14 MENTO (West-bound)   8000 Cleveland   JFN V14 MENTO (West-bound)   8000 Cleveland   W37 (Overflight traffic only)   8000 Pittsburgh   V43   8000 Pittsburgh   V44   V45   8000 Pittsburgh   V44   V45   8000 Pittsburgh   V44 V45   V44 P40 Pittsburgh   V44 P40 P40 P40 P40 P40 P40 P40 P40 P40 P				
W146 DKK				
JHW V115				
HW V265 DKK   9000   Buffalo   N522 (East-bound)   8000   Cleveland   V522 (East-bound)   8000   Cleveland   V522 (East-bound)   8000   Cleveland   V37 (Overflight traffic only)   8000   Cleveland   V37 (Overflight traffic only)   8000   Pittsburgh   V38 (Overflight traffic only)   V38 (Over				
V522 V188 JFN (East-bound)   S000   Cleveland				
W522 (East-bound)				
JFN V14 MENTO (West-bound)				
W37 (Overflight traffic only)				
Griffiss				
Griffiss UCA V490 GALWA 10,000 Albany UCA V2 10,000 Albany UCA V2 10,000 Albany 10,000 Albany UCA V428 UCA V428 10,000 Albany Binghamton UCA V428 V29 8000 Elmira UCA V496 10,000 Glens Falls UCA V496 10,000 Syracuse V14 V153 10,000 Syracuse V14 V153 10,000 Syracuse V14 V153 10,000 Syracuse UCA V428 V153 10,000 Syracuse V14 V153 10,000 Syracuse V14 V153 10,000 Syracuse UCA V2 10,000 Allentown A				
UCA V2		 V43	8000	Youngstown
UCA V2	Griffiss	 UCA V490 GALWA	10,000	Albany
GGT V14		 UCA V2		
UCA V428		 GGT V14	10,000	Albany
UCA V496		 UCA V428 V29	8000	Binghamton
UCA V2		 UCA V428	8000	Elmira
UCA V428 V153		 UCA V496	10,000	Glens Falls
Harrisburg				Syracuse
Harrisburg		 UCA V428 V153	10,000	Syracuse
LRP V39 ETX		 V14 V153	10,000	Syracuse
LRP V39 ETX	Horrichurg	HAD V462 ETV	7000	Allontown
HAR V469 00D V184	Hallisburg			
LRP LRP144 PADRE DQO 00D V184				
LRP V499				-
HAR V31				
LRP V499				
LRP V39 ROBRT AML				
HAR V162 V39 ROBRT AML				_
LRP V39 V162 FJC V6 V232 COL (Props only)   7000   Kennedy				
HAR V162 FIC V6 V232 TYKES V123 NANCI				
HAR V162 FIC V6 V232 TYKES V123 NANCI				
(Props only)  LER V39 V162 FJC V6 V232 TYKES V123  NANCI (Props only)  HAR V162 FJC BWZ (Props only)  LER V39 V162 FJC BWZ (Jets only)  LER V39 V162 FJC BWZ (Jets only)  LER V210 BUNTS  LER V30 V162 FJC STW  TO00 Teterboro  Teterboro  Teterboro  HAR V162 FJC STW  TO00 Teterboro  Teterboro  HAR V265 KRANT  B000 Washington  Washington  Washington  Washington  Wastchester Co.  LER V39 V162 FJC STW SAX V39 BREZY  TO00 Westchester Co.  LER V39 V162 FJC STW SAX V39 BREZY  TO00 Wilkes-Barre  HAR RAV HZL  LER LER V31 V469  TO00 Wilkes-Barre  LER V469  TO00 Wilmington  Wilkes-Barre  V469  TO00 Wilmington  Washington  Wilkes-Barre  DIRECT  Washington  Allentown  Allentoric ity				
NANCI (Props only)		(Props only)		
LRP V39 V162 FJC BWZ (Jets only)   7000   Newark				Eddadarara
LRP V210 BUNTS   5000   North Philadelphia				
HAR V210 BUNTS   5000   Philadelphia				
LRP LRP082 HUMEL (RDG ILS)   3000   Reading				
HAR V12 BOYER   5000   Reading				
HAR V162 FJC STW   7000   Teterboro				
LRP V39 V162 FJC STW   7000   Teterboro				
HAR V265 KRANT				
LRP V93 BAL   8000   Washington				
HAR V162 FJC STW SAX V39 BREZY   7000   Westchester Co.				
LRP V39 V162 FJC STW SAX V39 BREZY   7000   Westchester Co.				_
LRP V93   7000   Wilkes-Barre				
HAR RAV HZL   7000   Wilkes-Barre   LRP LRP144 PADRE DQ0   5000   Wilmington   V469   5000   Wilmington   Wilmington   Wilmington   Wilmington   Wilmington   V128   9000   Charleston   V4   9000   Charleston   DIRECT   9000   Charleston   Charleston   Wilmington   Charleston   Wilmington   Wilmington   Charleston   Wilmington				
LRP LRP144 PADRE DQ0   5000 Wilmington   V469   5000 Wilmington   Wilmington   Wilmington   Wilmington   Wilmington   Wilmington   V48   9000   Charleston   Ohraceston   Direct   9000   Charleston   Ohraceston   Wilmington   Wilmington   Wilmington   Wilmington   Charleston   Charleston   Ohraceston   Wilmington   Wilmington   Wilmington   Charleston   Charleston   Ohraceston   Wilmington				
Wilmington				
Huntington V128 9000 Charleston		•		
Manchester     EEN V93 V292 V408 LHY     10000 Allentown       (1) GDM ORW V16 JFK V229     10000 Atlantic City			5555	
Manchester         EEN V93 V292 V408 LHY         10000 Allentown           (1) GDM ORW V16 JFK V229         10000 Atlantic City	Huntington			
Manchester EEN V93 V292 V408 LHY 10000 Allentown				
		 DIRECT	9000	Charleston
	Manchester	 EEN V93 V292 V408 LHY	10000	Allentown
				,

Annroach Control Area		Uighast	
Approach Control Area (Including Satellites)	Route	Highest Altitude	Destination
(Iliciuulig Satellites)	(1) GDM ORW V16 ENO V268 SWANN	10000	Baltimore
	GDM ORW HTO V268 SWANN	10000	Baltimore
	EEN V93 V292 V408 LHY V93 BAL	10000	Baltimore
	(1) GDM ORW V16 JFK COL	10000	Belmar
	GDM ORW V308 MANTA V276 DIXIE	10000	Belmar
	TOMIE LWM	10000	Boston
	 GDM V229 WITNY	10000	Bradley
	 CLOWW WITNY (/E, /F, /G only)	10000	Bradley
	 GDM V229 HFD	10000	Bridgeport
	 CLOWW WITNY HFD (/E, /F, /G only)	10000	Bridgeport
	 (3) GDM V229 HFD V1 MAD V475 BDR BDR288	10000	Danbury
	RYMES		
	 (3) CLOWW WITNY HFD V1 MAD V475 BDR	10000	Danbury
	BDR288 RYMES (/E, /F, /G only)		
	(1) GDM ORW V16 ENO	10000	Dover AFB
	GDM ORW V308 HTO V268 ENO	10000	Dover AFB
	EEN V93 CTR V270	10000	Elmira
	GDM ORW V16 DPK	10000	Farmingdale
	GDM V14 ORW GON EEN V93 V292 V408 LHY V93 V162 HAR	10000 10000	Groton Harrisburg
	GDM V229 HFD	10000	Hartford
	CLOWW WITNY HFD (/E, /F, /G only)	10000	Hartford
	LWM BOS GAILS	10000	Hyannis
	GDM ORW V16 CCC	10000	Islip
	GDM ORW V16 DPK	10000	Kennedy
	(3) GDM V229 HFD V1 MAD V475	10000	LaGuardia
	 EEN V93 V292 V408 LHY V93	10000	Lancaster
	 BOS	10000	Marthas Vineyard
	 BOS LFV	10000	Nantucket
	(1) GDM V229 SEALL V188 CMK V623 SAX	10000	Newark & SATS
	(3) GDM V3 CMK V623 SAX	10000	Newark & SATS
	 (1) CLOWW WITNY HFD V229 V188 CMK V623	10000	Newark & SATS
	SAX (/E, /F, /G only)		
	 (3) CLOWW WITNY HFD V3 CMK V623 SAX (/E,	10000	Newark & SATS
	/F, /G only)	40000	Name I I amount
	GDM V229 HFD	10000	New Haven
	CLOWW WITNY HFD (/E, /F, /G only) (1) GDM ORW V16 JFK V1	10000 10000	New Haven Norfolk
	GDM ORW V308 HTO V139	10000	Norfolk
	(1) GDM ORW V16 DIXIE V276 ARD	10000	N.E. Philadelphia
	GDM ORW V308 MANTA V276 ARD	10000	N.E. Philadelphia
	(1) GDM ORW V16 VCN OOD	10000	Philadelphia
	GDM ORW V308 BRIGS ACY V184 OOD	10000	Philadelphia
	EEN V93 V292 V408 LHY V58 GRACE	10000	Pittsburgh
	 EEN CTR	10000	Pittsfield
	 GDM V151 PVD	10000	Providence
	 BOS	10000	Provincetown
	(1) GDM ORW V16	10000	Richmond
	GDM ORW HTO V268 ENO V16	10000	Richmond
	GDM V39 STUBY V205 TRESA	10000	Stewart
	CAM V490 UCA (1) GDM ORW V16 DIXIE V276 RBV	10000 10000	Syracuse Trenton
	GDM ORW V308 MANTA V276 RBV	10000	Trenton
	GDM V229 HFD V3 SORRY	10000	Waterbury-Oxford
	CLOWW WITNY HFD (/E, /F, /G only)	10000	Waterbury-Oxford
	GDM ORW V308 HTO	10000	Westhampton Beach
	(3) GDM V229 HFD V1 MAD V475 BDR BDR288	10000	White Plains
	RYMES		
	 (5) EEN V93 PWL IGN V157 HAARP	10000	White Plains
	 (3) CLOWW WITNY HFD V1 MAD V475 BDR	10000	White Plains
	BDR288 RYMES (/E, /F, /G only)		
	(1) GDM ORW V16 JFK V229 PANZE V44 SIE	10000	Wildwood
	GDM ORW V308 SIE	10000	Wildwood
	EEN V93 V292 V408 LHY	10000	Wilkes-Barre
	 GDM V229 SPENO	10000	Worcester
Manahastar /Danas	EEN VO2 V202 V408 LHV	10000	Allontown
Manchester/Pease	EEN V93 V292 V408 LHY	10000 10000	Allentown
	(1) MHT V106 GDM ORW V16 JFK V229 MHT V106 GDM ORW V308 BRIGS	10000	Atlantic City Atlantic City
	 1200 dbin onth 1000 billido	10000	, contro oity

Approach	<b>Control Area</b>
(Including	(Satellites)

	Highest	
Route	Altitude	Destination
 (1) MHT V106 GDM ORW V16 ENO V268	10000	Baltimore
SWANN		
 MHT V106 GDM ORW HTO V268 SWANN	10000	Baltimore
EEN V93 V292 V408 LHY V93 BAL	10000	Baltimore
	10000	Bedford
(1) MHT V106 GDM ORW V16 JFK COL	10000	Belmar
MHT V106 GDM ORW V308 MANTA V276 DIXIE	10000	Belmar
STEVO LWM	10000	Boston
MHT V106 GDM V229 WITNY	10000	Bradley
	10000	Bradley
CLOWW WITNY (/E, /F, /G only) MHT V106 GDM V229 HFD	10000	Bridgeport
		0 ,
CLOWW WITNY HFD (/E, /F, /G only)	10000	Bridgeport
 (3) MHT V106 GDM V229 HFD V1 MAD V475	10000	Danbury
BDR BDR288 RYMES		
 (3) CLOWW WITNY HFD V1 MAD V475 BDR	10000	Danbury
BDR288 RYMES (/E, /F, /G only)		
(1) MHT V106 GDM ORW V16 ENO	10000	Dover AFB
 MHT V106 GDM ORW V308 HTO V268 ENO	10000	Dover AFB
 EEN V93 CTR V270	10000	Elmira
 MHT V106 GDM ORW V16 DPK	10000	Farmingdale
 MHT V106 GDM V14 ORW GON	10000	Groton
EEN V93 V292 V408 LHY V93 V162 HAR	10000	Harrisburg
MHT V106 GDM V229 HFD	10000	Hartford
CLOWW WITNY HFD (/E, /F, /G only)	10000	Hartford
EXALT V139 TONNI	10000	Hyannis
MHT V106 GDM ORW V16 CCC	10000	Islip
MHT V106 GDM ORW V16 DPK	10000	Kennedy
(3) MHT V106 GDM V229 HFD V1 MAD V475	10000	LaGuardia
EEN V93 V292 V408 LHY V93	10000	Lancaster
EXALT V139 TONNI	10000	Marthas Vineyard
EXALT V139 TONNI	10000	Nantucket
 (1) MHT V106 GDM V229 SEALL V188 CMK	10000	Newark & SATS
V623 SAX		
 (3) MHT V106 GDM V3 CMK V623 SAX	10000	Newark & SATS
 (1) CLOWW WITNY HFD V229 V188 CMK V623	10000	Newark & SATS
SAX (/E, /F, /G only)		
 (3) CLOWW WITNY HFD V3 CMK V623 SAX (/E,	10000	Newark & SATS
/F, /G only)		
MHT V106 GDM V229 HFD	10000	New Haven
CLOWW WITNY HFD (/E, /F, /G only)	10000	New Haven
(1) MHT V106 GDM ORW V16 JFK V1	10000	Norfolk
MHT V106 GDM ORW V308 HTO V139	10000	Norfolk
	10000	Norwood
(1) MHT V106 GDM ORW V16 DIXIE V276 ARD	10000	N.E. Philadelphia
MHT V106 GDM ORW V308 MANTA V276 ARD	10000	N.E. Philadelphia
(1) MHT V106 GDM ORW V16 VCN OOD	10000	Philadephia
 MHT V106 GDM ORW V308 BRIGS ACY V184	10000	Philadelphia
OOD		
 EEN V93 V292 V408 LHY V58 GRACE	10000	Pittsburgh
 EEN CTR	10000	Pittsfield
 MHT V106 GDM V151 PVD	10000	Providence
 EXALT V139 TONNI	10000	Provincetown
 (1) MHT V106 GDM ORW V16	10000	Richmond
MHT V106 GDM ORW HTO V268 ENO V16	10000	Richmond
MHT V106 GDM V39 STUBY V205 TRESA	10000	Stewart
MHT V490 UCA	10000	Syracuse
(1) MHT V106 GDM ORW V16 DIXIE V276 RBV	10000	Trenton
MHT V106 GDM ORW V308 MANTA V276 RBV	10000	Trenton
 MHT V106 GDM V229 HFD V3 SORRY	10000	Waterbury-Oxford
 CLOWW WITNY HFD (/E, /F, /G only)		
		Waterbury-Oxford Westhampton Beach
MHT V106 GDM ORW V308 HTO	10000	
 (3) MHT V106 GDM V229 HFD V1 MAD V475	10000	White Plains
BDR BDR288 RYMES		
(5) EEN V93 PWL IGN V157 HAARP	10000	White Plains
 (3) CLOWW WITNY HFD V1 MAD V475 BDR	10000	White Plains
BDR288 RYMES (/E, /F, /G only)		
 (1) MHT V106 GDM ORW V16 JFK V229 PANZE	10000	Wildwood
V44 SIE		
 MHT V106.GDM ORW V308 SIE	10000	Wildwood
EEN V93 V292 V408 LHY	10000	Wilkes-Barre
 	10000	

Approach Control Area (Including Satellites)	Route MHT V106 GDM V229 SPENO	Highest Altitude 10000	<b>Destination</b> Worcester
	 WITT V100 GDW V229 3F LNO	10000	Wordester
McGuire	V16 DIXIE V229	4000	Atlantic City
	COL COL192 DIXIE V229	4000	Atlantic City
	DIXIE V16 VCN (Overflights only)	6000	Atlantic City
	CYN V1 HOWIE (Overflights only)	6000	Atlantic City
	DIXIE V229 BDR BDR014 JUDDS	7000	Bradley
	(Preferred Single Engine Route)		
	 DIXIE V16 ENO	6000	Dover AFB
	 DIXIE V229 (Single Engine only)	7000	Hartford
	 DIXIE V229 HFD V167 PVD V151 GAILS (Single Engine Only)	7000	Hyannis
	 RBV V276 DIXIE V16 JFK CCC (Single Engine	5000	Islip
	 only) V184 ZIGGI JFK210 JFK CCC (No single	5000	Islip
	engine; N/A btn 1400–2100 local) GXU GXU055 RBV122 ZIGGI JFK210 JFK (No	5000	Kennedy
	Single Engine)		•
	RBV V276 DIXIE V16 JFK (Single Engine only)	5000	Kennedy
	RBV V276 ZIGGI JFK210 JFK (Twins only)	5000	Kennedy
	V184 ZIGGI JFK210 JFK (Twins only)	5000	Kennedy
	V229 JFK (Single Engine only)	5000	Kennedy
	RBV V123 NANCI (Props)	4000	LaGuardia
	RBV V123 NANCI (Jets only)	8000	LaGuardia
	 DIXIE V229 BDR MAD V475 V188 GON V374 (Single Engine Only)	7000	Martha's Vineyard
	 DIXIE V229 BDR MAD V475 V188 GON V58	7000	Nantucket
	 NEWBE DEEPO (Single Engine Only) V184 ZIGGI V276 RBV RBV005 OWBIE (Jets	6000	Newark
	 only) DIXIE V276 RBV RBV005 OWBIE (Single engine only)	5000	Newark
	 V229 DIXIE V276 RBV V249 METRO (Turbojet only)	4000	Newark (Sats)
	V184 ZIGGI V276 ARD	4000	N. Philadelphia
	V1 DIXIE V276 ARD	4000	N. Philadelphia
	RBV V276 ARD	4000	No. Philadelphia
	V1 CYN V312 OOD (Props only)	4000	Philadelphia
	V1 CYN V312 OOD (Flops only)	5000	Philadelphia
	DIXIE V229 JFK V229 BDR MAD V475 V188 GON (Single engine)	7000	Providence
	DIXIE V16 VCN ATR V1	6000	Salisbury
	V184 ZIGGI V276 RBV V249 SAX V39 BREZY	5000	Westchester Co.
New York/Bridgeport	 SOARS V487 CANAN	10000	Albany
,	HUO V162 FJC	5000	Allentown
	 DPK V16 DIXIE V229 ACY (Single Engine only)	6000	Atlantic City
	 MAD V1 HFD V229 GDM V39 CON	10000	Augusta
	 MAD HFD CLOWW (/E, /F, /G only)	10000	Augusta
	 DPK V16 ENO V268 SWANN (Single Engine only)	6000	Baltimore
	 MAD V1 HFD V229 GDM V39 AUG	10000	Bangor
	MAD HFD CLOWW (/E, /F, /G only)	10000	Bangor
	MAD V1 HFD V229 GDM V106 ENE	10000	Bar Harbor
	MAD HFD CLOWW (/E, /F, /G only)	10000	Bar Harbor
	MAD V1 HFD HFD053 DREEM	10000	Bedford
	DPK JFK COL	6000	Belmar
	MAD V475 V188 GON	9000	Block Island
	MAD V1 HFD HFD053 DREEM	9000	Boston (North)
	(3) MAD V475 ORW V16 WOONS	10000	Boston
	BDR BDR014 JUDDS	10000	Bradley
		2000	Bridgeport SATS
	SOARS V487 CAM	10000	Burlington
	 BDR JUDDS (/E, /F, /G only)	1000	Burlington
	 HUO V162 HAR	5000	Capital City
	 MAD V1 HFD V229 GDM V39 CON	10000	Concord
	MAD HFD CLOWW (/E, /F, /G only)	10000	Concord
	DPK V16 DIXIE V1 LEEAH V268 BAL BAL294	6000	Dulles
	KROLL AML (Single Engine only)		
	 MAD MAD126 MONDI	7000	Groton

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
		3000	Hampton
	MAD V1 HFD	5000	Hartford
	MAD V475 PVD V151 GAILS	10000	Hyannis
		4000	Islip
	MAD V1 HFD V229 GDM	10000	Keene
	 BDR JUDDS WHATE (/E, /F, /G only)	10000	Keene
		4000	Kennedy
	 R/V LGA075	4000	LaGuardia
	HUO V162 ETX V39 LRP	5000	Lancaster
	 MAD V1 HFD V229 GDM V151	10000	Lebanon
	 BDR JUDDS WHATE (/E, /F, /G only)	10000	Lebanon
	 MAD V1 HFD V229 GDM V106 MHT	10000	Manchester
	 MAD HFD CLOWW (/E, /F, /G only)	10000	Manchester
	 DPK V16 DIXIE V16 CYN (Single Engine only)	6000	McGuire
	 MAD V475 V188 GON V374 MVY	9000	Martha's Vineyard
	 MAD	3000	Meriden Markham
	 DPK V16 VCN (Single Engine only)	6000	Millville
	MAD V475 V188 GON V58 NEWBE DEEPO	10000	Nantucket
	MAD V475 V188 GON V374 MINNK	9000	New Bedford
		2000	New Haven
	CMK V188 SAX	4000	Newark
	DPK V16 DIXIE V1 (Single Engine only)	6000	Norfolk
	(3) MAD V475 ORW V16 WOONS	10000	Norwood
	DPK V16 DIXIE V276 ARD (Single Engine only)	6000	N. Philadelphia
	DIXIE V16 CYN V312 OOD (Single Engine only)	6000	Philadelphia
	MAD V1 HFD V229 GDM V106 ENE	10000	Portland
	MAD HFD CLOWW (/E, /F, /G only)	10000	Portland
	(3) MAD V1 HFD V229 GDM V106 RAYMY	10000	Portsmouth
	MAD V475 V488 CON	10000 9000	Portsmouth Providence
	MAD V475 V188 GON MAD V475 PVD V151 GAILS	10000	Provincetown
	MAD V475 V188 GON	9000	Quonset
	SAX V249 SBJ V30 ETX V39 FLOAT (Props	7000	Reading
	 only)		riodding.
	 DPK V16 (Single Engine only)	6000	Richmond
	DPK V16 DIXIE V1 (Single Engine only)	6000	Salisbury
	HAAYS HUO V273 HNK	10000	Syracuse
	 DPK V16 DIXIE V1 V308 OTT (Single Engine	6000	Washington
	 only) BDR BDR 288 RYMES	4000	Westchester Co.
	DPK V16 DIXIE V229 PANZE V44 SIE (Single	6000	Wildwood
	Engine only)		
	 MAD V1 GRAYM	9000	Worcester
New York /Islip	 SAX V249 SBJ V30 ETX (Non jet/Non turboprop)	8000	Allentown
	 DPK V16 DIXIE V229 ACY (Single Engine only)	6000	Atlantic City
	 DPK V16 DIXIE V1 V308 OTT (Single Engine only)	6000	Andrews AFB
	MAD HFD CLOWW (/E, /F, /G only)	10000	Augusta
	 DPK V16 ENO V268 SWANN (Single Engine only)	6000	Baltimore
	 MAD HFD CLOWW (/E, /F, /G only)	10000	Bangor
	 MAD HFD CLOWW (/E, /F, /G only)	10000	Bar Harbor
	 DPK JFK COL	6000	Belmar
	HTO V268 SEY	7000	Block Island
	HTO V308 ORW V16 WOONS	9000	Boston
	MAD V1 HFD HFD053 DREEM	9000	Boston (North)
	BDR BDR014 JUDDS	8000	Bradley
	BDR BDR014 JUDDS (Jets only)	10000	Bradley
		4000	Bridgeport
	BDR JUDDS (/E, /F, /G only) SAX V249 SBJ V30 ETX V162 HAR (Non	10000 8000	Burlington Capital City
	jet/Non turboprop only)		
	 MAD HFD CLOWW (/E, /F, /G only) DPK V16 DIXIE V1 LEEAH V268 BAL BAL294	10000 6000	Concord Dulles
	 KROLL AML (Single Engine only)	0000	Duiles
	 HTO HTOO34 MONDI	7000	Groton
		3000	Hampton
	 MAD V1 HFD	5000	Hartford

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
	 HTO V139 PVD V151 GAILS	9000	Hyannis
		2000	Islip (SATS)
	BDR JUDDS WHATE (/E, /F, /G only)	10000	Keene
		3000	Kennedy
	R/V LGA075 HTO HT0302 NESSI LGA075	5000 6000	LaGuardia LaGuardia
	SAX V249 SBJ LANNA V30 ETX V39 LRP (Props	8000	Lancaster
	 only)	0000	Landaster
	 BDR JUDDS WHATE (/E, /F, /G only)	10000	Lebanon
	DPK V16 CYN (Single Engine only)	6000	McGuire
	 MAD HFD CLOWW (/E, /F, /G only)	10000	Manchester
	HTO V139 WACKY V374 MVY (Single Engine)	9000	Martha's Vineyard
	HTO V46 CLAMY (Twin Engine)	9000	Martha's Vineyard
		5000 6000	Meriden
	DPK V16 VCN (Single Engine only)	9000	Millville Nantucket
	HTO V46 CLAMY (Twin Engine) HTO SEY V58 NEWBE DEEPO (Single Engine)	9000	Nantucket
	HTO V139 WACKY	9000	New Bedford
		4000	New Haven
	CMK V188 SAX	4000	Newark
	 DPK V16 DIXIE V1 (Single Engine only)	6000	Norfolk
	DPK V16 DIXIE V276 ARD (Single Engine only)	6000	N. Philadelphia
	DPK V16 CYN V312 OOD (Single Engine only)	6000	Philadelphia
	MAD HFD CLOWW (/E, /F, /G only)	10000	Portland
	MAD HFD CLOWW (/E, /F, /G only)	10000	Portsmouth
	HTO V139 WACKY	9000	Providence
	HTO V139 WACKY SAX V249 SBJ V30 ETX V39 FLOAT (Non	9000 8000	Quonset
	 jet/Non turboprop only)	8000	Reading
	DPK V16 (Single Engine only)	6000	Richmond
	DPK V16 DIXIE V1 (Single Engine only)	6000	Salisbury
	DPK V16 DIXIE V1 V308 OTT (Single Engine	6000	Washington
	only)		
	 BDR BDR 288 RYMES	5000	Westchester Co.
	HTO BDR BDR 288 RYMES	6000	Westchester Co.
	HTO V308 GON	9000	Westerly
	 DPK V16 DIXIE V229 PANZE V44 SIE (Single	6000	Wildwood
	Engine only) MAD V1 GRAYM	9000	Worcester
	 WAD VI GRATW	3000	Worcester
New York /Kennedy	 SAX V249 SBJ V30 ETX (Non jet/Non	8000	Allentown
	turboprop)	6000	Atlantia City
	DIXIE V229 ACY (Props only) DIXIE V1 HOWIE (Jets only)	6000 8000	Atlantic City Atlantic City
	DIXIE V1 V308 OTT (Props only)	6000	Andrews AFB
	BDR HFD CLOWW (/E, /F, /G only)	10000	Augusta
	DIXIE V16 ENO V268 SWANN (Props only)	6000	Baltimore
	 BDR HFD CLOWW (/E, /F, /G only)	10000	Bangor
	 BDR HFD CLOWW (/E, /F, /G only)	10000	Bar Harbor
		2000	Belmar
	BDR MAD V475 V188 GON	9000	Block Island
	BDR V229 HFD V3 WOONS	9000	Boston
	BDR V229 HFD HFD053 DREEM	9000 10000	Boston (North) Boston
	BDR HFD FOSTY WOONS (/E, /F, /G only) BDR BDR014 JUDDS	8000	Bradley
	BDR (Jets only)	10000	Bradley
		3000	Bridgeport
	BDR JUDDS (/E, /F, /G only)	10000	Burlington
	 SAX V249 SBJ V30 ETX V162 HAR (Non	8000	Capital City
	jet/Non turboprop)		
	BDR HFD CLOWW (/E, /F, /G only)	10000	Concord
	 DIXIE V1 LEEAH V268 BAL BAL294 KROLL	6000	Dulles
	AML (Non-pressurized aircraft only)	000-	
	BDR MAD MAD126 MONDI	9000	Groton
	R/V CCC 232 CCC HTO	3000 9000	Hampton Hartford
	BDR V229 HFD BDR V229 HFD V167 PVD V151 GAILS	9000	Harttord Hvannis
	R/V ILS 6 LOC (Text Info)	3000	Islip
	R/V CCC232 CCC	3000	Islip
	BDR JUDDS WHATE (/E, /F, /G only)	10000	Keene

Approach Control Area (Including Satellites)	Route	Highest Altitude	Destination
	 Direct	2000	LaGuardia
	 SAX V249 SBJ V30 ETX V162 V93 LRP (Props only)	8000	Lancaster
	BDR JUDDS WHATE (/E, /F, /G only)	10000	Lebanon
	DIXIE V16 CYN	6000	McGuire
	BDR HFD CLOWW (/E, /F, /G only) BDR MAD V475 V188 GON V374 MVY	10000 9000	Manchester Martha's Vineyard
	BDR MAD	3000	Meriden Markham
	DIXIE V16 VCN (Props only)	6000	Millville
	BDR MAD V475 V188 GON V58 NEWBE DEEPO	10000	Nantucket
	 COL V232 SBJ	3000	Newark
	BDR MAD V475 V188 GON V374 MINNK	9000	New Bedford
	DIXIE V1 (Props only)	6000	Norfolk
	DIXIE V276 ARD DIXIE V16 CYN V312 OOD (Props only)	4000 6000	N. Philadelphia Philadelphia
	DIXIE V16 CYN V312 OOD (I rops only)	8000	Philadelphia
	BDR HFD CLOWW (/E, /F, /G only)	10000	Portland
	BDR HFD CLOWW (/E, /F, /G only)	10000	Portsmouth
	 BDR MAD V475 V188 GON (210 kts +)	9000	Providence
	BDR MAD V475 V188 GON	9000	Quonset
	 SAX V249 SBJ V30 ETX V39 FLOAT (Non jet/Non turboprop only)	8000	Reading
	DIXIE V16 (Props only)	6000	Richmond
	DIXIE V1 (Props only)	6000	Salisbury
	DIXIE V1 V308 OTT (Props only) DPK V483 CMK	6000 2000	Washington Westchester Co
	BDR MAD V475 V188 GON	9000	Westerly
	DIXIE V229 PANZE V44 SIE (Props only)	6000	Wildwood
	DIXIE V1 HOWIE (Jets only)	8000	Wildwood
	 BDR MAD V1 GRAYM	9000	Worcester
New York/ LaGuardia	 SAX V249 SBJ V30 ETX	8000	Allentown
	DIXIE V229 ACY (Props only)	6000	Atlantic City
	DIXIE V1 HOWIE (Jets only)	8000	Atlantic City
	 SAX V249 SBJ LANNA V30 ETX V39 LRP V93 BAL (Props only)	8000	Andrews AFB
	 BDR HFD CLOWW (/E, /F, /G only)	10000	Augusta
	BDR HFD CLOWW (/E, /F, /G only)	10000	Bangor
	 SAX V249 SBJ LANNA V30 ETX V39 LRP V499 BAL (Props only)	8000	Baltimore
	 BDR HFD CLOWW (/E, /F, /G only)	10000	Bar Harbor
		6000	Belmar
	BDR MAD V475 V188 GON	9000	Block Island
	BDR V229 HFD V3 WOONS	9000	Boston
	BDR V229 HFD HFD053 DREEM	9000	Boston (North)
	BDR HFD FOSTY WOONS (/E, /F, /G only) BDR BDR014 JUDDS	10000 8000	Boston Bradley
	BDR (Jets only)	10000	Bradley
	BDR 248 CCC285 PUGGS V229 BDR	5000	Bridgeport
	 R/V BDR248 BDR(Helicopter Route)	5000	Bridgeport (Points NE)
	BDR JUDDS (/E, /F, /G only)	10000	Burlington
	SAX V249 SBJ V30 ETX V162 HAR	8000	Capital City
	BDR HFD CLOWW (/E, /F, /G only) SAX V249 SBJ LANNA V30 ETX V39 ROBRT AML	10000 8000	Concord Dulles
	(Props only)	0000	Croton
	BDR MAD MAD126 MONDI BDR 248 BDR HTO	9000 5000	Groton Hampton
	BDR V229 HFD	9000	Hartford
	BDR V229 HFD V167 PVD V151 GAILS	9000	Hyannis
	BDR 248 CCC285 CCC	5000	Islip
	BDR JUDDS WHATE (/E, /F, /G only)	10000	Keene
	 DPK SBJ SAX V249 V30 ETX V162 V93 LRP (Props	5000 7000	Kennedy Lancaster
	only)		
	BDR JUDDS WHATE (/E, /F, /G only) DIXIE V16 CYN	10000 6000	Lebanon McGuire
	BDR MAD V475 V188 GON V374 MVY	9000	Martha's Vineyard
	BDR HFD CLOWW (/E, /F, /G only)	10000	Manchester
	BDR MAD	5000	Meriden Markham
	DIXIE V16 VCN (Props only)	6000	Millville
	 BDR MAD V475 V188 GON V58 NEWBE DEEPO	10000	Nantucket

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
	 SBJ	3000	Newark
	 BDR MAD V475 V188 GON V374 MINNK	9000	New Bedford
	 DIXIE V1 (Props only)	6000	Norfolk
	 BDR HFD CLOWW (/E, /F, /G only)	10000	Portland
	 BDR HFD CLOWW(/E, /F, /G only)	10000	Portsmouth
	 BDR MAD V475 V188 GON	9000	Providence
	 BDR MAD V475 V188 GON	9000	Quonset
	SBJ SAX V249 V30 ETX V39 FLOAT	7000	Reading
	DIXIE V16 (Props only)	6000	Richmond
	DIXIE V1 (Props only)	6000	Salisbury
	 SAX V249 SBJ LANNA V30 ETX V39 LRP V499 BAL(Props only)	8000	Washington
	 CMK	3000	Westchester Co.
	 DIXIE V229 PANZE V44 SIE (Props only)	6000	Wildwood
	 DIXIE V1 HOWIE (Jets only)	8000	Wildwood
	 BDR MAD V1 GRAYM	9000	Worcester
New York/Newark	 LANNA V30 ETX (Jets only)	8000	Allentown
	LANNA V30 ETX (Props only)	6000	Allentown
	 DIXIE V229 ACY (Props only)	6000	Atlantic City
	 DIXIE V1 HOWIE (Jets only)	8000	Atlantic City
	 BREZY V39 CMK V3 HFD CLOWW	10000	Augusta
	(/E, /F, /G only)		
	LANNA V30 ETX V39 LRP V499 BAL (Props only)	6000	Baltimore
	(Props 210 kts +)	8000	<b>.</b>
	 BREZY V39 CMK V3 HFD CLOWW (/E, /F, /G only)	10000	Bangor
	 BREZY V39 CMK V3 HFD CLOWW	10000	Bar Harbor
	(/E, /F, /G only)	2000	Belmar
	 BDR MAD V475 V188 GON (210 kts +)	9000	Block Island
	BREZY V39 CMK V3 HFD GON (- 210 kts)	9000	Block Island
	BDR V229 HFD HFD053 DREEM (210 kts +)	9000	Boston (North)
	BREZY V39 CMK V3 HFD HFD053 DREEM	9000	Boston (North)
	(-210 kts)	0000	Boston
	BDR V229 HFD V3 WOONS (210 kts +) BREZY V39 CMK V3 WOONS (-210 kts)	9000 9000	Boston
	BREZY V39 CMK V3 HFD FOSTY WOONS	10000	Boston
	(/E, /F, /G only)	10000	Prodley
	BDR (Jets only)	10000	Bradley
	BREZY V39 CMK V419 BRISS (Props only) BDR248 CCC285 V229 (All Jets)	9000 5000	Bradley
	BREZY V39 CMK V374 DENNA (All Props)	6000	Bridgeport Bridgeport
	BREZY V39 CMK SOARS JUDDS (/E, /F, /G	10000	Burlington
	only) LANNA V30 ETX V162 HAR (Props only)	6000	Capital City
	BREZY V39 CMK V3 HFD CLOWW	10000	Concord
	(/E, /F, /G only) BREZY V39 CMK	3000	Danbury
	LANNA V30 ETX V39 ROBRT AML (Props only)	6000	Dulles
	(Props 210 kts +)	8000	Dulles
	SAX V213 HELON	4000	Dutchess Co
	DIXIE V1 (Props 210 kts +)	6000	Grand Strand
	BDR MAD MAD126 MONDI ( + 210 kts )	9000	Groton
	 BREZY V39 CMK V3 HFD GON (-210 kts)	9000	Groton
	 BDR 248 BDR HTO (All Jets)	5000	Hampton
	BREZY V39 CMK V374 BETHA HTO (All Props)	6000	Hampton
	LANNA V30 ETX V162 HAR (Props only)	6000	Harrisburg Intl
	(Props 210 kts +)	8000	Hambfand
	BDR V229 HFD (210 kts +) LANNA V30 ETX (Props only)	9000 6000	Hartford Hazleton Muni
	(Props 210 kts +)	8000	Hazietoli Wulli
	BREZY V39 CMK V3 HFD (-210 kts)	9000	Hartford
	BDR V229 HFD V167 PVD V151 GAILS (210	9000	Hyannis
	 kts +) BREZY V39 CMK V3 HFD V167 PVD V151 GAILS (- 210 kts)	9000	Hyannis
	BDR 248 CCC285 CCC (All Jets) BREZY V39 CMK V374 DENNA BDR CCC (All	5000 6000	Islip Islip

Props)

Highest

#### TOWER ENROUTE CONTROL

Approach Control Area

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
	 BREZY V39 CMK SOARS JUDDS WHATE (/E, /F,	10000	Keene
	/G only)		
	R/V DPK282 (EWR Dep 4 & EWRN)	5000	Kennedy
	COL JFK (EWR Dep 22 & EWRS)	4000	Kennedy
	LANNA V30 ETX V39 LRP (Props only)	6000	Lancaster
	(Props 210 kts +)	8000	
	 BREZY V39 CMK SOARS JUDDS WHATE (/E, /F,	10000	Lebanon
	/G only)	0000	Laborate Matter Load
	(4)(5) LANNA V30 ETX	8000	Lehigh Valley Intl
	 DIXIE V16 (Props only)	6000	Lynchburg
			Rgnl/Preston Glenn
	DDETY VOO OMY VO HED OLOMAN / /E //E //C	10000	Fld
	 BREZY V39 CMK V3 HFD CLOWW (/E, /F, /G	10000	Manchester
	only)	0000	Mortholo Vinguard
	 BDR MAD V475 V188 GON V374 MVY (210 kts +)	9000	Martha's Vineyard
	BREZY V39 CMK V3 HFD GON V374 MVY	0000	Martha'a Vinayard
		9000	Martha's Vineyard
	(-210 kts) DIXIE V16 CYN	6000	McCuiro
		6000	McGuire Meriden
	BDR MAD	5000 5000	Meriden
	(2) BREZY V39 CMK V3 YALER	6000	Millville
	DIXIE V16 VCN (Props only) BREZY V39 CMK V374 BETHA HTO	6000	Montauk
	BREZY V39 CMK V3 14 BETHA HTO BREZY V39 CMK V3 HFD V58 NEWBE DEEPO	10000	Nantucket
	BDR MAD V475 V188 GON V374 MINNK (210	9000	New Bedford
		3000	New Beatora
	kts +) BREZY V39 CMK V3 HFD V167 PVD (-210 kts)	9000	New Bedford
	(4) BIGGY V3 MAZIE	8000	New Castle Co
	(Props only)	4000	New Castle Co
	DIXIE V1 (Props only)	6000	Norfolk
	BIGGY V3 MAZIE	4000	Northeast Philadelphia
	SAX V213 HELON	4000	Orange Co
	(4) BIGGY V3 MAZIE	8000	Philadelphia Intl
	(Props only)	4000	· ·····aaorp····a ····c
	BREZY V39 CMK V3 HFD CLOWW (/E, /F, /G	10000	Portland
	only)		
	 BREZY V39 CMK V3 HFD CLOWW (/E, /F, /G	10000	Portsmouth
	only)		
	 SBJ BIGGY B3 MAZIE	4000	Pottstown Limerick
	BDR MAD V475 V188 GON (210 kts+)	9000	Providence
	BREZY V39 CMK V3 HFD V167 PVD (-210 kts)	9000	Providence
	BDR MAD V475 V188 GON (210 kts +)	9000	Quonset
	 BREZY V39 CMK V3 HFD V167 PVD (- 210	9000	Quonset
	kts)		
	 DIXIE V16 RIC V157 LVL V155 (Props only)	6000	Raleigh-Durham Intl
	 (4) SBJ LANNA V30 ETX	8000	Reading Rgnl/Carl A
			Spaatz Fld
	 (Props only)	4000	
	 DIXIE V16 (Props only)	6000	Richmond
	 LANNA V30 ETX V39 LRP V93 BAL (Props only)	6000	Ronald Reagan
			Washington Natl
	(Props 210 kts +)	8000	
	DIXIE V1 (Props only)	6000	Salisbury
	SAX SAX022 MANEE	4000	Stewart Intl
	SAX V213 HELON	4000	Sullivan Co Intl
	 BREZY V39 CMK V374 BETHA HTO	6000	The Francis S Gabreski
	DIO OVIVO AAATIE		Arpt
	BIGGY V3 MAZIE	4000	Trenton Mercer
	BREZY V39 CMK V374 DENNA	6000	Waterbury-Oxford
		3000	Westchester Co.
	DIXIE V229 PANZE V44 SIE (Props only) Dixie V1 Howie (Jets only)	6000 8000	Wildwood Wildwood
	BDR MAD V1 GRAYM (210 kts +)	9000	Worcester
		9000	
	 BREZY V39 CMK V3 HFD V1 GRAYM (-210	5000	Worcester
	kts)		
Now York /Ctowart	STUDY WAS CANAN	10000	Albany
New York/Stewart	STUBY V487 CANAN STUBY V93 CON	10000	Albany
	STUBY V93 CON STUBY V93 CON V39 AUG	10000 10000	Augusta Bangor
	STUBY V93 CON V39 AUG STUBY V93 ENE	10000	Bar Harbor
	 3.55. 100 ENE	10000	Dai Haiboi

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
	 STUBY CEF CEF088 DREEM	10000	Bedford
	 PWL HFD V3 WOONS	10000	Boston
	 PWL PWL111 BRISS or PWL V106 BAF	10000	Bradley
	(BAF/CEF)		-
	 STUBY V487 CAM	10000	Burlington
	STUBY V93 CON	10000	Concord
	PWL HFD GON	10000	Groton
	PWL PWL111 BRISS	10000	Hartford
	 PWL HFD V167 PVD V151 GAILS	10000	Hyannis
	 STUBY	10000	Keene
		10000	Lebanon
	STUBY V93 EEN	10000	Manchester
	PWL HFD V374 MVY	10000	Marthas Vineyard
	 PWL HFD V58 NEWBE DEEPO	10000	Nantucket
	 PWL HFD V3 WOONS	10000	Norwood
	 STUBY V93 EEN	10000	Portland
	PWL V106 RAYMY	10000	Portsmouth
	 PWL HFD V167 PVD	10000	Providence
	 PWL HFD V167 PVD V151 GAILS	10000	Provincetown
	WEARD DNY	10000	Syracuse
	 PWL V106 BAF	10000	Worcester
New York/	 CMK V39 SOARS V487 CANAN	10000	Albany
Westchester	HUO V162 FJC	5000	Allentown
	DIXIE V229 ACY (Props only)	6000	Atlantic City
	DIXIE V1 HOWIE (Jets Onlly)	8000	Atlantic City
	CMK V3 HFD V229 GDM V39 CON	10000	Augusta
	CMK V3 HFD CLOWW (/E, /F, /G only)	10000	Augusta
	SAX V249 SBJ LANNA V30 ETX V39 LRP V499	8000	Baltimore
	BAL (Props only)		
	 CMK V3 HFD V229 GDM V39 AUG	10000	Bangor
	 CMK V3 HFD CLOWW (/E, /F, /G only)	10000	Bangor
	CMK V3 HFD CLOWW (/E, /F, /G only)	10000	Bar Harbor
	CMK V3 HFD V229 GDM V106 ENE	10000	Bar Harbor
	 JFK COL	6000	Belmar
	CMK V3 HFD HFD053 DREEM	10000	Boston & NO SATS
	 (3) CMK V3 WOONS	10000	Boston
	 CMK V3 HFD FOSTY WOONS (/E, /F, /G only)	10000	Boston
	 CMK V419 BRISS	10000	Bradley
	 CMK V374 DENNA	5000	Bridgeport
	 CMK V39 SOARS V487 BTV	10000	Burlington
	 CMK SOARS JUDDS (/E, /F, /G only)	10000	Burlington
	 HUO V162 HAR	5000	Capital City
	 CMK V3 HFD V229 GDM V39 CON	10000	Concord
	 CMK V3 HFD CLOWW (/E, /F, /G only)	10000	Concord
	 SAX V249 SBJ LANNA V30 ETX V39 ROBRT AML	8000	Dulles
	(Props only)		
	 CMK V3 HFD GON	10000	Groton
	 CMK V374 BETHA HTO	5000	Hampton
	CMK V3 HFD	10000	Hartford
	CMK V3 HFD V167 PVD V151 GAILS	10000	Hyannis
	CMK V374 DENNA BDR CCC	5000	Islip
	CMK V3 HFD V229 GDM	10000	Keene
	CMK SOARS JUDDS WHATE (/E, /F, /G only)	10000	Keene
	CMK V483 DPK	3000	Kennedy
		3000	LaGuardia
	HUO V162 ETX V39 LRP	5000	Lancaster
	CMK V3 HFD V229 GDM V151	10000	Lebanon
	CMK SOARS JUDDS WHATE (/E, /F, /G only)	10000	Lebanon
	CMK V3 HFD V229 GDM V106 MHT	10000	Manchester
	CMK V3 HFD CLOWW (/E, /F, /G only) CMK V3 HFD GON V374 MVY	10000	Manchester
		10000	Martha's Vineyard McGuire
	DIXIE V16 CYN Dixio V16 VCN (Props only)	6000	
	Dixie V16 VCN (Props only)	6000	Millville
	CMK V3 HFD V58 NEWBE DEEPO CMK V374 DENNA	10000	Nantucket New Haven
	NYACK V188 SAX (Props)	5000 4000	New Haven Newark
	NYACK V188 SAX (Props) NYACK V188 SAX (Jets)	5000	Newark
	DIXIE V1 (Props only)	6000	Newark
	CMK V3 WOONS	10000	Norwood & N SATS
	CMK V3 WOONS CMK V3 HFD V229 GDM V106 ENE	10000	Portland
	 The state of the s	10000	. siciana

Approach Control Area (Including Satellites)	Route	Highest Altitude	Destination
(Illulullig Satellites)	CMK V3 HFD CLOWW (/E, /F, /G only)	10000	Portland
	CMK V3 HFD V229 GDM V106 RAYMY	10000	Portsmouth
	CMK V3 HFD CLOWW (/E, /F, /G only)	10000	Portsmouth
	CMK V3 HFD V167 PVD	10000	Providence
	CMK V3 HFD V167 PVD V151 GAILS	10000	Provincetown
	SAX V249 SBJ V30 ETX V39 FLOAT (Props	7000	Reading
	 only)		riouding.
	DIXIE V16 (Props only)	6000	Richmond
	SAX V249 SBJ LANNA V30 ETX V39 LRP V93	8000	Ronald Reagan
	 BAL (Props only)		Washington Natl
	 DIXIE V1 (Props only)	6000	Salisbury
	HAAYS HUO V273 SYR	10000	Syracuse
	DIXIE V229 PANZE V44 SIE (Props only)	6000	Wildwood
	DIXIE V1 HOWIE (Jets only)	8000	Wildwood
	CMK V3 HFD V1 GRAYM	10000	Worcester
Norfolk	 HCM V33 COLIN V16 PXT	9000	Patuxent River
	HPW V260 RIC (West-bound only)	9000	Richmond
	CCV V1 SBY	5000	Salisbury
	CCV V139 SWL (Northeast-bound only)	5000	Snow Hill
	HCM HCM330 SVILL	7000	Washington
Patuxent	SWL V139	5000	Atlantic City
. acanonic	PXT V16 V44	5000	Atlantic City
	SBY V1 V44	5000	Atlantic City
	SBY332 BAL133	4000	Baltimore
		5000	Baltimore
	SBY V29 ENO	5000	Dover AFB
	PXT V16 ENO	5000	Dover AFB
		5000	Dover AFB
	SBY VI ATR	5000	Dover AFB
	PXT V213 V286 FLUKY	6000	Dulles
	 COLIN V33 HCM	6000	Newport News
	 SBY V1 CCV	6000	Norfolk
	 SWL V139 CCV	6000	Norfolk
	 WHINO V33 V286 STEIN	5000	Norfolk
	PXT V213 ENO V29 DQ0	5000	Philadelphia
	 SBY V29 DQ0	5000	Philadelphia
		6000	Richmond
	SBY V1 JAMIE HCM	6000	Richmond
	COLIN V33 HCM	6000	Richmond
	PXT V31 OTT (No Overflight of D.C. Area)	4000	Washington
	 SBY CHURK OTT (No Overflight of D.C. Area)	4000	Washington
Philadelphia	RV FJC185 FJC	4000	Allentown
	OOD VCN V184 ACY	3000	Atlantic City
	MXE V378 BAL	6000	Baltimore
	DQ0 V166 V378 BAL	6000	Baltimore
	00D V157 ENO	4000	Dover AFB
	 DQO V29 ENO MXE V408 ROBRT AML	4000 8000	Dover AFB
			Dulles
	 MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct)	6000 5000	Harrisburg Kennedy
	 MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only)	6000 5000	Harrisburg Kennedy
	 MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNE090 ARD126 V16 V276 ZIGGI	6000	Harrisburg
	 MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNE090 ARD126 V16 V276 ZIGGI (Direct) (No Single Engine)	6000 5000 5000	Harrisburg Kennedy Kennedy
	 MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNE090 ARD126 V16 V276 ZIGGI (Direct) (No Single Engine) RBV V123 PROUD (Jets only)	6000 5000 5000 8000	Harrisburg Kennedy Kennedy LaGuardia
	 MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNE090 ARD126 V16 V276 ZIGGI (Direct) (No Single Engine) RBV V123 PROUD (Jets only) MXE MXE295 HABER LRP137 LRP	6000 5000 5000	Harrisburg Kennedy Kennedy
	 MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNE090 ARD126 V16 V276 ZIGGI (Direct) (No Single Engine) RBV V123 PROUD (Jets only)	6000 5000 5000 8000 4000	Harrisburg Kennedy Kennedy LaGuardia Lancaster
	 MXE V184 MXE283027 V469 HAR PNE PNEO90 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNEO90 ARD126 V16 V276 ZIGGI (Direct) (No Single Engine) RBV V123 PROUD (Jets only) MXE MXE295 HABER LRP137 LRP ARD V214 METRO (Non Turbojets only)	6000 5000 5000 8000 4000 5000	Harrisburg Kennedy Kennedy LaGuardia Lancaster Newark
	 MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNE090 ARD126 V16 V276 ZIGGI (Direct) (No Single Engine) RBV V123 PROUD (Jets only) MXE MXE295 HABER LRP137 LRP ARD V214 METRO (Non Turbojets only) RBV RBV005 OWBIE (Turbojet only)	6000 5000 5000 8000 4000 5000 7000	Harrisburg Kennedy Kennedy LaGuardia Lancaster Newark Newark
	 MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNE090 ARD126 V16 V276 ZIGGI (Direct) (No Single Engine) RBV V123 PROUD (Jets only) MXE MXE295 HABER LRP137 LRP ARD V214 METRO (Non Turbojets only) RBV RBV005 OWBIE (Turbojet only) MXE MXE334 HUMEL	6000 5000 5000 8000 4000 5000 7000 4000	Harrisburg Kennedy Kennedy LaGuardia Lancaster Newark Newark Reading
	MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNE090 ARD126 V16 V276 ZIGGI (Direct) (No Single Engine) RBV V123 PROUD (Jets only) MXE MXE295 HABER LRP137 LRP ARD V214 METRO (Non Turbojets only) RBV RBV005 OWBIE (Turbojet only) MXE MXE334 HUMEL REGLE V3 SBJ	5000 5000 5000 8000 4000 5000 7000 4000 4000	Harrisburg Kennedy Kennedy LaGuardia Lancaster Newark Newark Reading Teterboro
	MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNE090 ARD126 V16 V276 ZIGGI (Direct) (No Single Engine) RBV V123 PROUD (Jets only) MXE MXE295 HABER LRP137 LRP ARD V214 METRO (Non Turbojets only) RBV RBV005 OWBIE (Turbojet only) MXE MXE334 HUMEL REGLE V3 SBJ MXE V408 VINNY V93 BAL	5000 5000 5000 8000 4000 5000 7000 4000 4000 8000	Harrisburg Kennedy Kennedy LaGuardia Lancaster Newark Newark Reading Teterboro Washington
	MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNE090 ARD126 V16 V276 ZIGGI (Direct) (No Single Engine) RBV V123 PROUD (Jets only) MXE MXE295 HABER LRP137 LRP ARD V214 METRO (Non Turbojets only) RBV RBV005 OWBIE (Turbojet only) MXE MXE334 HUMEL REGLE V3 SBJ MXE V408 VINNY V93 BAL DQO V166 V93 BAL	5000 5000 5000 8000 4000 5000 7000 4000 4000 8000 8000	Harrisburg Kennedy  Kennedy  LaGuardia Lancaster Newark Newark Reading Teterboro Washington Washington
Pittsburgh	MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNE090 ARD126 V16 V276 ZIGGI (Direct) (No Single Engine) RBV V123 PROUD (Jets only) MXE MXE295 HABER LRP137 LRP ARD V214 METRO (Non Turbojets only) RBV RBV005 OWBIE (Turbojet only) MXE MXE334 HUMEL REGLE V3 SBJ MXE V408 VINNY V93 BAL DQ0 V166 V93 BAL RV FJC185 FJC BWZ SAX V39 BREZY RV FJC185 FJC V149 RITTY	5000 5000 8000 4000 5000 7000 4000 8000 8000 5000	Harrisburg Kennedy  Kennedy  LaGuardia Lancaster Newark Newark Reading Teterboro Washington Washington Westchester Co. Wilkes Barre/Scranto
Pittsburgh	MXE V184 MXE283027 V469 HAR PNE PNE090 ARD126 V16 DIXIE (Direct) (Single Engine only) PNE PNE090 ARD126 V16 V276 ZIGGI (Direct) (No Single Engine) RBV V123 PROUD (Jets only) MXE MXE295 HABER LRP137 LRP ARD V214 METRO (Non Turbojets only) RBV RBV005 OWBIE (Turbojet only) MXE MXE334 HUMEL REGLE V3 SBJ MXE V408 VINNY V93 BAL DQ0 V166 V93 BAL RV FJC185 FJC BWZ SAX V39 BREZY	5000 5000 5000 8000 4000 5000 7000 4000 4000 8000 8000 5000	Harrisburg Kennedy  Kennedy  LaGuardia Lancaster Newark Newark Reading Teterboro Washington Washington Westchester Co.

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
(moraumg outcomes)	EWC (Northbound only)	6000	Franklin
	EWC TDT (Northbound only)	6000	Jamestown
	DIRECT (Southbound only)	8000	Morgantown
	EWC (Northbound only)	8000	Youngstown
	 Ziro (itoranouna omy)	0000	. oungotom.
Portland	 CON CAM	10000	Albany
	 DIRECT	10000	Bangor
		10000	Bar Harbor
	ENE LWM	10000	Bedford & NO SATS
	(3) ENE PSM PSM221 STEVO LWM	10000	Boston
	(5) ENE V167 SCUPP	10000	Boston
	ENE V106 GDM V229 WITNY	10000	Bradley
	CLOWW WITNY (/E, /F, /G only)	10000	Bradley
	ENE V106 GDM V229 HFD	10000	Bridgeport
	CLOWW WITNY HFD (/E, /F, /G only)	10000	Bridgeport
	(3) ENE V106 GDM V229 HFD V1 MAD V475	10000	Danbury
	 BDR BDR288 RYMES	10000	Danibary
	(3) CLOWW WITNY HFD V1 MAD V475 BDR	10000	Danbury
	 BDR288 RYMES (/E, /F, /G only)	10000	Builbury
	ENE V106 GDM V14 ORW V16 DPK	10000	Farmingdale
	ENE V106 GDM V14 ORW GON	10000	Groton
	ENE V106 GDM V229 HFD	10000	Hartford
	CLOWW WITNY HFD (/E, /F, /G only)	10000 10000	Hartford Hyannis
	ENE V139 TONNI ENE V106 GDM V14 ORW V16 CCC		*
		10000	Islip
	ENE V106 GDM V14 ORW V16 DPK ENE V139 TONNI	10000	Kennedy
		10000	Marthas Vineyard
	ENE V139 TONNI	10000	Nantucket
	 (1) ENE V106 GDM V229 SEALL V188 CMK V623 SAX	10000	Newark & SATS
	 (3) ENE V106 GDM V3 CMK V623 SAX	10000	Newark & SATS
	 (1) CLOWW WITNY HFD V229 V188 CMK V623 SAX (/E, /F, /G only)	10000	Newark & SATS
	 (3) CLOWW WITNY HFD V3 CMK V623 SAX (/E, /F, /G only)	10000	Newark & SATS
	 CLOWW WITNY HFD (/E, /F, /G only)	10000	New Haven
	(1) ENE V106 GDM V14 ORW V16 V276 ARD	10000	N.E. Philadelphia
	ENE V106 GDM V14 ORW V308 MANTA V276	10000	N.E. Philadelphia
	ARD	10000	Nemmand
	ENE LWM	10000	Norwood
	ENE V139 BURDY	10000	Providence
	ENE V139 TONNI	10000	Provincetown
	ENE V93 STUBY V205 TRESA	10000	Stewart
	CLOWW WITNY HFD (/E, /F, /G only) (3) CLOWW WITNY HFD V1 MAD V475 BDR	10000 10000	Waterbury-Oxford White Plains
	BDR288 RYMES (/E, /F, /G only)		
	 ENE V106 GDM V229 SPENO	10000	Worcester
Portland/Augusta	 CON CAM	10000	Albany
, 0		10000	Bangor
		10000	Bar Harbor
	ENE LWM	10000	Bedford & NO SATS
	(3) ENE PSM PSM 221 STEVO LWM	10000	Boston
	(5) ENE V167 SCUPP	10000	Boston
	LABEL V39 GDM V229 WITNY	10000	Bradley
	CLOWW WITNY (/E, /F, /G only)	10000	Bradley
	LABEL V39 GDM V229 HFD	10000	Bridgeport
	CLOWW WITNY HFD (/E, /F, /G only)	10000	Bridgeport
	LABEL V39 CON	10000	Concord
	 (3) LABEL V39 GDM V229 HFD V1 MAD V475 BDR BDR288 RYMES	10000	Danbury
	 (3) CLOWW WITNY HFD V1 MAD V475 BDR	10000	Danbury
	BDR288 RYMES (/E, /F, /G only)	40	
	LABEL V39 GDM V14 ORW V16 DPK	10000	Farmingdale
	LABEL V39 GDM V14 ORW GON	10000	Groton
	LABEL V39 GDM V229 HFD	10000	Hartford
	CLOWW WITNY HFD (/E, /F, /G only)	10000	Hartford
	ENE V139 TONNI	10000	Hyannis
	LABEL V39 GDM V14 ORW V16 CCC	10000	Islip
	 LABLE V39 GDM V14 ORW V16 DPK	10000	Kennedy

# TOWER ENROUTE CONTROL

Approach Control Area	Pouto	Highest	Destination
(Including Satellites)	Route	Altitude	Destination
	ENE MHT	10000	Manchester
	 ENE V139 TONNI	10000	Marthas Vineyard
	 ENE V139 TONNI	10000	Nantucket
	 (1) LABEL V39 GDM V229 SEALL V188 CMK V623 SAX	10000	Newark & SATS
	 (3) LABEL V39 GDM V3 CMK V623 SAX	10000	Newark & SATS
	 (1) CLOWW WITNY HFD V229 V188 CMK V623	10000	Newark & SATS
	 SAX (/E, /F, /G only) (3) CLOWW WITNY HFD V3 CMK V623 SAX (/E,	10000	Newark & SATS
	 /F, /G only) CLOWW WITNY HFD (/E, /F, /G only)	10000	New Haven
	(1) LABEL V39 GDM V14 ORW V16 V276 ARD	10000	N.E. Philadelphia
	LABEL V39 GDM V14 ORW V308 MANTA V276	10000	N.E. Philadelphia
	ARD ENE LWM	10000	Norwood
		10000	Portsmouth
	ENE V139 BURDY	10000	Providence
	ENE V139 TONNI	10000	Provincetown
	 LABEL V39 STUBY V205 TRESA	10000	Stewart
	CLOWW WITNY HFD (/E, /F, /G only)	10000	Waterbury-Oxford
	 (3) CLOWW WITNY HFD V1 MAD V475 BDR BDR288 RYMES (/E, /F, /G only)	10000	White Plain
	 LABEL V39 GDM V229 SPENO	10000	Worcester
Providence	 PUT ALB	10000	Albany
	HFD PWL V106 WEETS HUO V162	5000	Allentown/Harrisburg
	(1) ORW V16 JFK V229	10000	Atlantic City
			,
	WOONS BOS PSM ENE	10000	Augusta
	(1) ORW V16 ENO V268 SWANN	10000	Baltimore
	WOONS BOS PSM ENE BGR	10000	Bangor
	 WOONS BOS PSM ENE	10000	Bar Harbor
	 WOONS	10000	Bedford & NO SATS
	 (3) WOONS	10000	Boston
	(5) PVD V151 INNDY	10000	Boston
	PVD V405 BDL	10000	Bradley
		10000	-
			Bridgeport
	PUB ALB V14	10000	Buffalo
	PUT V151 GDM V229	10000	Burlington
	WOONS MHT CON	10000	Concord
	(3) HFD V1 MAD V475 BDR BDR288 RYMES	10000	Danbury
	 (5) PUT BAF IGN V157 HAARP	10000	Danbury
	 (1) ORW V16 ENO	10000	Dover AFB
	 PUT CTR V270	10000	Elmira
	PUT CTR V270	10000	Erie
	SEY HTO V46 DPK	10000	Farmingdale
			-
		10000	Hartford
	PVD V151 GAILS	10000	Hyannis
	 SEY HTO V46 CCC	10000	Islip
	 PUT V151 GDM	10000	Keene
	 SEY HTO V46 DPK	10000	Kennedy
	 PVD V167 HFD V1 MAD V475	10000	LaGuardia
	PUT V151	10000	Lebanon
		10000	Manchester
		10000	
	PVD V167 TUTOR		Marthas Vineyard
	(1) ORW V16 CYN	10000	McGuire AFB
	PVD PVD143 CLAMY	10000	Nantucket
	 (1) PVD V167 HFD V229 SEALL V188 CMK V623 SAX	10000	Newark & SATS
	 (3) PVD V167 HFD V3 CMK V623 SAX	10000	Newark & SATS
		10000	New Haven
	(1) ORW V16 DIXIE V276 ARD	10000	N.E. Philadelphia
		10000	Norwood & SO SATS
	(1) ORW V16 VCN OOD	10000	Philadelphia
	 WOONS BOS PSM ENE	10000	Portland
	WOONS BOS	10000	Portsmouth
		40000	Daniel de la contraction
	PVD V151 GAILS	10000	Provincetown
		10000	Richmond
	 (1) ORW V16	10000	Richmond
	 (1) ORW V16 PUT ALB	10000 10000	Richmond Rochester
	 (1) ORW V16 PUT ALB PVD V405 BDL V205 TRESA	10000 10000 10000	Richmond Rochester Stewart
	 (1) ORW V16 PUT ALB PVD V405 BDL V205 TRESA	10000 10000	Richmond Rochester

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
		10000	Waterbury-Oxford
	SEY HTO V46 CCC	10000	Westhampton Beach
	 PVD V167 HFD V1 MAD V475 BDR BDR288	10000	White Plains
	RYMES	5000	William Barrer
	HFD PWL V106 LHY	5000	Wilkes-Barre
	 PUI	10000	Worcester
Providence/Groton	GON BAF V146	10000	Albany
Flovidence/ dioton	HFD PWL V106 WEETS HUO V162	5000	Albany Allentown/Harrisburg
	(1) GON V374 CREAM V16 JFK V229	10000	Atlantic City
	ORW V16 BOS PSM ENE	10000	Augusta
	(1) GON V374 CREAM V16 ENO V268 SWANN	10000	Baltimore
	ORW V16 BOS PSM ENE BGR	10000	Bangor
	 ORW V16 BOS PSM ENE	10000	Bar Harbor
	 ORW V16 WOONS	10000	Bedford & NO SATS
	(3) ORW V16 WOONS	10000	Boston
	(5) PVD V151 INNDY	10000	Boston
		10000	Bradley
	GON V374 CREAM	10000	Bridgeport
	GON BAF V146 ALB V14	10000	Buffalo
	ORW V14 GDM V229	10000	Burlington
	ORW V16 WOONS MHT CON	10000	Concord
	(3) GON V374 CREAM BDR BDR288 RYMES	10000 10000	Danbury
	(5) ORW BAF IGN V157 HAARP (1) GON V374 CREAM V16 ENO	10000	Danbury Dover AFB
	GON CTR V270	10000	Elmira
	GON CTR V270	10000	Erie
	GON V374 CREAM V16 DPK	10000	Farmingdale
		10000	Hartford
	PVD V151 GAILS	10000	Hyannis
	 GON V374 V16 CCC	10000	Islip
	 ORW V14 GDM	10000	Keene
	GON V374 CREAM V16 DPK	10000	Kennedy
	 GON V374 CREAM BDR V475	10000	LaGuardia
	ORW V14 GDM V151	10000	Lebanon
	ORW V16 WOONS	10000	Manchester
	GON V374 MVY	10000	Marthas Vineyard
	(1) GON V374 CREAM V16 CYN	10000	McGuire AFB
	GON V58 NEWBE DEEPO	10000	Nantucket
	(1) GON HFD V229 SEALL V188 CMK V623 SAX (3) GON HFD V3 CMK V623 SAX	10000 10000	Neward & SATS Newark & SATS
	GON V374 CREAM	10000	New Haven
	(1) GON V374 CREAM V16 DIXIE V276 ARD	10000	N.E. Philadelphia
	ORW V16 WOONS	10000	Norwood & SO SATS
	(1) GON V374 CREAM V16 VCN OOD	10000	Philadelphia
	ORW V16 WOONS BOS PSM ENE	10000	Portland
	 ORW V16 WOONS BOS	10000	Portsmouth
	 PVD V151 GAILS	10000	Provincetown
	 (1) GON V374 CREAM V16	10000	Richmond
	GON BAF V146 ALB	10000	Rochester
	GON BDL V205 TRESA	10000	Stewart
	GON BAF V146 ALB	10000	Syracuse
	(1) GON V374 CREAM V16 DIXIE V276 ARD	10000	Trenton
	GON V374 CREAM GON V374 V16 CCC	10000	Waterbury-Oxford
	GON V374 V16 CCC GON V374 CREAM BDR BDR288 RYMES	10000 10000	Westhampton Beach White Plains
	HFD PWL V106 LHY	5000	Wilkes-Barre
	ORW V14 GRAYM	10000	Worcester
	 OTT TIT GIVETIN	10000	Wordester
Reading	 ETX	3000	Allentown
3	BOYER V12 HAR	4000	Harrisburg
		4000	Lancaster
	 FJC BWZ	5000	Newark
		5000	No.Philadelphia
	MXE 355 BUNTS	5000	Philadelphia
		5000	Wilkes-Barre
	 MXE V29 DQ0	5000	Wilmington
Dichmond	V296 STEIN	E000	Norfolk
Richmond	V286 STEIN	5000	Norfolk
	V33 HCM V38 HCM	6000 9000	Norfolk Norfolk
	 VOO HOW	5000	NUTTOIN

Approach Control Area		Highest	
(Including Satellites)	Route	Altitude	Destination
-	 V16	5000	Patuxent River NAS
		5000	Patuxent River
		8000	Washington
		4000	Washington
Doonaka		5000	Washington
Roanoke		7000 10000	Greensboro Greensboro
	 V103	10000	dieensboio
Rochester	 V31 V14	10000	Albany
	V119 GEE V252	8000	Binghamton
		10000	Buffalo
	V119 GEE V464 DKK V14 MENTO	10000	Cleveland
	 V119 GEE V464	10000 8000	Dunkirk Elmira
	V119 GEE V464 DKK V14	10000	Erie
	V34 BEEPS	8000	Ithaca
	V2 BUF V115	6000	Jamestown
	 V119 GEE V464 LANGS V115	10000	Jamestown
	V510 EHMAN	10000	Niagara Falls
	 V119 GEE V464 DKK V14 ERI V37 (Overflight	10000	Pittsburgh
	traffic only)	40000	0
	 V119 GEE V464 DKK V14 ERI V43	10000 10000	Syracuse
	 VIII9 GLE V404 DKK VI4 LKI V43	10000	Youngstown
Syracuse	 VESPE V14 ALB	10000	Albany
	 V483 SHERB V14 ALB GDM V431 LOBBY	10000	Bedford
		6000	Binghamton
	V483 SHERB V14 ALB GDM V431 REVER	10000	Boston
		10000	Bradley
	RKA V433 PETER V270 ATHOS V44 DENNA (3) RKA V433 TRESA V123 HAARP	10000 10000	Bridgeport Danbury
		8000	Elmira
	V29 V428	8000	Elmira
	 ALB V130 BDL GON	10000	Groton
	 ALB	10000	Hartford
	ALB V130 BDL V405 PVD V151 GAILS	10000	Hyannis
	ALB V130 BDL V405 MVY	10000	Marthas Vineyard
	ALB V130 BDL V405 MVY	10000	Nantucket
	V483 SHERB V14 ALB GDM V431 LOBBY CAM CON	10000 10000	Norwood Portland
	ALB V130 BDL V405 PVD	10000	Providence
	ALB V130 BDL V405 PVD V151 GAILS	10000	Provincetown
	 V14	10000	Rochester
	 ALB V130 MOLDS	10000	Worcester
Washington	 DIRECT	4000	Baltimore
Washington		3000	Dulles
		5000	Harrisburg
	V265 V457 LRP	5000	Lancaster
	 V265 EMI V419 MXE ARD V214 METRO	7000	Newark
	(-180 kts only)		
		3000	Patuxent River NAS
	V123 V433 DQ0 V155 COATT	7000 8000	Philadelphia Richmond
		6000	Richmond
		5000	Richmond
	BAL V378 MXE V3 SBJ TEB (-180 kts only)	7000	Teterboro
Westchester (See New Wilkes-Barre		5000	Allantown
WIIKES-Dalle	 V164 ETX V29	8000	Allentown Binghamton
		8000	Binghamton
		7000	Binghamton
	 V147	8000	Elmira
		8000	Elmira
	V106 SEG V31	8000	Harrisburg
		8000	Harrisburg
	 V613 FJC BWZ (Non jets only)	6000 5000	Lancaster Newark
	V613 FJC BWZ (Notifield only)	6000	Newark
		6000	Reading

# NORTH AMERICAN ROUTES FOR NORTH ATLANTIC TRAFFIC (NAR)

#### "NORTH AMERICAN ROUTE PROGRAM (NRP)."

Introduction

- (a) The North American Route Program (NRP) is a joint FAA and NAV CANADA program, the objective of which is to harmonize and adopt common procedures, to the extent possible, for application to random route flight operations at and above FL 290 within the conterminous U.S. and Canada.
- (b) The NRP will be implemented through various phases with the end goal of allowing all international and domestic flight operations to participate in the NRP throughout the conterminous U.S., Alaska, and Canada.
  - (c) Flights may participate in the NRP under specific guidelines and filing requirements:
    - 1. provided the flight originates and terminates within conterminous U.S. and Canada; or,
    - 2. for North Atlantic international flights operating within the North American Route (NAR) System.

#### FAA/NAV CANADA Common Procedures

The following common FAA and NAV CANADA procedures apply:

- (a) Flights to operate at or above FL 290.
- (b) For that portion of flight within 200 NM of the departure or destination airport, flights shall be filed and operated via Standard Instrument Departures (SID), Departure Procedures (DP), Standard Terminal Arrival Routes (STAR) or published Preferred IFR Routes. If none of the above are available, airways may be used.
- (c) NRP flights are not normally subject to routing restrictions such as published Preferred IFR Routes or airways, beyond a 200 NM radius of both the departure and destination airports.
  - (d) Flight planning requirements are:
- 1. routes shall contain at least one significant point in each delegated area of airspace jurisdiction for each FAA Air Route Traffic Control Center (ARTCC) or Canadian FIR/CTA;
- 2. significant points may be a navigational aid or waypoint defined in fix-radial distance (FRD) format from a navigational aid. Within Canadian airspace a significant point may also be a coordinate described in degrees and minutes of latitude/longitude;
- 3. for routes that cross the U.S./Canadian border, a significant point within 30 NM of either side of the border shall be filed;
  - 4. significant points should be filed for all turnpoints:
  - 5. route(s) shall avoid active Class F airspace;
  - 6. "NRP" shall be entered in the Remarks section of the flight plan; and
  - 7. flight plans to be filed at least one hour prior to departure.
- (e) In the event that a NRP aircraft has to be recleared due to weather or tactical reasons, ATC will attempt to return the aircraft to the original NRP routing as soon as practical. Aircraft that depart from the NRP routing due to a pilot request or an ATC clearance authorizing a direct routing will be considered as a non participant of the NRP.
- (f) Unless published routing restrictions are in effect, North Atlantic International flights planning to operate within the NAR System may file NRP routes beyond 200 NM of the NAR identified system airport and the published Inland Navigation Fixes (INFs).

#### Specific FAA Requirements

The following specific FAA requirements apply:

- (a) Flights may not be filed via a DP/STAR within offshore transition areas (12 NM or more off the U.S. shoreline).
- (b) Flights may be filed and flown on the complete transition of DPs and/or STARs for specific airports in lieu of the 200 NM route planning requirement described in Common Procedures, paragraph "b" above. For listing of the airports refer to the current FAA Advisory Circular–NRP.
- (c) Flights not meeting the above guidelines are to be requested through the FAA nonpreferred route programs. Those requests will be approved/disapproved on a workload permitting basis.

#### NORTH AMERICAN ROUTE (NAR) SYSTEM

#### GENERAL

- a. The objectives of the NAR System are as follows:
  - 1. To expedite flight planning.
  - To reduce the complexity of route clearances and thereby minimize the confusion and error potential inherent in lengthy transmissions and readbacks; and
  - 3. To minimize the time spent in the route clearance delivery function.
- b. The NAR System is designed to accommodate major airports in North America where the volume of North Atlantic (NAT) traffic and route complexity dictate a need to meet the above objectives. It is for the use of traffic entering/exiting the NAT and consists of a series of pre-planned routes from/to coastal fixes and identified system airports. Most of the routes are divided into two portions:
  - Common Portion: That portion of the route between specified coastal fix and a specified inland navigation fix (INF).
     Some routes have a common portion only.
  - Non-common Portion: That portion of the route between a specified INF and a system airport. The routes are within the high level airspace structure with a transition to/from system airports.

- c. The routes are prefixed by the abbreviation ''N'' with the numbering for the common portions orientated geographically from south to north. The ODD numbers have eastbound applications while the EVEN numbers apply to westbound. Following a one- to three-digit number, an alpha character indicates the validation codes and forms part of the route identifier. Validation codes are associated to amendments to the common routes only and not to non-common route portions.
- d. Since a primary function of the NAR system is to compliment the NAT traffic flow; a limited number of NAR routes, appropriate for the coastal fixes serving the organized OTS and the domestic traffic organization, are included in the daily NAT/OTS message published by the Gander and Shanwick Oceanic Area Centers.
  - e. Aircraft can only join the NAR system:
    - 1. At an identified coastal fix; or
    - 2. On departure from one of the identified system airports; or
    - 3. At an identified INF.

#### FLIGHT PLANNING-GENERAL

#### Westbound

- a. Westbound routes begin at the coastal fixes, thence along common route portions to an INF and then fan out along non common routes to selected system airports;
- b. For aircraft proceeding to an identified system airport and the route of flight to destination is described by a single NAR designator, use the designator;
- c. For aircraft proceeding to a non system airport but the route of flight is described by the common route portion to an identified INF, use the designator to the INF followed by a detailed routing to the destination.

#### Eastbound

- a. Eastbound routes only have a common portion from the INF to a coastal fix;
- **b.** When the route of flight is described by a single NAR designator, use the designator;
- c. For aircraft departing from a non system airport, file via an appropriate detailed routing to the applicable INF and thence via the common portion to the coastal fix using the NAR designator;

#### General

For those cases not described above, a detailed routing is required.

#### NAR REQUIREMENT

#### General

- a. Generally there is no requirement to flight plan and operate using the NAR system. However ATC requires eastbound aircraft intending to operate on the NAT OTS and operating wholly on or south of a line between the intersections BAREE and DOTTY to flight plan and operate using one of the NARs published on the daily OTS Message.
  - b. NARs may be assigned by air traffic control for the tactical management of air traffic in Canadian domestic airspace.
  - c. For operators who elect not to use the NAR system, the rules of the NRP apply.

#### **ROUTE CLEARANCES**

- a. For aircraft operating within the NAR System, the ATC routing clearance and pilot readback will be indicated by the NAR designator, e.g., "North American Route 105B";
- b. For aircraft operating in the NAR System, but only using the common route portion, the ATC routing clearance and pilot readback will be indicated by the NAR designator followed by the detailed routing;
  - c. For aircraft not operating in the NAR System, the ATC routing clearance and pilot readback will be via a detailed route;
- d. Aircraft cleared to a system airport via a NAR designator are to follow the common and the non-common portion of the route to a system airport. If either the common or non-common portion of the issued NAR is incompatible or unacceptable, the pilot is to advise ATC accordingly.

#### DOCUMENTATION

- a. It is expected that the following NAR documentation will be carried on the flight deck of each aircraft operating within the NAR system:
- 1. The current publications of NAV CANADA Canadian Flight Supplement; or Federal Aviation Administration Airport/Facility Directory Northeast U.S. (AFDNE); or another product which provides the current NAR; and
  - 2. the information in the current NAT/OTS message.
  - b. Changes to the NAR routes are advertised in the monthly publication Notices to Airmen Publication (NTAP).

#### COMMON PROCEDURES FOR RADIO COMMUNICATIONS FAILURE

- **a.** The following procedures are intended to provide general guidance for North Atlantic (NAT) aircraft experiencing a communications failure. These procedures are intended to complement and not supersede state procedures/regulations. It is not possible to provide guidance for all situations associated with a communications failure.
  - 1. If so equipped, the pilot of an aircraft experiencing a two-way radio communications failure shall:
  - i. operate the secondary radar transponder on identity Mode A) Code 7600 and Mode C; and
- ii. attempt to contact any ATC facility or another aircraft and inform them of the difficulty and request they relay information to the ATC facility with whom communications are intended.

#### b. Communications failure prior to entering NAT oceanic airspace

- 1. If operating with a received and acknowledged oceanic clearance, the pilot shall enter oceanic airspace at the cleared oceanic entry point, level and speed and proceed in accordance with the received and acknowledged oceanic clearance. Any level or speed changes required to comply with the oceanic clearance shall be completed within the vicinity of the oceanic entry point.
- 2. If operating without a received and acknowledged oceanic clearance, the pilot shall enter oceanic airspace at the first oceanic entry point, level and speed, as contained in the filed flight plan and proceed via the filed flight plan route to landfall. That first oceanic level and speed shall be maintained to landfall.

#### c. Communications failure prior to exiting NAT oceanic airspace

#### 1. Cleared on flight plan route

NAR

The pilot shall proceed in accordance with the last received and acknowledged oceanic clearance to the last specified oceanic route point, normally landfall, then continue on the flight plan route. Maintain the last assigned oceanic level and speed to landfall. After passing the last specified oceanic route point, conform with the relevant State procedures/regulations.

#### 2. Cleared on other than flight plan route

The pilot shall proceed in accordance with the last received and acknowledged oceanic clearance to the last specified oceanic route point, normally landfall. After passing this point, rejoin the filed flight plan route by proceeding directly to the next significant point ahead of the track of the aircraft as contained in the filed flight plan. Where possible use published ATS route structures, then continue on the flight plan route. Maintain the last assigned oceanic level and speed to the last specified oceanic route point. After this point conform with the relevant State procedures/regulations.

## **NORTH AMERICAN ROUTES (NAR)**

The following listing divides the NAR Route descriptions into two sections according to the direction of flight (eastbound or westbound). Each section is subdivided according to the route portion (common or non-common). The common portion describes the NAR route between the Coastal Fix and the Inland Navigational Facility/Fix. The non-common portion describes the route between the NAR route system airport being used and the Inland Navigational Facility/Fix.

	COMMON PORTION (EASTBOUND)
Inland Navigation	

Designator	Facility/Fix	Route Description	Coastal Fix
N5B	SIE	B24 LYNUS	SLATN
N7A	MANTA	OWENZ LINND R56	SLATN
N13C	SIE	B24 LYNUS	JOBOC
N15B	MANTA	OWENZ LINND R56 KENDA	JOBOC
N17B	VITOL	Direct	CARAC
N19B	ALLEX	Direct	CARAC
N21C	VITOL	LOMPI	JAROM
N23E	WHALE	LOMPI	JAROM
N25B	EBONY	LOMPI	JAROM
N27A	VITOL	NANSO	RAFIN
N29B	WHALE	NANSO	RAFIN
N31E	KANNI	NANSO	RAFIN
N33C	MIILS	Direct	BANCS
N35A	WHALE	Direct	BANCS
N37B	KANNI	Direct	BANCS
N39A	BRADD	Direct	BANCS
N41C	MIILS	Direct	BANCS
N43A	KANNI	Direct	COLOR
N45B	BRADD	Direct	COLOR

NAR Designator	Inland Navigation Facility/Fix	Route Description	Coastal Fix
N47A	TUSKY	Direct	COLOR
N49A	MIILS	Direct	COLOR
N51B	KANNI	Direct	YYT
N53B	BRADD	Direct	YYT
N55B	TUSKY	Direct	YYT
N57B	ALLEX	Direct	YYT
N59A	MIILS	Direct	YYT
N61B	BRADD	Direct	VIXUN
N63B	TUSKY	Direct	VIXUN
N65B	ALLEX	Direct	VIXUN
N67B	MIILS	Direct	VIXUN
N75B	BRADD	Direct	YQX
N77B	TUSKY	Direct	YQX
N79B	ALLEX	Direct	YOX
N81B	EBONY	Direct	YQX
N83B	MIILS	Direct	YQX
N85A	CEFOU	Direct	YQX
N91B	TUSKY	Direct	CYMON
N93B	ALLEX	Direct	CYMON
N95B	EBONY	Direct	CYMON
N97B	MIILS	Direct	CYMON
N99A	CEFOU	Direct	CYMON
N105B	TUSKY	Direct	DOTTY
N107B	ALLEX	Direct	DOTTY
N109B	EBONY	Direct	DOTTY
N111B	TOPPS	Direct	DOTTY
N113B	MIILS	Direct	DOTTY
N115B	BAREE	Direct	DOTTY
N121B	ALLEX	Direct	YAY
N123A	EBONY	Direct	YAY
N125A	TOPPS	Direct	YAY
N127A	MIILS	Direct	YAY
N129B	BAREE	Direct	YAY
N135B	EBONY	Direct	REDBY
N137B	TOPPS	Direct	REDBY
N139C	TAFFY	Direct	REDBY
N141B	BAREE	Direct	REDBY
N141B N149B	TOPPS	Direct	STEAM
N151E	MIILS	Direct	STEAM
N151C N153C	TAFFY	Direct	STEAM
N155A	ANCER	Direct	STEAM
N161E	TOPPS		VALIE
N163E	MIILS	Direct Direct	VALIE
N165E			VALIE
N167E	TAFFY QUBIS	Direct Direct	VALIE
N169A	ANCER	Direct	VALIE
N171A	YBG	Direct	VALIE
N173B	TOPPS	Direct	FOXXE
N175C	MILS	Direct	FOXXE
N177C	TAFFY	Direct	FOXXE
N179C	QUBIS	Direct	FOXXE
N181E	ANCER	Direct	FOXXE
N183C	YBG	Direct	FOXXE
N185A	RJ	Direct	FOXXE
N193E	MIILS	Direct	НО
N195C	TAFFY	Direct	НО
N197C	QUBIS	Direct	НО
N209B	TAFFY	Direct	YDP
N211C	QUBIS	Direct	YDP
N225B	TAFFY	Direct	LOMTA
N227B	QUBIS	Direct	LOMTA

## COMMON PORTION (WESTBOUND)

NAR Designator	Coastal Fix	Route Description	Inland Navigatio Facility/Fix
N10A	SLATN	Direct	BERGH
N12B	SLATN	J97	LACKS
N14A	JOBOC	Direct	BERGH
N16A	JOBOC	Direct	SAILE
N18C	DOVEY	Direct	SAILE
N36E	CARAC	Direct	VITOL
N38E	CARAC	Direct	WHALE
N40E	CARAC	Direct	KANNI
N42B	CARAC	Direct	BRADD
N44B	CARAC	Direct	TOPPS
N46E	JAROM	LOMPI	WHALE
N48E			
	JAROM	LOMPI	KANNI
N50E	JAROM	LOMPI	BRADD
N52E	JAROM	LOMPI	TUSKY
N54E	JAROM	LOMPI	TOPPS
N56E	RAFIN	NANSO	VITOL
N58B	RAFIN	NANSO	WHALE
N608	RAFIN	NANSO	KANNI
N62A	RAFIN	Direct	BRADD
N64C	RAFIN	Direct	TUSKY
N66C	BANCS	Direct	MIILS
N68C	BANCS	Direct	VITOL
N70B	BANCS	Direct	WHALE
N72B	BANCS	Direct	KANNI
N74B	BANCS	Direct	BRADD
N76A	BANCS	Direct	TUSKY
N78A	BANCS	Direct	MIILS
N80B	COLOR	Direct	WHALE
N82B	COLOR	Direct	KANNI
N84B	COLOR	Direct	BRADD
N86B	COLOR	Direct	TUSKY
N88A	COLOR	Direct	MILS
N94A	YYT	Direct	KANNI
N94A N96A			
	YYT	Direct	BRADD
N98A	YYT	Direct	TUSKY
N100B	YYT	Direct	ALLEX
N102B	YYT	Direct	MILS
N112B	VIXUN	Direct	TUSKY
N114C	VIXUN	Direct	ALLEX
N116A	VIXUN	Direct	MIILS
N118A	VIXUN	Direct	MIILS
N124B	YQX	Direct	TUSKY
N126B	YQX	Direct	ALLEX
N128B	YQX	Direct	EBONY
N130C	YQX	Direct	MIILS
N142B	CYMON	Direct	ALLEX
N144B	CYMON	Direct	EBONY
N146B	CYMON	Direct	TOPPS
N148B	CYMON	Direct	MIILS
N160C	DOTTY	Direct	ALLEX
N162B	DOTTY	Direct	TOPPS
N164B	DOTTY	Direct	MILS
N168B	DOTTY	Direct	YXU
N170E	DOTTY	YRI	COVAN
N180B	YAY	Direct	ALLEX
N180B N184B	YAY	Direct	TOPPS
N186C	YAY	Direct	TOPPS
N188B	YAY	Direct	YRI
N190C	YAY	YRI	COVAN
N200B	REDBY	Direct	ALLEX
N202B	REDBY	Direct	TOPPS
N204B	REDBY	Direct	TAFFY
N206C	REDBY	Direct	YRI
N208F	REDBY	YRI	COVAN
N220B	STEAM	Direct	TOPPS
N224E	STEAM	BOBBS	TAFFY
N228B	STEAM	Direct	YRI

N230E   STEAM   YFI   COVAN     N240E   VAIUE   Direct   TAFFY     N242B   VAIUE   Direct   TAFFY     N242B   VAIUE   Direct   TAFFY     N242B   VAIUE   Direct   TAFFY     N242B   VAIUE   Direct   TAFFY     N2560F   VAIUE   YBC YRI   COVAN     N2560A   VAIUE   ROBBE   MOFAT YOW J559   SYR     N2580A   VAIUE   ROBBE   MOFAT YOW J559   SYR     N260A   VAIUE   ROBBE   MOFAT YOW J559   SYR     N260A   VAIUE   ROBBE   MOFAT YOW J559   SYR     N260A   FOXXE   Direct   TAFFY     N260B   FOXXE   Direct   TAFFY     N260B   FOXXE   Direct   TAFFY     N272E   FOXXE   SPOTE ROBBE MOFAT YOW J559   SYR     N272E   FOXXE   SPOTE ROBBE MOFAT YOW J559   SYR     N282A   FOXXE   SPOTE ROBBE MOFAT YOW J559   SYR     N282A   FOXXE   SPOTE ROBBE MOFAT YOW J559   SYR     N282B   HO   Direct   QUBIS     N290E   HO   WBC YRI   COVAN     N290E   HO   WBC YRI   COVAN     N300C   HO   SPOTE ROBBE MOFAT YOW J559   SYR     N300C   HO   SPOTE ROBBE MOFAT YOW J559   SYR     N300E   HO   YWK   MT     N312A   HO   MT YUY   SSM     N322B   YDP   Direct   TAFFY     N332C   YDP   Direct   TAFFY     N332C   YDP   Direct   TAFFY     N332A   YDP   Direct   TAFFY     N332A   YDP   Direct   TAFFY     N332A   YDP   Direct   TAFFY     N332A   YDP   Direct   TAFFY     N332C   YDP   DIRECT     N332C   YDP   DIRECT   TAFFY     N332C   YDP   DIRECT     N332C   YDP   SROWN NOWAN     N3	NAR Designator	Coastal Fix	Route Description	Inland Navigation Facility/Fix
N2428	N230E	STEAM	YRI	COVAN
NAJEC   VALIE	N240C	VALIE	Direct	TOPPS
NZSOF	N242B	VALIE	Direct	TAFFY
N254A   VALIE   ROBBE   MOFAT   N258A   VALIE   ROBBE MOFAT YOW J559   SYR   N260A   VALIE   ROBBE MOFAT YOW J559   SYR   N260A   VALIE   ROBBE MOFAT YOW J559   MT   N264A   FOXXE   Direct   QUBIS   N270B   FOXXE   Direct   YBC   QUBIS   N270B   FOXXE   YBC YRI   COVAN   N270B   FOXXE   SPOTE ROBBE   MOFAT   N280A   FOXXE   SPOTE ROBBE MOFAT YOW J559   SYR   N280A   FOXXE   SPOTE ROBBE MOFAT YOW J559   SYR   N284B   HO   Direct   QUBIS   N292C   HO   Direct   YBC   QUBIS   N292C   HO   Direct   YBC   QUBIS   N292C   HO   KELVI   SYR*   N308C   HO   Direct   YBC   N308C   HO   SPOTE ROBBE MOFAT YOW J559   SYR   N308C   HO   MT YUY   SSM   MT   N312A   HO   MT YUY   SSM   MT   N312A   HO   MT YUY   SSM   MT   N322B   YOP   Direct   QUBIS   N333C   YOP   Direct   QUBIS   N333C   YOP   Direct   QUBIS   N333C   YOP   Direct   QUBIS   N333C   YOP   Direct   QUBIS   N334C   YOP   J583 YWK   MOFAT   N355C   YOP   BROME NOWAA   MT   N355C   YOP   BROME NOWAA   MT   N355C   YOP   DIRECT   N356C   YOP   J583 YWK   MOFAT   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   YKL   ROUND   N366B   YOW YUL J559   SYR   N356C   YOP   YKL   ROUND   N366B   YOW YUL J559   SYR   N366B   LOMTA   YKL ROBBE   MOFAT   YWK   SYR*   N366B   LOMTA   YKL ROBBE   MOFAT YOW J559	N248C	VALIE	Direct	YBC
N254A   VALIE   ROBBE   MOFAT   N258A   VALIE   ROBBE MOFAT YOW J559   SYR   N260A   VALIE   ROBBE MOFAT YOW J559   SYR   N260A   VALIE   ROBBE MOFAT YOW J559   MT   N264A   FOXXE   Direct   QUBIS   N270B   FOXXE   Direct   YBC   QUBIS   N270B   FOXXE   YBC YRI   COVAN   N270B   FOXXE   SPOTE ROBBE   MOFAT   N280A   FOXXE   SPOTE ROBBE MOFAT YOW J559   SYR   N280A   FOXXE   SPOTE ROBBE MOFAT YOW J559   SYR   N284B   HO   Direct   QUBIS   N292C   HO   Direct   YBC   QUBIS   N292C   HO   Direct   YBC   QUBIS   N292C   HO   KELVI   SYR*   N308C   HO   Direct   YBC   N308C   HO   SPOTE ROBBE MOFAT YOW J559   SYR   N308C   HO   MT YUY   SSM   MT   N312A   HO   MT YUY   SSM   MT   N312A   HO   MT YUY   SSM   MT   N322B   YOP   Direct   QUBIS   N333C   YOP   Direct   QUBIS   N333C   YOP   Direct   QUBIS   N333C   YOP   Direct   QUBIS   N333C   YOP   Direct   QUBIS   N334C   YOP   J583 YWK   MOFAT   N355C   YOP   BROME NOWAA   MT   N355C   YOP   BROME NOWAA   MT   N355C   YOP   DIRECT   N356C   YOP   J583 YWK   MOFAT   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   J583 YWK   MOFAT   YOW YUL J559   SYR   N356C   YOP   YKL   ROUND   N366B   YOW YUL J559   SYR   N356C   YOP   YKL   ROUND   N366B   YOW YUL J559   SYR   N366B   LOMTA   YKL ROBBE   MOFAT   YWK   SYR*   N366B   LOMTA   YKL ROBBE   MOFAT YOW J559	N250F	VALIE	YBC YRI	COVAN
NZ58A         VALIE         ROBBE MOFAT YOW J559         SYR           NZ60A         VALIE         ROBBE         MT           NZ68A         FOXXE         Direct         QUBIS           NZ70B         FOXXE         Direct         YBC           NZ77CB         FOXXE         Direct         YBC           NZ72F         FOXXE         SPOTE ROBBE         MOFAT           NZ80A         FOXXE         SPOTE ROBBE         MOFAT           NZ86A         FOXXE         SPOTE ROBBE         MT           NZ88AB         HO         Direct         QUBIS           NZ92C         HO         Direct         QUBIS           NZ92E         HO         Direct         YBC           NZ92E         HO         YBC YRI         COVAN           N294E         HO         YBC YRI         COVAN           N302C         HO         SPOTE ROBBE         MOFAT           N302C         HO         SPOTE ROBBE         MOFAT           N302E         HO         YWK         SSM           N302E         HO         MT YLY         SSM           N322B         YPD         Direct         QUBIS           N322C				
N260A         VALIE         ROBBE         MT           N264B         FOXXE         Direct         QUBIS           N270B         FOXXE         Direct         QUBIS           N270E         FOXXE         YBC YRI         COVAN           N276A         FOXXE         SPOTE ROBBE         MOFAT           N280A         FOXXE         SPOTE ROBBE         MOFAT           N284B         HO         Direct         TAFFY           N284B         HO         Direct         QUBIS           N284B         HO         Direct         YBC           N282C         HO         Direct         YBC           N282E         HO         Direct         YBC           N292E         HO         Direct         YBC           N294E         HO         YBC YRI         COVAN           N302C         HO         SPOTE ROBBE         MOFAT           N306C         HO         SPOTE ROBBE MOFAT YOW J559         SYR           N302E         HO         YW         MT           N322B         YPP         Direct         TAFFY           N322B         YPP         Direct         TAFFY           N332C         Y				
N26AA         FOXXE         Direct         QUBIS           N270B         FOXXE         Direct         YBC           N270B         FOXXE         Direct         YBC           N272F         FOXXE         SPOTE ROBBE         MOFAT           N276A         FOXXE         SPOTE ROBBE         MOFAT           N280A         FOXXE         SPOTE ROBBE MOFAT YOW J559         SYR           N280A         FOXXE         SPOTE ROBBE MOFAT YOW J559         SYR           N282B         HO         Direct         TAFFY           N282B         HO         Direct         QUBIS           N292C         HO         Direct         YEC           N294E         HO         YEC,YRI         COVAN           N296E         HO         KELVI         SYR           N300C         HO         SPOTE ROBBE         MOFAT           N302C         HO         SPOTE ROBBE         MOFAT           N312A         HO         MT YUY         SSM           N322B         YDP         Direct         QUBIS           N322C         YDP         Direct         QUBIS           N332C         YDP         Direct         QUBIS		****		
N268B				
N270B				
N272E				
N276A				
N2BOA				
N282A				
N284B         HO         Direct         QUBIS           N292C         HO         Direct         QUBIS           N294E         HO         YBC YRI         COVAN           N296E         HO         KELVI         SYR*           N302C         HO         SPOTE ROBBE         MOFAT           N306E         HO         SPOTE ROBBE MOFAT YOW J559         SYR           N302B         HO         YWK         MT           N312A         HO         MT YUY         SSM           N322B         YDP         Direct         QUBIS           N328C         YDP         Direct         QUBIS           N328C         YDP         Direct         COVAN*           N334E         YDP         J583 YWK         MOFAT           N334B         YDP         J583 YWK         MOFAT           N344B         YDP         J583 YWK         MOFAT           N344B         YDP         BROME NOWAA         MT           N352C         YDP         BROME NOWAA YOW WI J559         SYR           N346A         YDP         J883 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         JKL         ROUND           <				
N288C   HO				
N292C         HO         Direct         YBC           N294E         HO         YBC YRI         COVAN           N296E         HO         KELVI         SYR*           N302C         HO         SPOTE ROBBE         MOFAT           N306E         HO         YWK         MT           N312A         HO         MY YUY         SSM           N312A         HO         MT YUY         SSM           N322B         YDP         Direct         QUBIS           N328C         YDP         Direct         QUBIS           N332C         YDP         Direct         COVAN*           N334E         YDP         JS83 WK         MOFAT           N344B         YDP         JS83 WK         MOFAT           N344B         YDP         JS83 WK         MOFAT           N346A         YDP         BROME NOWAA         MT           N352C         YDP         BROME NOWAA YOW MT J559         SYR           N356C         YDP         JS80ME NOWAA YOW WIL J559         SYR           N356C         YDP         JKL         ROUND           N358B         YDP         YKL         ROUND CANSO         SSM <td< td=""><td></td><td></td><td></td><td></td></td<>				
N294E         HO         YBC YRI         COVAN           N296E         HO         KELVI         SYP*           N302C         HO         SPOTE ROBBE         MOFAT           N306C         HO         SYPR         MOFAT           N308E         HO         YWK         MT           N312A         HO         MT YUY         SSM           N322B         YDP         Direct         QUBIS           N328C         YDP         Direct         QUBIS           N328C         YDP         Direct         COVAN*           N334E         YDP         YBC YRI         COVAN*           N334E         YDP         YBC YRI         COVAN*           N334E         YDP         YBC YRI         COVAN*           N346A         YDP         YMX         SYR*           N346A         YDP         BROME NOWAA         MT           N355C         YDP         BROME NOWAA YOW MT J559         SYR           N356C         YDP         YKL         ROUND           N356C         YDP         YKL         ROUND           N352B         YDP         YKL         ROUND         SSM           N372C			Direct	
N296E	N292C	НО	Direct	YBC
N3O2C         HO         SPOTE ROBBE         MOFAT           N3O6C         HO         SPOTE ROBBE MOFAT YOW J559         SYR           N3O8E         HO         YWK         MT           N312A         HO         MY YUY         SSM           N322B         YDP         Direct         QUBIS           N328C         YDP         Direct         COVAN           N328C         YDP         Direct         COVAN           N334E         YDP         YBC YRI         COVAN           N338C         YDP         J583 YWK         MOFAT           N346A         YDP         YMX         SYR*           N346A         YDP         BROME NOWAA         MT           N355C         YDP         BROME NOWAA YOW MT J559         SYR           N356C         YDP         BROME NOWAA YOW MT J559         SYR           N356C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         JOVIE HENDY SELBO CANSO         SSM           N372C         LOMTA         Direct         TAFFY           N373C         LOMTA         Direct         YBC <td>N294E</td> <td>НО</td> <td>YBC YRI</td> <td>COVAN</td>	N294E	НО	YBC YRI	COVAN
N306C	N296E	НО	KELVI	SYR*
N308E         HO         YWK         MT           N312A         HO         MT YUY         SSM           N326B         YDP         Direct         TAFFY           N326B         YDP         Direct         QUBIS           N328C         YDP         Direct         COVAN*           N334E         YDP         YBC YRI         COVAN           N338C         YDP         J583 YWK         MOFAT           N344B         YDP         YMX         SYR*           N346A         YDP         BROME NOWAA         MT           N352C         YDP         BROME NOWAA YOW MT J559         SYR           N354C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         J0VIE HENDY SELBO CANSO         SSM           N372C         LOMTA         Direct         QUBIS           N378F         LOMTA         Direct         QUBIS           N378F         LOMTA         Direct         QUBIS           N382H         LOMTA         YKL ROBBE         MOFAT </td <td>N302C</td> <td>НО</td> <td>SPOTE ROBBE</td> <td>MOFAT</td>	N302C	НО	SPOTE ROBBE	MOFAT
N308E         HO         YWK         MT           N312A         HO         MT YUY         SSM           N32B         YDP         Direct         TAFFY           N32BC         YDP         Direct         YBC           N32BC         YDP         Direct         COVAN*           N334E         YDP         YBC YRI         COVAN           N338C         YDP         J583 YWK         MOFAT           N344B         YDP         YMX         SYR*           N346A         YDP         BROME NOWAA         MT           N352C         YDP         BROME NOWAA YOW MT J559         SYR           N354C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         J0VIE HENDY SELBO CANSO         SSM           N372C         LOMTA         Direct         TAFFY           N378F         LOMTA         Direct         QUBIS           N378F         LOMTA         Direct         QUBIS           N382H         LOMTA         YKL ROBBE         MOFAT	N306C	НО	SPOTE ROBBE MOFAT YOW J559	SYR
N312A         HO         MT YUY         SSM           N322B         YDP         Direct         TAFFY           N326B         YDP         Direct         QUBIS           N328C         YDP         Direct         YBC           N334E         YDP         Direct         COVAN*           N334E         YDP         YBC YRI         COVAN           N334E         YDP         J583 YWK         MOFAT           N344B         YDP         J583 YWK         MOFAT           N344B         YDP         BROME NOWAA         MT           N344B         YDP         BROME NOWAA         MT           N346A         YDP         BROME NOWAA YOW MT J559         SYR           N356C         YDP         BROME NOWAA YOW YUL J559         SYR           N356C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         JVKL         ROUND           N358B         YDP         YKL         ROUND         SSM           N372C         LOMTA         Direct         QUBIS           N374C         LOMTA         Direct         QUBIS	N308E	НО		MT
N322B         YDP         Direct         TAFFY           N326B         YDP         Direct         QUBIS           N328C         YDP         Direct         YBC           N332C         YDP         Direct         COVAN*           N334E         YDP         YBC YRI         COVAN           N338C         YDP         J583 YWK         MOFAT           N344B         YDP         YMX         SYR*           N346A         YDP         BROME NOWAA         MT           N352C         YDP         BROME NOWAA         MT           N352C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         YKL         ROUND           N358B         YDP         JOVIE HENDY SELBO CANSO         SSM           N372C         LOMTA         Direct         QUBIS           N374C         LOMTA         Direct         QUBIS           N378F         LOMTA         Direct         QUBIS           N378F         LOMTA         YBC YRI         COVAN           N382G         LOMTA         YBC YRI         COVAN           N			MT YIIY	
N328B         YDP         Direct         QUBIS           N328C         YDP         Direct         YBC           N332C         YDP         Direct         COVAN*           N334E         YDP         YBC YRI         COVAN           N338C         YDP         JSB3 YWK         MOFAT           N344B         YDP         YMX         SYR*           N346A         YDP         BROME NOWAA         MT           N352C         YDP         BROME NOWAA YOW MT J559         SYR           N354C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         JOVIE HENDY SELBO CANSO         SSM           N362B         YDP         YKL ROUND CANSO         SSM           N372C         LOMTA         Direct         QUBIS           N374C         LOMTA         Direct         QUBIS           N378F         LOMTA         Direct         COVAN           N382H         LOMTA         YMX         SYR*           N396C         LOMTA         YMX         SYR*           N398C         LOMTA         YKL ROBBE MOFAT YOW J559         SYR		YDP		TAFFY
N328C         YDP         Direct         YBC           N332C         YDP         Direct         COVAN*           N334E         YDP         YBC YRI         COVAN*           N348B         YDP         J583 YWK         MOFAT           N344B         YDP         YMX         SYR*           N346A         YDP         BROME NOWAA         MT           N352C         YDP         BROME NOWAA YOW MT J559         SYR           N356C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         JKL ROUND CANSO         SSM           N362B         YDP         YKL ROUND CANSO         SSM           N372C         LOMTA         Direct         QUBIS           N376C         LOMTA         Direct         YBC           N378F         LOMTA         Direct         YBC           N378F         LOMTA         YBC YRI         COVAN           N386G         LOMTA         YBC YRI         COVAN           N398E         LOMTA         YKL ROBBE <td></td> <td></td> <td></td> <td></td>				
N332C         YDP         Direct         COVAN*           N334E         YDP         YBC YRI         COVAN           N338C         YDP         J583 YWK         MOFAT           N344B         YDP         YMX         SYR*           N346A         YDP         BROME NOWAA         MT           N352C         YDP         BROME NOWAA YOW MT J559         SYR           N356C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         J0VIE HENDY SELBO CANSO         SSM           N362B         YDP         YKL ROUND CANSO         SSM           N362B         YDP         YKL ROUND CANSO         SSM           N372C         LOMTA         Direct         QUBIS           N374C         LOMTA         Direct         QUBIS           N374C         LOMTA         Direct         QUBIS           N378F         LOMTA         Direct         COVAN           N388G         LOMTA         YBC YRI         COVAN           N388G         LOMTA         YKL ROBBE         MOFAT           N398C         LOMTA         YKL ROBBE MOFAT YOW J559				
N334E         YDP         YBC YRI         COVAN           N338C         YDP         J583 YWK         MOFAT           N344B         YDP         YMX         SYR*           N346A         YDP         BROME NOWAA         MT           N352C         YDP         BROME NOWAA YOW MT J559         SYR           N356C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         JOVIE HENDY SELBO CANSO         SSM           N372C         LOMTA         Direct         TAFFY           N374C         LOMTA         Direct         QUBIS           N376C         LOMTA         Direct         QUBIS           N378F         LOMTA         Direct         COVAN           N382H         LOMTA         YBC YRI         COVAN           N386G         LOMTA         YMX         SYR*           N392E         LOMTA         YKL ROBBE         MOFAT           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N412B         LAKES         Direct         TAFFY           N412B         LAKES         HINGE TEALS         <				
N338C         YDP         J583 YWK         MOFAT           N344B         YDP         YMX         SYR*           N346A         YDP         BROME NOWAA         MT           N352C         YDP         BROME NOWAA YOW MT J559         SYR           N354C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         JOVIE HENDY SELBO CANSO         SSM           N362B         YDP         YVL ROUND CANSO         SSM           N372C         LOMTA         Direct         QUBIS           N374C         LOMTA         Direct         QUBIS           N378F         LOMTA         Direct         COVAN           N382H         LOMTA         YBC YRI         COVAN           N382H         LOMTA         YKL ROBBE         MOFAT           N392E         LOMTA         YKL ROBBE         MOFAT           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N412B         LAKES         Direct         TAFFY           N424E         LAKES         MCKEE GELLS MT YOW J559         SYR           N432C         LAKES <t< td=""><td></td><td></td><td>2.1000</td><td></td></t<>			2.1000	
N344B         YDP         YMX         SYR*           N346A         YDP         BROME NOWAA         MT           N352C         YDP         BROME NOWAA YOW MT J559         SYR           N354C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         JOVIE HENDY SELBO CANSO         SSM           N362B         YDP         YKL ROUND CANSO         SSM           N372C         LOMTA         Direct         QUBIS           N374C         LOMTA         Direct         QUBIS           N378F         LOMTA         Direct         YBC           N378F         LOMTA         Direct         COVAN           N382H         LOMTA         YMX         SYR*           N392E         LOMTA         YKL ROBBE         MOFAT           N398C         LOMTA         YKL ROBBE         MOFAT           N402E         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N412B         LAKES         Direct         TAFFY           N412B         LAKES         MIRGE TEALS         MOFAT           N424C         LAKES         MCKEE GELLS MT				
N346A         YDP         BROME NOWAA         MT           N352C         YDP         BROME NOWAA YOW MT J559         SYR           N354C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         JOVIE HENDY SELBO CANSO         SSM           N362B         YDP         YKL ROUND CANSO         SSM           N372C         LOMTA         Direct         QUBIS           N374C         LOMTA         Direct         QUBIS           N376C         LOMTA         Direct         COVAN           N385H         LOMTA         Direct         COVAN           N382H         LOMTA         YBC YRI         COVAN           N396C         LOMTA         YKL ROBBE         MOFAT           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TEALS         VANSI           N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES				
N352C         YDP         BROME NOWAA YOW MT J559         SYR           N354C         YDP         JS83 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         JOVIE HENDY SELBO CANSO         SSM           N362B         YDP         YKL ROUND CANSO         SSM           N372C         LOMTA         Direct         QUBIS           N374C         LOMTA         Direct         YBC           N378F         LOMTA         Direct         COVAN           N382H         LOMTA         Direct         COVAN           N386G         LOMTA         YMX         SYR*           N392E         LOMTA         YKL ROBBE         MOFAT           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TEALS VANSI STAFE         SSM           N412B         LAKES         Direct         TAFFY           N414C         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         MCKEE GELLS MT YOW J559         SYR           N436A <td< td=""><td></td><td></td><td></td><td></td></td<>				
N354C         YDP         J583 YWK MOFAT YOW YUL J559         SYR           N356C         YDP         YKL         ROUND           N358B         YDP         JOVIE HENDY SELBO CANSO         SSM           N362B         YDP         YKL ROUND CANSO         SSM           N372C         LOMTA         Direct         QUBIS           N376C         LOMTA         Direct         YBC           N378F         LOMTA         Direct         COVAN           N382H         LOMTA         YBC         YR*           N392E         LOMTA         YKL ROBBE         MOFAT           N396C         LOMTA         YKL ROBBE         MOFAT           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N412B         LAKES         Direct         TAFFY           N414C         LAKES         Direct         TAFFY           N414C         LAKES         MCKEE GELLS         MT           N424E         LAKES         MCKEE GELLS MY YOW J559         SYR           N432B         LAKES         MCKEE GELLS MY YOW J559         SYR           N434C         LAK				****
N356C         YDP         YKL         ROUND           N358B         YDP         JOVIE HENDY SELBO CANSO         SSM           N362B         YDP         YKL ROUND CANSO         SSM           N372C         LOMTA         Direct         TAFFY           N374C         LOMTA         Direct         QUBIS           N376C         LOMTA         Direct         YBC           N378F         LOMTA         Direct         COVAN           N382H         LOMTA         YBC YRI         COVAN           N386G         LOMTA         YKL ROBBE         MOFAT           N396C         LOMTA         YKL ROBBE         MOFAT           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TEALS VANSI STAFE         SSM           N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N428C         LAKES         MCKEE GELLS         MT           N432B         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES				
N358B         YDP         JOVIE HENDY SELBO CANSO         SSM           N362B         YDP         YKL ROUND CANSO         SSM           N372C         LOMTA         Direct         TAFFY           N374C         LOMTA         Direct         QUBIS           N376C         LOMTA         Direct         YBC           N378F         LOMTA         Direct         COVAN           N382H         LOMTA         YBC         YR1           N386G         LOMTA         YMX         SYR*           N392E         LOMTA         YKL ROBBE         MOFAT           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TEALS         VANSI           N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N436A         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N464E         LOPVI				
N362B         YDP         YKL ROUND CANSO         SSM           N372C         LOMTA         Direct         TAFFY           N374C         LOMTA         Direct         QUBIS           N376C         LOMTA         Direct         YBC           N378F         LOMTA         Direct         COVAN           N382H         LOMTA         YBC YRI         COVAN           N386G         LOMTA         YMX         SYR*           N392E         LOMTA         YKL ROBBE         MOFAT           N396C         LOMTA         TEALS         VANSI           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TEALS VANSI STAFE         SSM           N412B         LAKES         Direct         TAFFY           N414C         LAKES         MCKEE GELLS         MT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         <	N356C			ROUND
N372C         LOMTA         Direct         TAFFY           N374C         LOMTA         Direct         QUBIS           N376C         LOMTA         Direct         YBC           N378F         LOMTA         Direct         COVAN           N382H         LOMTA         YBC YRI         COVAN           N386G         LOMTA         YMX         SYR*           N392E         LOMTA         YKL ROBBE         MOFAT           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N412B         LAKES         Direct         TAFFY           N414C         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         HINGE TEALS MOFAT YOW J559         SYR           N436A         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N468E         LOPVI	N358B	YDP	JOVIE HENDY SELBO CANSO	SSM
N374C         LOMTA         Direct         QUBIS           N376C         LOMTA         Direct         YBC           N378F         LOMTA         Direct         COVAN           N382H         LOMTA         YBC YRI         COVAN           N386G         LOMTA         YMX         SYR*           N392E         LOMTA         YKL ROBBE         MOFAT           N396C         LOMTA         TEALS         VANSI           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TYKL ROBBE MOFAT YOW J559         SYR           N412B         LAKES         Direct         TAFFY           N412B         LAKES         Direct         TAFFY           N414C         LAKES         MCKEE GELLS         MT           N424E         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         K	N362B	YDP	YKL ROUND CANSO	SSM
N376C         LOMTA         Direct         YBC           N378F         LOMTA         Direct         COVAN           N382H         LOMTA         YBC YRI         COVAN           N386G         LOMTA         YMX         SYR*           N392E         LOMTA         YKL ROBBE         MOFAT           N396C         LOMTA         TEALS         VANSI           N398B         LOMTA         TEALS         VANSI           N402E         LOMTA         TEALS VANSI STAFE         SSM           N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         MCKEE GELLS MT YOW J559         SYR           N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         FELSI SOCAN	N372C	LOMTA	Direct	TAFFY
N378F         LOMTA         Direct         COVAN           N382H         LOMTA         YBC YRI         COVAN           N386G         LOMTA         YMX         SYR*           N392E         LOMTA         YKL ROBBE         MOFAT           N396C         LOMTA         TEALS         VANSI           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TEALS VANSI STAFE         SSM           N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N424E         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO <td>N374C</td> <td>LOMTA</td> <td>Direct</td> <td>QUBIS</td>	N374C	LOMTA	Direct	QUBIS
N382H         LOMTA         YBC YRI         COVAN           N386G         LOMTA         YMX         SYR*           N392E         LOMTA         YKL ROBBE         MOFAT           N396C         LOMTA         TEALS         VANSI           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TEALS VANSI STAFE         SSM           N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         HINGE TEALS MOFAT YOW J559         SYR           N432B         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N466E         LOPVI         KLIPS         MT           N466E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         FASSA GW GRAVO         TRUDY           N492B	N376C	LOMTA	Direct	YBC
N386G         LOMTA         YMX         SYR*           N392E         LOMTA         YKL ROBBE         MOFAT           N396C         LOMTA         TEALS         VANSI           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TEALS VANSI STAFE         SSM           N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS         MT           N472E         LOPVI         KLIPS MT YOW J559         SYR           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N492B         ELSET         COPUR         ROUND           N492B         ELSET	N378F	LOMTA	Direct	COVAN
N386G         LOMTA         YMX         SYR*           N392E         LOMTA         YKL ROBBE         MOFAT           N396C         LOMTA         TEALS         VANSI           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TEALS VANSI STAFE         SSM           N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         HINGE TEALS MOFAT YOW J559         SYR           N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         FELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N492B         ELSET         COPUR         ROUND           N492B <t< td=""><td>N382H</td><td>LOMTA</td><td>YBC YRI</td><td>COVAN</td></t<>	N382H	LOMTA	YBC YRI	COVAN
N392E         LOMTA         YKL ROBBE         MOFAT           N396C         LOMTA         TEALS         VANSI           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TEALS VANSI STAFE         SSM           N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         KLIPS MT YOW J559         SYR           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N496C	N386G	LOMTA		SYR*
N396C         LOMTA         TEALS         VANSI           N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TEALS VANSI STAFE         SSM           N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         HINGE TEALS MOFAT YOW J559         SYR           N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         PELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY         MT           N496C         RODBO         SEMTO HENDY YOW J559         SYR           N498C<				
N398B         LOMTA         YKL ROBBE MOFAT YOW J559         SYR           N402E         LOMTA         TEALS VANSI STAFE         SSM           N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         HINGE TEALS MOFAT YOW J559         SYR           N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         PELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO HENDY YOW J559         SYR				
N402E         LOMTA         TEALS VANSI STAFE         SSM           N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         HINGE TEALS MOFAT YOW J559         SYR           N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         FELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N51				
N412B         LAKES         Direct         TAFFY           N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         PELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C				
N414C         LAKES         HINGE TEALS         MOFAT           N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         HINGE TEALS MOFAT YOW J559         SYR           N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         PELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N494C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR				
N424E         LAKES         MCKEE GELLS         MT           N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         HINGE TEALS MOFAT YOW J559         SYR           N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         PELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR				
N428C         LAKES         MCKEE GELLS MT YOW J559         SYR           N432B         LAKES         HINGE TEALS MOFAT YOW J559         SYR           N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         PELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR				
N432B         LAKES         HINGE TEALS MOFAT YOW J559         SYR           N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         PELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR				
N434C         LAKES         MCKEE MEMSO GRAMP LORNE         SSM           N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         PELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N494C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR				
N436A         LAKES         DUSMA         TRUDY           N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         PELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR				
N464E         LOPVI         KLIPS         MT           N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         PELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR				
N468E         LOPVI         KLIPS MT YOW J559         SYR           N472E         LOPVI         PELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR				
N472E         LOPVI         PELSI SOCAN VETRO         SSM           N474E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR				****
N474E         LOPVI         FASSA GW GRAVO         TRUDY           N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR				
N484C         RODBO         SEMTO HENDY         MT           N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR	N472E	LOPVI	PELSI SOCAN VETRO	SSM
N492B         ELSET         COPUR         ROUND           N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR	N474E	LOPVI	FASSA GW GRAVO	TRUDY
N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR	N484C	RODBO	SEMTO HENDY	MT
N494C         RODBO         SEMTO HENDY YOW J559         SYR           N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR	N492B	ELSET	COPUR	ROUND
N496C         RODBO         SEMTO VEPTU PEMLU         SSM           N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR	N494C		SEMTO HENDY YOW J559	
N498C         RODBO         COPUR CHARN DURIL         YQT           N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR				
N512C         JELCO         Direct         VANSI           N514C         JELCO         VANSI YOW J559         SYR				
N514C JELCO VANSI YOW J559 SYR	N512C			
N516H IFLCO HELMO YMO LAPRO 99M	N5140	JELCO	HELMO YMO JARRO	SSM

NAR Designator	Coastal Fix	Route Description	Inland Navigation Facility/Fix
N518C	JELCO	GRAND SEGAN	YQT
N522C	JELCO	SCA JULIETT RIONA	VBI
N528A	FEDDY	GW PELEE YXZ	SSM
* NOTE:			
Routes throu	ugh Bagotville (YBG) Milita	ary Advisory Areas (CYAs) only available from 2	2300 UTC (DT2200 UTC) Fri to 1100
UTC (DT 100	00 UTC) Mon unless decla	ared active by NOTAM.	

#### NON-COMMON PORTION (WESTBOUND)

#### VIA ALLEX

Inland Navigation		
Facility/Fix	Non-Common Portion	Destination
ALLEX	EMJAY J174 ATR085 radial ATR V308 OTT	ANDREWS
ALLEX	ENE BAF J77 PTW J48 MOL FLCON Arrival	ATLANTA
ALLEX	ENE NELIE J75 MXE V378 BAL	BALTIMORE
ALLEX	SCUPP	BOSTON
ALLEX	EMJAY J174	CHARLESTON, SC
ALLEX	ENE NELIE J75 CMK J75 GVE LYH Sudsy Arrival	CHARLOTTE
ALLEX	ENE BAF J77 SAX J6 LIT BYP	DALLAS/FT. WORTH
ALLEX	SEAER J79 LFV J174 HTO J121 SIE	DOVER
ALLEX	ENE BAF J77 SAX J6 LRP Delro Arrival	DULLES
ALLEX	EMJAY J174 SWL CEBEE WETRO ILM AR21 CRANS Fisel Arrival	FT. LAUDERDALE
ALLEX	ENE BAF J77 PTW J48 MOL J22 VUZ JAN AEX Daisetta Arrival	HOUSTON
ALLEX	ENE Kennebunk Arrival	KENNEDY
ALLEX	SEAER J79 LFV J174 HTO J121 DRIFT V312 CYN	MCGUIRE
ALLEX	EMJAY J174 SWL CEBEE WETRO DIW AR22 JORAY Hiley Arrival	MIAMI
ALLEX	HANAA ALB V213 SAX	NEWARK
ALLEX	EMJAY J174 ORF J121 CHS J79 OMN Bitho Arrival	ORLANDO
ALLEX	SEAER J79 LFV J174 HTO J121 BRIGS VCN Cedar Lake Arrival	PHILADELPHIA
ALLEX	ENE CTR HNK HNK271 radial J190 SLT Grace Arrival	PITTSBURGH
ALLEX	EMJAY J174 SWL Argal Arrival	RALEIGH-DURHAM
ALLEX	ENE BAF J77 SAX J80 VHP Vandalia Arrival	ST LOUIS
ALLEX	ENE NELIE J75 CMK J75 TAY Dades Arrival	TAMPA

## VIA BERGH

Inland Navigation Facility/Fix	Non-Common Portion	Destination
BERGH	L454 OWENZ DRIFT J121 SIE	DOVER
BERGH	L454 J62 RBV RBV289 radial V457 LRP V143 MULRR AML	DULLES
BERGH	L454 OWENZ CAMRN	KENNEDY
BERGH	L454 OWENZ MANTA V276 GAMBY	MCGUIRE
BERGH	L454 OWENZ V139 BRIGS V577 VCN Cedar Lake Arrival	PHILADELPHIA

#### VIA BRADD

Inland Navgation Facility/Fix	Non-Common Portion	Destination
BRADD	LFV J174 ATR085 radial ATR V308 OTT	ANDREWS
BRADD	BOS J77 PTW J48 MOL FLCON Arrival	ATLANTA
BRADD	BOS J75 MXE V378 BAL	BALTIMORE
BRADD	SCUPP	BOSTON
BRADD	LFV J174	CHARLESTON, SC
BRADD	BOS J75 CMK J75 GVE LYH Sudsy Arrival	CHARLOTTE
BRADD	BOS J77 SAX J6 LIT BYP	DALLAS/FT. WORTH
BRADD	LFV J174 HTO J121 SIE	DOVER
BRADD	BOS J77 SAX J6 LRP Delro Arrival	DULLES
BRADD	ACK J62 RIFLE J174 SWL CEBEE WETRO ILM AR21 CRANS Fisel Arrival	FT. LAUDERDALE
BRADD	BOS J77 PTW J48 MOL J22 VUZ JAN AEX Daisetta Arrival	HOUSTON
BRADD	PLYMM Plymouth Arrival	KENNEDY
BRADD	LFV J174 HTO J121 DRIFT V312 CYN	MCGUIRE

Inland Navgation		
Facility/Fix	Non-Common Portion	Destination
BRADD	ACK J62 RIFLE J174 SWL CEBEE WETRO DIW AR22 JORAY Hiley Arrival	MIAMI
BRADD	BOS BAF Shaff Arrival	NEWARK
BRADD	LFV J150 HTO J174 ORF J121 CHS J79 OMN Bitho Arrival	ORLANDO
BRADD	LFV J174 HTO J121 BRIGS VCN Cedar Lake Arrival	PHILADELPHIA
BRADD	BOS CTR HNK HNK271 radial J190 SLT Grace Arrival	PITTSBURGH
BRADD	ACK J62 RIFLE J174 SWL Argal Arrival	RALEIGH-DURHAN
BRADD	BOS J77 SAX J80 VHP Vandalia Arrival	ST. LOUIS
BRADD	BOS J75 CMK J75 TAY Dades Arrival	TAMPA

## VIA COVAN

Inland Navigation		
Facility/Fix	Non-Common Portion	Destination
COVAN	ALB J37 J75 MXE V378 BAL	ANDREWS
COVAN	ALB J6 SAX J77 PTW J48 ODF FLCON Arrival	ATLANTA
COVAN	ALB PWL CMK J75 MXE V378 BAL	BALTIMORE
COVAN	ALB J6 SAX J77 PTW J48 EMI J61 HUBBS J193 WEAVR J121 CHS	CHARLESTON, SC
COVAN	ALB PWL CMK J75 GVE LYH SUDSY Arrival	CHARLOTTE
COVAN	ALB J6 SAX J6 LIT BYP Arrival	DALLAS/FT. WORTH
COVAN	ALB J37 JFK CYN SIE	DOVER
COVAN	ALB J6 LRP DELRO Arrival	DULLES
COVAN	ALB J6 SAX J77 PTW J48 EMI J61 HUBBS J193 WEAVR J121 CHS J79	
	OMN FISEL Arrival	FT. LAUDERDALE
COVAN	ALB IGN IGN Arrival	KENNEDY
COVAN	ALB DNY LHY V93 LVZ V147 MAZIE	MCGUIRE
COVAN	ALB PWL CMK J75 CAE J51 SAV J103 OMN HILEY Arrival	MIAMI
COVAN	HANAA ALB V213 SAX	NEWARK
COVAN	ALB PWL CMK J75 CAE J75 DUNKN AMG LEESE Arrival	ORLANDO
COVAN	ALB DNY SLATT Arrival	PHILADELPHIA
COVAN	ALB J49 HNK HNK271 radial J190 SLT GRACE Arrival	PITTSBURGH
COVAN	ALB PWL CMK J75 TAY DADES Arrival	TAMPA

# VIA EBONY

Facility/Fix	Non-Common Portion	Destination
EBONY	EMJAY J174 ATR085 radial ATR V308 OTT	ANDREWS
EBONY	ENE BAF J77 PTW J48 MOL FLCON Arrival	ATLANTA
EBONY	ENE NELIE J75 MXE V378 BAL	BALTIMORE
EBONY	SCUPP	BOSTON
EBONY	EMJAY J174	CHARLESTON, SC
EBONY	ENE NELIE J75 CMK J75 GVE LYH Sudsy Arrival	CHARLOTTE
EBONY	ENE BAF J77 SAX J6 LIT BYP	DALLAS/FT.WORTH
EBONY	SEAER J79 LFV J174 HTO J121 SIE	DOVER
EBONY	ENE BAF J77 SAX J6 LRP Delro Arrival	DULLES
EBONY	EMJAY J174 SWL CEBEE WETRO ILM AR21 CRANS Fisel Arrival	FT. LAUDERDALE
EBONY	ENE BAF J77 PTW J48 MOL J22 VUZ JAN AEX Daisetta Arrival	HOUSTON
EBONY	ENE Kennebunk Arrival	KENNEDY
EBONY	SEAER J79 LFV J174 HTO J121 DRIFT V312 CYN	MCGUIRE
EBONY	EMJAY J174 SWL CEBEE WETRO DIW AR22 JORAY Hiley Arrival	MIAMI
EBONY	HANAA ALB V213 SAX	NEWARK
EBONY	EMJAY J174 ORF J121 CHS J79 OMN Bitho Arrival	ORLANDO
EBONY	SEAER J79 LFV J174 HTO J121 BRIGS VCN Cedar Lake Arrival	PHILADELPHIA
EBONY	ENE CTR HNK HNK271 radial J190 SLT Grace Arrival	PITTSBURGH
EBONY	EMJAY J174 SWL Argal Arrival	RALEIGH-DURHAM
EBONY	ENE BAF J77 SAX J80 VHP Vandalia Arrival	ST. LOUIS
EBONY	ENE NELIE J75 CMK J75 TAY Dades Arrival	TAMPA

I

# **NORTH AMERICAN ROUTES**

VIA HANRI

	Inland Navigation		
	Facility/Fix	Non-Common Portion	Destination
1	HANRI	M201 BAHAA AR21 CRANS Fisel Arrival	FT. LAUDERDALE
i	HANRI	M201 JENKS AR22 JORAY Hiley Arrival	MIAMI
Ì	HANRI	M201 BAHAA AR15 HIBAC Cwrld Arrival	ORLANDO
ı	HANRI	M201 JENKS AR19 AYBID Frway Arrival	PALM BEACH
Ì	HANRI	M201 BAHAA AR15 ORL Lzard Arrival	TAMPA

## VIA KANNI

nland Navigation Facility/Fix	Non-Common Portion	Destination
KANNI	LFV J174 ATR085 radial ATR V308 OTT	ANDREWS
KANNI	BOS J77 PTW J48 MOL FLCON Arrival	ATLANTA
KANNI	BOS J75 MXE V378 BAL	BALTIMORE
KANNI	SCUPP	BOSTON
KANNI	LFV J174	CHARLESTON, SC
KANNI	BOS J75 CMK J75 GVE LYH Sudsy Arrival	CHARLOTTE
KANNI	BOS J77 SAX J6 LIT BYP	DALLAS/FT. WORTH
KANNI	LFV J174 HTO J121 SIE	DOVER
KANNI	BOS J77 SAX J6 LRP Delro Arrival	DULLES
KANNI	ACK J62 RIFLE J174 SWL CEBEE WETRO ILM AR21 CRANS Fisel Arrival	FT. LAUDERDALE
KANNI	BOS J77 PTW J48 MOL J22 VUZ JAN AEX Daisetta Arrival	HOUSTON
KANNI	PLYMM Plymouth Arrival	KENNEDY
KANNI	LFV J174 HTO J121 DRIFT V312 CYN	MCGUIRE
KANNI	ACK J62 RIFLE J174 SWL CEBEE WETRO DIW AR22 JORAY Hiley Arrival	MIAMI
KANNI	BOS BAF Shaff Arrival	NEWARK
KANNI	LFV J150 HTO J174 ORF J121 CHS J79 OMN Bitho Arrival	ORLANDO
KANNI	LFV J174 HTO J121 BRIGS VCN Cedar Lake Arrival	PHILADELPHIA
KANNI	BOS CTR HNK HNK271 radial J190 SLT Grace Arrival	PITTSBURGH
KANNI	ACK J62 RIFLE J174 SWL Argal Arrival	RALEIGH-DURHAM
KANNI	BOS J77 SAX J80 VHP Vandalia Arrival	ST.LOUIS
KANNI	BOS J75 CMK J75 TAY Dades Arrival	TAMPA

#### VIA LACKS

Inland Navigation Facility/Fix	Non-Common Portion	Destination
LACKS	J97 ACK SCUPP	BOSTON

## VIA MIILS

land Navigation Facility/Fix	Non-Common Portion	Destination
MIILS	ENE BAF J77 PTW J48 MOL FLCON Arrival	ATLANTA
MIILS	YOW J553 ECK FNT PAITN Arrival	CHICAGO
MIILS	YMX J546 YSO J558 YXU J545 DJB J83 APE Cince Arrival	CINCINNATI
MIILS	YMX J546 YSO J558 YXU J545 DJB J29 PXV J131 LIT BYP	DALLAS/FT. WORTH
MIILS	YMX J546 YSO J597 YQO V464 Spica Arrival	DETROIT
MIILS	YMX J546 YSO J558 YXU J545 DJB J29 PXV J131 LIT J180 DAS	
	Daisetta Arrival	HOUSTON
MIILS	VLV J509 V352 OMBRE Ombre Arrival	MONTREAL/TRUDEAU
MIILS	ATENE CATOG Catog Arrival	MONTREAL/MIRABEL
MIILS	YXI YEE ECK GIJ RBS Vandalia Arrival	ST. LOUIS*
MIILS	YMX J546 V300 YS0 J37	TORONTO

## VIA MOFAT

Inland Navigation		
Facility/Fix	Non-Common Portion	Destination
MOFAT	ALB J37 J75 MXE V378 BAL	ANDREWS
MOFAT	TVC OBK J73 BNA Rome Arrival	ATLANTA
MOFAT	ALB PWL CMK J75 MXE V378 BAL	BALTIMORE
MOFAT	ALB J6 SAX J77 PTW J61 HUBBS J193 WEAVR J121 CHS	CHARLESTON
MOFAT	ALB PWL CMK J75 GVE LYH Sudsy Arrival	CHARLOTTE
MOFAT	SEDOT ASP PAITN Arrival	CHICAGO
MOFAT	YXI J597 YSO J558 YXU J545 DJB J38 APE Cince Arrival	CINCINATTI
MOFAT	TVC BAE J105 RZC FSM BYP	DALLAS/FT. WORTH
MOFAT	SMARE ECK POLAR Polar Arrival	DETROIT
MOFAT	ALB J37 JFK CYN SIE	DOVER
MOFAT	ALB J6 LRP Delro Arrival	DULLES
MOFAT	ALB J6 SAX J77 PTW J48 EMI J61 HUBBS J93 WEAVR J121 CHS J79	
	OMN Fisel Arrival	FT. LAUDERDALE
MOFAT	TVC OBK J101 LIT J180 DAS Daisetta Arrival	HOUSTON
MOFAT	ALB IGN IGN Arrival	KENNEDY
MOFAT	ALB DNY LHY V93 LVZ V147 MAZIE	MCGUIRE
MOFAT	ALB PWL CMK J75 CAE J51 SAV J103 OMN HILEY Arrival	MIAMI
MOFAT	OBRET J570 YMX Mirabel Arrival	MONTREAL/MIRABEL
MOFAT	OBRET J570 YMX Antag Arrival	MONTREAL/TRUDEAU
MOFAT	ALB PWL CMK J75 CAE DUNKN AMG Leese Arrival	ORLANDO
MOFAT	ALB DNY Slatt Arrival	PHILADELPHIA
MOFAT	ALB J49 HNK HNK271 radial J190 SLT Grace Arrival	PITTSBURGH
MOFAT	TVC OBK J71 RBS Vandalia Arrival	ST. LOUIS
MOFAT	ALB CMK J75 Dades Arrival	TAMPA
MOFAT	YXI J597 V216 YSO JV37	TORONTO

#### VIA MT

nland Navigation Facility/Fix	Non-Common Portion	Destination
MT	ALB J37 J75 MXE V378 BAL	ANDREWS
MT	TVC OBK J73 BNA Rome Arrival	ATLANTA
MT	ALB PWL CMK J75 MXE V378 BAL	BALTIMORE
MT	ALB J6 SAX J77 PTW J48 EMI J61 HUBBS J193 WEAVR J121 CHS	CHARLESTON
MT	ALB PWL CMK J75 GVE LYH Sudsy Arrival	CHARLOTTE
MT	SSM PAITN Arrival	CHICAGO
MT	YXI J597 YSO YXU J545 DJB J83 APE Cince Arrival	CINCINATTI
MT	TVC BAE J105 RZC FSM BYP	DALLAS/FT. WORTH
MT	SEDOT ECK POLAR POLAR ARRIVAL	DETROIT
MT	ALB J37 JFK CYN SIE	DOVER
MT	ALB J6 LRP Delro Arrival	DULLES
MT	ALB J6 SAX J77 PTW J48 EMI J61 HUBBS J93 WEAVR J121 CHS J79	
	OMN Fisel Arrival	FT. LAUDERDALE
MT	TVC OBK J101 LIT J180 DAS Daisetta Arrival	HOUSTON
MT	ALB IGN IGN Arrival	KENNEDY
MT	ALB DNY LHY V93 LVZ V147 MAZIE	MCGUIRE
MT	ALB PWL CMK J75 CAE J51 SAV J103 OMN Hiley Arrival	MIAMI
MT	J570 YMX Mirabel Arrival	MONTREAL/MIRABEL
MT	J570 YMX Antag Arrival	MONTREAL/TRUDEAL
MT	ALB PWL CMK J75 CAE J75 DUNKN AMG Leese Arrival	ORLANDO
MT	ALB DNY Slatt Arrival	PHILADELPHIA
MT	ALB J49 HNK HNK271 radial J190 SLT Grace Arrival	PITTSBURGH
MT	TVC OBK J71 RBS Vandalia Arrival	ST. LOUIS
MT	ALB CMK J75 TAY Dades Arrival	TAMPA
MT	YXI J597/V216 YSO V37	TORONTO

## VIA NUCAR

Inland Navigation Facility/Fix	Non-Common Portion	Destination
NUCAR	NEPTA J58 AEX Scurry Arrival	DALLAS/FT WORTH
NUCAR	CRANS Fisel Arrival	FT. LAUDERDALE
NUCAR	JORAY Hiley Arrival	MIAMI
NUCAR	BAIRN Goofy Arrival	ORLANDO
NUCAR	BRDGE Brdge Arrival	TAMPA
NUCAR	AYBID Frway Arrival	PALM BEACH

## VIA QUBIS

Inland Navigation Facility/Fix	Non-Common Portion	Destination
QUBIS	EMJAY J174 ATR085 radial ATR V308 OTT	ANDREWS
QUBIS	ALB J6 SAX J77 PTW J48 MOL FLCON Arrival	ATLANTA
QUBIS	ENE NELIE J75 MXE V378 BAL	BALTIMORE
QUBIS	SCUPP	BOSTON
QUBIS	EMJAY J174	CHARLESTON, SC
QUBIS	ENE NELIE J75 GVE LYH Sudsy Arrival	CHARLOTTE
QUBIS	ALB J6 LIT BYP	DALLAS/FT. WORTH
QUBIS	ALB J6 LRP Delro Arrival	DULLES
QUBIS	EMJAY J174 SWL CEBEE WETRO ILM AR21 CRANS Fisel Arrival	FT. LAUDERDALE
QUBIS	ENE BAF J77 PTW J48 MOL J22 VUZ JAN AEX Daisetta Arrival	HOUSTON
QUBIS	EMJAY J174 SWL CEBEE WETRO DIW AR22 JORAY Hiley Arrival	MIAMI
QUBIS	EMJAY J174 ORF J121 CHS J79 OMN Bitho Arrival	ORLANDO
QUBIS	ALB J49 HNK HNK271 radial J190 GRACE Grace Arrival	PITTSBURGH
QUBIS	EMJAY J174 SWL Argal Arrival	RALEIGH-DURHAM
QUBIS	ENE NELIE J75 CMK J75 TAY Dades Arrival	TAMPA

## VIA ROUND

Non-Common Portion	Destination
TVC OBK J73 BNA Rome Arrival	ATLANTA
SSM PAITN Arrival	CHICAGO
YXI J597 YSO J558 YXU J545 DJB J83 APE Cince Arrival	CINCINATTI
TVC BAE J105 RZC FSM BYP	DALLAS/FT. WORTH
YVO SEDOT ECK POLAR Polar Arrival	DETROIT
TVC OBK J101 LIT J180 DAS Daisetta Arrival	HOUSTON
TVC OBK J71 RBS Vandalia Arrival	ST. LOUIS
YXI J597 V216 YSO V37	TORONTO
	TVC OBK J73 BNA Rome Arrival SSM PAITN Arrival YXI J597 YSO J558 YXU J545 DJB J83 APE Cince Arrival TVC BAE J105 RZC FSM BYP YVO SEDOT ECK POLAR Polar Arrival TVC OBK J101 LIT J180 DAS Daisetta Arrival TVC OBK J71 RBS Vandalia Arrival

## VIA SAILE

nland Navigation		
Facility/Fix	Non-Common Portion	Destination
SAILE	ACK HTO J174 ATR085 radial ATR V308 OTT	ANDREWS
SAILE	ACK HTO RBV V230 J48 MOL FLCON Arrival	ATLANTA
SAILE	SCUPP	BOSTON
SAILE	ACK HTO J174	CHARLESTON, SC
SAILE	ACK HTO J121 SIE	DOVER
SAILE	ACK J62 RBV RBV289 radial V457 LRP Delro Arrival	DULLES
SAILE	ACK J62 RIFLE J174 SWL CEBEE WETRO ILM AR21 CRANS Fisel Arrival	FT. LAUDERDALE
SAILE	PLYMM Plymouth Arrival	KENNEDY
SAILE	ACK HTO J121 DRIFT V312 CYN	MCGUIRE
SAILE	ACK J62 RIFLE J174 SWL CEBEE WETRO DIW AR22 JORAY Hiley Arrival	MIAMI
SAILE	BOS BAF Shaff Arrival	NEWARK
SAILE	ACK HTO J174 ORF J121 CHS J79 OMN Bitho Arrival	ORLANDO
SAILE	ACK HTO J121 BRIGS VCN Cedar Lake Arrival	PHILADELPHIA
SAILE	ACK J62 RIFLE J174 SWL Argal Arrival	RALEIGH-DURHAM
SAILE	NELIE J75 CMK J75 TAY Dades Arrival	TAMPA

## VIA SSM

nland Navigation Facility/Fix	Non-Common Portion	Destination
SSM	GRB J101 BAE J89 OBK J73 BNA Rome Arrival	ATLANTA
SSM	PAITN Arrival	CHICAGO
SSM	J101 BAE J105 RZC FSM BYP	DALLAS/FT. WORTH
SSM	GEP J114	DENVER
SSM	STL J101 LIT J180 DAS Daisetta Arrival	HOUSTON
SSM	EAU Eau Arrival	MINNEAPOLIS/
		ST. PAUL
SSM	J548 TVC OBK J71 RBS Vandalia Arrival	ST. LOUIS

## VIA SYR

Inland Navigation Facility/Fix	Non-Common Portion	Destination
SYR	FQM HAR V265 KOLBY PSB149 radial SHILO V93 BAL	ANDREWS
SYR	J59 PSB J78 HVQ J145 ODF FLCON Arrival	ATLANTA
SYR	FQM RAV V170 V499 TRISH	BALTIMORE
SYR	FQM HAR EMI J61 HUBBS J193 WEAVR J121 CHS	CHARLESTON, SC
SYR	J59 PSB J78 HVQ Johns Arrival	CHARLOTTE
SYR	J29 DJB J83 APE Cince Arrival	CINCINNATI
SYR	J29 PXV J131 LIT BYP	DALLAS/FT. WORTH
SYR	HAR LRP V210 SPERY	DOVER
SYR	J59 PSB PSB151 SEG201 HYPER Delro	DULLES
SYR	J29 PXV J131 LIT J180 DAS Daisetta Arrival	HOUSTON
SYR	IGN KINGSTON Arrival	KENNEDY
SYR	LVZ V147 MAZIE	McGUIRE
SYR	HNK V167 HELON V213 SAX	NEWARK
SYR	CFB SLATT Arrival	PHILADELPHIA
SYR	J29 JHW YNG CUTTA	PITTSBURGH
SYR	J29 ROD VHP Vandalia Arrival	ST. LOUIS

# VIA TAFFY

Inland Navigation		
Facility/Fix	Non-Common Portion	Destination
TAFFY	EMJAY J174 ATRO85 radial ATR V308 OTT	ANDREWS
TAFFY	ALB J6 SAX J77 PTW J48 MOL FLCON Arrival	ATLANTA
TAFFY	PQI J55 ENE NELIE J75 MXE V378 BAL	BALTIMORE
TAFFY	SCUPP	BOSTON
TAFFY	EMJAY J174	CHARLESTON, SC
TAFFY	ENE NELIE J75 CMK J75 GVE LYH Sudsy Arrival	CHARLOTTE
TAFFY	ALB J6 SAX J6 LIT BYP	DALLAS/FT.WORTH
TAFFY	SEAER J79 LFV J174 HTO J121 SIE	DOVER
TAFFY	ALB J6 LRP Delro Arrival	DULLES
TAFFY	EMJAY J174 SWL CEBEE WETRO ILM AR21 CRANS Fisel Arrival	FT. LAUDERDALE
TAFFY	ENE BAF J77 PTW J48 MOL J22 VUZ JAN AEX Daisetta Arrival	HOUSTON
TAFFY	ENE Kennebunk Arrival	KENNEDY
TAFFY	SEAER J79 LFV J174 HTO J121 DRIFT V312 CYN	MCGUIRE
TAFFY	EMJAY J174 SWL CEBEE WETRO DIW AR22 JORAY Hiley Arrival	MIAMI
TAFFY	HANAA ALB V123 SAX	NEWARK
TAFFY	EMJAY J174 ORF J121 CHS J79 OMN Bitho Arrival	ORLANDO
TAFFY	SEAER J79 LFV J174 HTO J121 BRIGS VCN Cedar Lake Arrival	PHILADELPHIA
TAFFY	ENE CTR HNK HNK271 radial J190 SLT Grace Arrival	PITTSBURGH
TAFFY	EMJAY J174 SWL Argal Arrival	RALEIGH-DURHAM
TAFFY	ENE NELIE J75 CMK J75 TAY Dades Arrival	TAMPA

## VIA TOPPS

Inland Navigation Facility/Fix	Non-Common Portion	Destination
TOPPS	EMJAY J174 ATRO85 radial ATR V308 OTT	ANDREWS
TOPPS	ENE BAF J77 PTW J48 MOL FLCON Arrival	ATLANTA
TOPPS	ENE NELIE J75 MXE V378 BAL	BALTIMORE
TOPPS	SCUPP	BOSTON
TOPPS	EMJAY J174	CHARLESTON, SC
TOPPS	ENE NELIE J75 CMK J75 GVE LYH Sudsy Arrival	CHARLOTTE
TOPPS	YOW J553 ECK FNT PAITN Arrival	CHICAGO
TOPPS	YOW J546 YSO J558 YXU J545 DJB J83 APE Cince Arrival	CINCINNATI
TOPPS	ENE BAF J77 SAX J6 LIT BYP	DALLAS/FT. WORTH
TOPPS	YOW J546 YSO J597 YQO V464 Spica Arrival	DETROIT
TOPPS	SEAER J79 LFV J174 HTO J121 SIE	DOVER
TOPPS	ENE BAF J77 SAX J6 LRP Delro Arrival	DULLES
TOPPS	EMJAY J174 SWL CEBEE WETRO ILM AR21 CRANS Fisel Arrival	FT. LAUDERDALE
TOPPS	ENE BAF J77 PTW J48 MOL J22 VUZ JAN AEX Daisetta Arrival	HOUSTON
TOPPS	ENE Kennebunk Arrival	KENNEDY
TOPPS	SEAER J79 LFV J174 HTO J121 DRIFT V312 CYN	MCGUIRE
TOPPS	EMJAY J174 SWL CEBEE WETRO DIW AR22 JORAY Hiley Arrival	MIAMI
TOPPS	HANAA ALB V213 SAX	NEWARK
TOPPS	EMJAY J174 ORF J121 CHS J79 OMN Bitho Arrival	ORLANDO
TOPPS	SEAER J79 LFV J174 HTO J121 BRIGS VCN Cedar Lake Arrival	PHILADELPHIA
TOPPS	ENE CTR HNK HNK271 radial J190 SLT Grace Arrival	PITTSBURGH
TOPPS	EMJAY J174 SWL Argal Arrival	RALEIGH-DURHAM
TOPPS	ENE BAF J77 SAX J80 VHP Vandalia Arrival	ST. LOUIS
TOPPS	ENE NELIE J75 CMK J75 TAY Dades Arrival	TAMPA
TOPPS	OMBRE Ombre Arrival	MONTREAL/TRUDEAU
TOPPS	VLV J565 V363 Catog Arrival	MONTREAL/MIRABEL
TOPPS	YOW J546 V300 YS0 V37	TORONTO

## VIA TUSKY

Inland Navigation Facility/Fix	Non-Common Portion	Destination
TUSKY	EMJAY J174 ATR085 radial ATR V308 OTT	ANDREWS
TUSKY	BOS J77 PTW J48 MOL FLCON Arrival	ATLANTA
TUSKY	BOS J75 MXE V378 BAL	BALTIMORE
TUSKY	SCUPP	BOSTON
TUSKY	EMJAY J174	CHARLESTON, SC
TUSKY	BOS J75 CMK J75 GVE LYH Sudsy Arrival	CHARLOTTE
TUSKY	BOS J77 SAX J6 LIT BYP	DALLAS/FT. WORTH
TUSKY	LFV J174 HTO J121 SIE	DOVER
TUSKY	BOS J77 SAX J6 LRP Delro Arrival	DULLES
TUSKY	EMJAY J174 SWL CEBEE WETRO ILM AR21 CRANS Fisel Arrival	FT. LAUDERDALE
TUSKY	BOS J77 PTW J48 MOL J22 VUZ JAN AEX Daisetta Arrival	HOUSTON
TUSKY	PLYMM Plymouth Arrival	KENNEDY
TUSKY	LFV J174 HTO J121 DRIFT V312 CYN	MCGUIRE
TUSKY	EMJAY J174 SWL CEBEE WETRO DIW AR22 JORAY Hiley Arrival	MIAMI
TUSKY	BOS BAF Shaff Arrival	NEWARK
TUSKY	EMJAY J174 ORF J121 CHS J79 OMN Bitho Arrival	ORLANDO
TUSKY	LFV J174 HTO J121 BRIGS VCN Cedar Lake Arrival	PHILADELPHIA
TUSKY	BOS CTR HNK HNK271 radial J190 SLT Grace Arrival	PITTSBURGH
TUSKY	EMJAY J174 SWL Argal Arrival	RALEIGH-DURHAM
TUSKY	BOS J77 SAX J80 VHP Vandalia Arrival	ST.LOUIS
TUSKY	BOS J75 CMK J75 TAY Dades Arrival	TAMPA

## VIA VANSI

Non-Common Portion	Destination
TVC OBK J73 BNA Rome Arrival	ATLANTA
SSM PAITN Arrival	CHICAGO
YXI J597 YSO J558 YXU J545 DJB J83 APE Cince Arrival	CINCINATTI
TVC BAE J105 RZC FSM BYP	DALLAS/FT. WORTH
YVO SEDOT ECK POLAR Polar Arrival	DETROIT
TVC OBK J101 LIT J180 DAS Daisetta Arrival	HOUSTON
TVC OBX J71 RBS Vandalia Arrival	ST LOUIS
YXI J597 V216 YS0 V37	TORONTO
	TVC OBK J73 BNA Rome Arrival SSM PAITN Arrival YXI J597 YSO J558 YXU J545 DJB J83 APE Cince Arrival TVC BAE J105 RZC FSM BYP YVO SEDOT ECK POLAR Polar Arrival TVC OBK J101 LIT J180 DAS Daisetta Arrival TVC OBK J71 RBS Vandalia Arrival

## VIA VITOL

Inland Navigation Facility/Fix	Non-Common Portion	Destination
VITOL	ACK HTO J174 ATR085 radial ATR V308 OTT	ANDREWS
VITOL	ACK HTO RBV J230 J48 MOL FLCON Arrival	ATLANTA
VITOL	SCUPP	BOSTON
VITOL	ACK HTO J174	CHARLESTON, SC
VITOL	ACK HTO J121 SIE	DOVER
VITOL	ACK J62 RBV RBV289 radial V457 LRP Delro Arrival	DULLES
VITOL	ACK J62 RIFLE J174 SWL CEBEE WETRO ILM AR21 CRANS Fisel Arrival	FT. LAUDERDALE
VITOL	PLYMM Plymouth Arrival	KENNEDY
VITOL	ACK HTO J121 DRIFT V312 CYN	MCGUIRE
VITOL	ACK J62 RIFLE J174 SWL CEBEE WETRO DIW AR22 JORAY Hiley Arrival	MIAMI
VITOL	BOS BAF Shaff Arrival	NEWARK
VITOL	ACK HTO J174 ORF J121 CHS J79 OMN Bitho Arrival	ORLANDO
VITOL	ACK HTO J121 BRIGS VCN Cedar Lake Arrival	PHILADELPHIA
VITOL	ACK J62 RIFLE J174 SWL Argal Arrival	RALEIGH-DURHAM
VITOL	NELIE J75 CMK J75 TAY Dades Arrival	TAMPA

## VIA WHALE

Inland Navigation Facility/Fix	Non-Common Portion	Destination
WHALE	LFV J174 ATR085 radial ATR V308 OTT	ANDREWS
WHALE	BOS 177 PTW 148 MOL FLCON Arrival	ATLANTA
WHALE	BOS J75 MXE V378 BAL	BALTIMORE
WHALE	SCUPP	BOSTON
WHALE	LFV J174	CHARLESTON, SC
WHALE	BOS J75 CMK J75 GVE LYH Sudsy Arrival	CHARLOTTE
WHALE	BOS J77 SAX J6 LIT BYP	DALLAS/FT. WORTH
WHALE	LFV J174 HTO J121 SIE	DOVER
WHALE	BOS J77 SAX J6 LRP V143 Delro Arrival	DULLES
WHALE	ACK J62 RIFLE J174 SWL CEBEE WETRO ILM AR21 CRANS Fisel Arrival	FT. LAUDERDALE
WHALE	BOS J77 PTW J48 MOL J22 VUZ JAN AEX Daisetta Arrival	HOUSTON
WHALE	PLYMM Plymouth Arrival	KENNEDY
WHALE	LFV J174 HTO J121 DRIFT V312 CYN	MCGUIRE
WHALE	LFV J174 SWL CEBEE WETRO DIW AR22 JORAY Hiley Arrival	MIAMI
WHALE	BOS BAF Shaff Arrival	NEWARK
WHALE	LFV J150 HTO J174 ORF J121 CHS J79 OMN Bitho Arrival	ORLANDO
WHALE	LFV J174 HTO J121 BRIGS VCN Cedar Lake Arrival	PHILADELPHIA
WHALE	BOS CTR HNK HNK271 radial J190 SLT Grace Arrival	PITTSBURGH
WHALE	ACK J62 RIFLE J174 SWL Argal Arrival	RALEIGH-DURHAM
WHALE	BOS J77 SAX J80 VHP Vandalia Arriva	ST. LOUIS
WHALE	BOS J75 CMK J75 TAY Dades Arrival	TAMPA

## VIA YBC

Inland Navigation Facility/Fix	Non-Common Portion	Destination
YBC	VBS POLTY YSO YXU J545 DJB J83 APE J186 SOT FLCON Arrival	ATLANTA
YBC	VBS SEDOT ECK FNT PAITN Arrival	CHICAGO
YBC	VBS POLTY YSO YXU J545 DJB J83 APE Cince Arrival	CINCINNATI
YBC	VBS POLTY YSO YXU J545 DJB J29 PXV J131 LIT BYP	DALLAS/FT WORTH
YBC	VBS YXI YVV ECK POLAR Polar Arrival	DETROIT
YBC	VBS POLTY YSO YXU J545 DJB J29 PXV J131 LIT J180 DAS Daisetta	
	Arrival	HOUSTON
YBC	BLAKK Catog Arrival	MONTREAL/MIRABEL
YBC	BLAKK OMBRE Ombre Arrival	MONTREAL/TRUDEAL
YBC	VBS YXI YEE ECK GIJ RBS Vandalia Arrival	ST. LOUIS
YBC	YMX J546 V300 YS0 V37	TORONTO

#### VIA YRI

Non-Common Portion	Destination
POLTY YSO YXU J545 DJB J83 APE J186 SOT FLCON Arrival	ATLANTA
SEDOT ASP PAITN Arrival	CHICAGO
POLTY YSO YXU J545 DJB J83 APE Cince Arrival	CINCINNATI
POLTY YSO YXU J545 DJB J29 PXV J131 LIT BYP	DALLAS/FT WORTH
YXI YVV ECK POLAR Polar Arrival	DETROIT
POLTY YSO YXU J545 DJB J29 PXV J131 LIT J180 DAS Daisetta Arrival	HOUSTON
BLAKK Catog Arrival	MONTREAL/MIRABEL
MUROP OMBRE Ombre Arrival	MONTREAL/TRUDEAL
YXI YEE ECK GIJ RBS Vandalia Arrival	ST. LOUIS
YMX J546 V300 YS0 V37	TORONTO
	SEDOT ASP PAITN Arrival POLTY YSO YXU J545 DJB J83 APE Cince Arrival POLTY YSO YXU J545 DJB J29 PXV J131 LIT BYP YXI YVV ECK POLAR Polar Arrival POLTY YSO YXU J545 DJB J29 PXV J131 LIT J180 DAS Daisetta Arrival BLAKK Catog Arrival MUROP OMBRE Ombre Arrival YXI YEE ECK GIJ RBS Vandalia Arrival

#### VIA ZQA

Inland Navigation Facility/Fix	Non-Common Portion	Destination
ZQA	BR22V DEKAL	FT LAUDERDALE
ZQA	BR49V FOWEE Fowee Arrival	MIAMI
ZQA	BR54V	PALM BEACH

# HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

## **RNAV Routing Pitch and Catch Points**

The purpose of this section of the Special High Altitude Routes is to present user routing options for flight within the initial HAR Phase I expansion airspace. Users are able to fly user-preferred routes, referred to as non-restrictive routing (NRR), between specific fixes described by pitch (entry into) and catch (exit out of) fixes in the HAR airspace. Pitch points indicate an end of departure procedures, preferred IFR routings, or other established routing programs where a flight can begin a segment of NRR. The catch point indicates where a flight ends a segment of NRR and joins published arrival procedures, preferred IFR routing, or other established routing programs.

The HAR Phase I expansion airspace is defined as that airspace at and above FL 350 in fourteen of the western and southern Air Route Traffic Control Centers (ARTCCs). The airspace includes Minneapolis (ZMP), Chicago (ZAU), Kansas City (ZKC), Denver (ZDV), Salt Lake City (ZLC), Oakland (ZOA), Seattle Centers (ZSE), Los Angeles (ZLA), Albuquerque (ZAB), Fort Worth (ZFW), Memphis (ZME), and Houston (ZHU). Jacksonville (ZJX) and Miami (ZMA) are included for east-west routes only.

To develop a flight plan, select pitch and catch points based upon your desired route across the Phase I airspace. Filing requirements to pitch points, and from catch points, remain unchanged from current procedures. For the portion of the route between the pitch and catch points, non-restrictive routing is permitted.

Where pitch points for a specific airport are not identified, aircraft should file an appropriate departure procedure (DP), or any other user preferred routing prior to the NRR portion of their routing. Where catch points for a specific airport are not identified aircraft should file, after the NRR portion of their routing, an appropriate arrival procedure or other user preferred routing to their destination.

Additionally, information concerning the location and schedule of Special Use Airspace (SUA) and Air Traffic Control Assigned Airspace (ATCAA) can be found on the Web Site: http://sua.faa.gov/sua/Welcome.do. ATCAA refers to airspace in the high altitude structure supporting military and other special operations. Users are encouraged to file around these areas when they are scheduled to be active, thereby avoiding unplanned reroutes around them.

In conjunction with the HAR program RNAV routes have been established to provide for a systematic flow of air traffic in specific portions of the enroute flight environment. The designator for these RNAV routes begin with the letter Q, for example, Q-501. Where those routes aid in the efficient orderly management of air traffic they will be published as preferred IFR routes.

High Altitude Redesign (HAR) Phase One Expansion Airspace

HAR expansion airspace may pitch vertical pitch line, or at the fixes

Except as noted, flights entering at the airspace boundary, at the

west longitude to the ZHU southern boundary. 90 degrees west longitude, the 90 degrees south to the ZHU boundary. Then west to except between PMM and GSH, then boundary to the ZME/ZID boundary, west longitude from the ZMP/ZAU following the ZME east boundary Vertical Pitch Line: 86 degrees No westbound traffic between PMM and GSH. ZNZ ZBW ZDC ZNZ ZIMA ZOB ZXX DFUM BSH Sovido Boydo W 98 W 06 GEP CESNA ZME る listed on the following page. ZKC ZHD ZFW ZMP ZDV ZAB ZLC ZLA ZSE ZOA

NE, 22 OCT 2009 to 17 DEC 2009

# HAR Special High Altitude Pitch (entry) Points for Nonrestrictive Routing for Airports Located Outside HAR Phase I Expansion Airspace

Westbound traffic originating outside of HAR airspace entering ZMP, ZAU, ZKC and ZME can begin non-restrictive routing over any of the following pitch points (listed from north to south):

DLH, CESNA, GEP, BAE, MKG, GRR, PMM, GSH, CADIZ, FWA, VHP, FLM, IIU, PXV, SGF, RZC, BNA, SALMS, VUZ, BOYDD, MIF

Traffic originating outside of HAR airspace may also begin Nonrestrictive Routing upon crossing the pitch line depicted on the associated graphic.

# HAR Special High Altitude Pitch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists pitch points for airports within the HAR Phase I expansion airspace.

Albuquerque ABQ, GUP, HANOS or ZUN

Austin ABI, FUZ, JCT, MQP, NAVYS, SJT or TNV

Boca Raton, FL TBIRD KPASA Q118 LENIE

or

TBIRD KPASA Q116 CEEYA or TBIRD KPASA Q110 FEONA or TBIRD SMELZ Q106 BULZI

or TBIRD SMELZ Q106 GADAY

Burbank includes GMN, MARKS

Santa Monica

and Van Nuys DAG LAS

HEC EED

PMD BLH

Chicago Terminal Area IOW, PLL275065, MZV or BAE

Dallas/Fort Worth Terminal Area ABI, LBB, GTH, CDS, MRMAC, IRW, TUL, MLC, TXK

ELD, SWB

or

Aircraft destined the Chicago terminal area

Except MDW

EAKER MIDEE BDF BRADFORD-STAR

or

MLC J105 SGF BDF BRADFORD-STAR

Denver Terminal Area PUB, DVC, DBL, RLG, EKR, LAR, MBW, CYS, BFF, HANKI, NATTI, ASHBY, BELKE,

CABET, WEEDS, OR BINKE

Fort Lauderdale (or) THNDR KPASA Q118 LENIE

Fort Lauderdale Executive

THNDR KPASA Q116 CEEYA

. . . . .

THNDR KPASA Q110 FEONA

or

THNDR SMELZ Q106 GADAY

or

THNDR SMELZ Q106 BULZI

Houston Bush LIT, EMG, MLC, JCT

or

Aircraft destined Atlanta Terminal Area LCH Q24 PAYTN HONIE-RNAV STAR

or

Aircraft joining J37 to the northeast, BPT GUSTI Q22 CATLN

or

Aircraft joining J42 to the northeast, ELD Q32 J42

#### 498 HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

LIT, EMG, MLC, JCT, Houston Hobby

Aircraft joining J42 to the northeast, ELD Q32 J42

Jacksonville, FL TAY

Kansas City Terminal Area TIFTO, CATTS or KENTN

Los Angeles, includes

GMN, RZS Ontario

> or DAG LAS TRM EED TRM PKE

Las Vegas DOBNE, MOSBI, NICLE, TRALR or ZELOT

Long Beach includes GMN SNS, EHF, LANDO

Orange County

TRM PKE or TRM EED

Memphis BNA, HAAWK, SALMS or SQS

Miami Terminal Area WINCO KPASA Q118 LENIE

WINCO KPASA Q116 CEEYA

WINCO KPASA Q110 FEONA WINCO SMELZ Q106 GADAY

WINCO SMELZ Q106 BULZI

Milwaukee GREAS

Minneapolis Terminal Area\* ONL, ABR, FAR, OBH, OVR, FOD

New Orleans Terminal Area AEX, MEI, SQS, KAPLN Orlando Terminal Area WEBBS BRUTS Q118 LENIE

WEBBS GULFR Q116 CEEYA

WEBBS BULZI 0106 GADAY

or

WEBBS FEONA

WEBBS BULZI

Palm Beach, FL TBIRD KPASA Q118 LENIE

TBIRD KPASA Q116 CEEYA

TBIRD KPASA Q110 FEONA

TBIRD SMELZ Q106 BULZI

TBIRD SMELZ Q106 GADAY

Palm Springs TRM JOTNU BLD

or

TRM EED

Phoenix CHILY, CIE, CULTS, RSK, DOVEE, GCN, MESSI, SJN, DRYHT or MOHAK

Portland, OR PDT, TIMEE Salt Lake City HVE, DTA, MLF, BCE, OAL, MTU, BVL, OCS, TWF, DBS, BPI

0

TCH J56 CHE or

TCH J173 EKR

Saint Louis VIH, MAP, MYERZ, MCM

HLV MCI

San Antonio Terminal Area FUZ, SJT, MQP, ABI

or

Aircraft North of LFK, LFK or

Aircraft South of HUB, ELA

or

Aircraft South of LFK and North of HUB LCH

San Diego TRM EED

or

TRM PKE

TRM JOTNU BLD

San Francisco Bay Area GALLI, INSLO, HAROL JSICA
Oakland GALLI, INSLO, HAROL JSICA

San Jose GALLI or INSLO

Seattle BLUIT

Southwest Florida Airports

(RSW/FMY)

JOCKS KPASA Q118 LENIE

JOCKS KPASA Q116 CEEYA or JOCKS KPASA Q110 FEONA

JOCKS SMELZ Q106 GADAY

or

JOCKS SMELZ Q106 BULZI

Tampa Terminal Area FEONA, BULZI

BRUTS 0118 LENIE

or BR or

GULFR Q116 CEEYA or BULZI Q106 GADAY

## Catch Points for Airports Located Outside HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to specific destinations which are outside the HAR Phase I airspace.

Atlanta Terminal Area

Aircraft through ZME airspace from ZKC airspace east of FAM, Pless Q19 BNA

or

Aircraft through ZME airspace from ZKC airspace west of FAM, ARG Q26 DEVAC

MEM or

Aircraft through ZME airspace from ZID airspace west of a line from VHP to

BWG, BNA

or

Aircraft through ZME airspace from ZID airspace east of a line from VHP to

BWG, BWG

UI

Aircraft through ZME airspace from ZFW airspace, MEM

or

MEI HONIE (RNAV)-STAR

or

PATYN HONIE (RNAV)-STAR

<sup>\*</sup>MSP area departures with destinations east of 93 degrees west longitude via preferred IFR routing.

#### 500 HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

Baltimore-Washington\* GIJ. GEP. FLM. IIU. BAE. VHP. WHETT. BNA or VUZ

Boston\* GEP, CRL, ECK, IIU, BNA or VUZ

Buffalo\* GEP. CRL Hartford Bradlev\* GEP. CRL GIJ, VHP, GEP Canton-Akron\* Charlotte BNA. VUZ Cincinnati Terminal Area

BNA. PXV

Aircraft north of SLC, JOT

Aircraft over or south of SLC, ENL

SLC or SFO departures, ENL, JOT

Cleveland Terminal Area\* OBK

**Detroit Terminal Area** BAE MKG POLAR-STAR

VHP FWA MIZAR-STAR

Detroit Young VHP FWA

LAN SPRTN-STAR

Indianapolis Terminal Area BIB, SPI, JOT Louisville ENL. MEM

Newark\* GEP, VHP, FLM, IIU, BNA, VUZ

IOW GIJ J554 CRL J584 SLT FQM

New York Kennedy\* GEP, VHP, FLM, IIU, BNA, VUZ

DBO J94 PMM J70 LVZ LENDY-STAR

New York LaGuardia\* GIJ, GEP, VHP, BAE, FLM, IIU, BNA, VUZ Philadelphia Terminal Area\* GIJ, GEP, VHP, BAE, WHETT, BNA, VUZ

Pittsburgh Terminal Area\* VHP, GIJ, BAE, GEP Pontiac LFD, LAN, VHP, FWA, GEP

Providence JHW, HEMDI, CESNA, GEP, GRB, TVC, ASP, VHP, IIU, BNA, VUZ

Raleigh-Durham FLM, IIU, BNA, VUZ Toronto Terminal Area ECK, SVM, SSM, GEP Teterboro\* GEP, VHP, CRL, BNA, VUZ

Washington Dulles/National\* GIJ, GEP, FLM, IIU, BAE, VHP, WHETT, BNA, VUZ

White Plains\* GEP, VHP, CRL, FLM, IIU, BNA, VUZ

Willow Run\* LAN, LFD, VHP, FWA, GEP

\*Eastbound aircraft over flying ZMP center airspace entering Toronto center airspace, file direct SSM or via J63, J522, Q505, Q504, Q502, Q501

or

Entering ZAU or ZOB airspace from north of DPR J16 MCW, GEP

Entering ZAU or ZOB airspace from or south of DPR J16 MCW, CRL.

## HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

## Catch Points for Airports Located Within (below) HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to airports which are below HAR Phase I airspace.

Albuquerque Terminal Area CURLY CURLY-STAR

ESPAN FRIHO-STAR

LAVAN LAVAN-STAR

FTI FRIHO-STAR

MIERA MIERA-STAR

Austin Terminal Area Aircraft west of a north-south line at LFK, BLEWE

Aircraft east of a north-south line at LFK,IDU

LLO

Boca Raton, FL CEW DEFUN Q112 INPIN SHDAY (RNAV)-STAR

Aircraft through ZHU remain south of ZME and ZTL airspace

DEFUN 0112 INPIN SHDAY (RNAV)-STAR

Aircraft through ZHU remain south of ZME and ZTL airspace

SZW INPIN SHDAY (RNAV)-STAR

Chicago Midway CVA MOTIF-STAR

PIA MOTIF-STAR

DBQ CVA MOTIF-STAR

LMN MOTIF-STAR

Chicago O'Hare Terminal Area GEP DLL MSN JVL JANESVILLE-STAR

TVC PULLMAN-STAR

FOD DBQ JVL JANESVILLE-STAR

MCW JANESVILLE-STAR

GCK IRK BRADFORD-STAR

Dallas/Fort Worth Terminal Area IRW, LOSZY, FSM, LIT, SQS, MLU, AEX, JUMBO, TQA, TURKI, HEATR

Aircraft through ZME airspace from north and west of PXV, RZC, Q23 FSM

Aircraft through ZME airspace from east of PXV, PXV Q25 MEEOW

Aircraft through ZME airspace from J6 down to, but not including J52, LIT, SQS

Aircraft through ZME airspace from J52 and south of J52, SQS

Denver Terminal Area OATHE DANDD-STAR

HGO QUAIL-STAR

LOPEC-STAR

ALS LARKS-STAR

HBU POWDR-STAR

EKR TOMSN-STAR

CHE TOMSN-STAR

BFF LANDR-STAR

LBF SAYGE-STAR

HCT SAYGE-STAR

RSK LARKS-STAR

LAA QUAIL-STAR

GCK J154 RYLIE DANDD-STAR OCS J154 ALPOE RAMMS-STAR

YANKI J114 SNY LANDR-STAR

Aircraft filed BIL or east, MBW RAMMS-STAR

Ft Lauderdale or CEW DEFUN Q104 PIE SWAGS (RNAV)-STAR

Ft Lauderdale Executive Aircraft through ZHU airspace remain south ZME and ZTL

airspace

SZW HEVVN 0104 PIE SWAGS (RNAV)-STAR

Houston Bush CRP. CVE. LLO. LUKIY. SAT

Aircraft south and east of LLA, LLA

MISLE Q40 AEX

Aircraft north and east of SJI, SJI

Aircraft east of PXV. PXV 031 DHART SWB

Aircraft north and west of PXV, PROWL Q33 DHART SWB

Houston Hobby CRP, ELLVR, SAT, SWB

or

Aircraft south and east of GIRLY, GIRLY

Aircraft north and east of SJI, SJI

BESOM Q38 ROKIT ROKIT-STAR

Aircraft east of PXV, PXV Q29 HARES SWB

Aircraft north and west of PXV, PROWL Q33 DHART SWB

Jacksonville **GADAY ZOOSS TAY** 

Aircraft through ZHU airspace remain south of ZME and ZTL

airspace

**ZOOSS TAY** 

John Wayne-Orange County HEC, PGS, BLD

or

Aircraft south of TBC from ZAB airspace, HIPPI

Kansas City Terminal Area LMN BRAYMER-STAR

or

PWE ROBINSON-STAR

or

EMP JHAWK-STAR

Las Vegas DILCO, LIDAT, IGM

or

Aircraft over PGA or north of PGA KSINO

or

Aircraft south of PGA PGS LYNSY

Los Angeles Terminal Area Aircraft North of TBC, HEC, PGS

Aircraft South of TBC from ZAB airspace, HIPPI,

MESSI

Miami Terminal Area CEW DEFUN Q104 CYY DEEDS (RNAV)-STAR

Aircraft through ZHU airspace remain south ZME and ZTL airspace

SZW HEVVN Q104 CYY DEEDS (RNAV)-STAR

Minneapolis Terminal Area Aircraft from north, west, south,

FAR GOPHER-STAR

UI

RWF SKETR-STAR or ALO KASPR-STAR

or

BRD GOPHER-STAR

or BAE EAU CLAIRE-STAR

BAE

FOD TWOLF-STAR

Memphis Terminal Area ARG, BWG, FSM, PXV, LIT, RZC, SQS, VUZ, BNA, GQO, ELD

Naples, FL CEW DEFUN Q104 PLYER PIKKR (RNAV)-STAR

Aircraft through ZHU AIRSPACE remain south of ZME and ZTL

airspace

or

SZW HEVVN Q104 PLYER PIKKR (RNAV)-STAR

Nashville CCT, GHM, GUITR, TINGS, VOLLS

New Orleans Terminal Area BLUEZ, GPT, LCH, MCB, TBD, FATSO

Oakland ILA

or

KATTS PAMMY

or

Aircraft over or south of a line ILC J16 DVC

REANA KATTS PAMMY

or

Aircraft from north of ILC, JOPER PAMMY

or

KATTS PAMMY

10

Aircraft over or south of ILC, REANA KATTS PAMMY

Orlando Terminal Area GADAY Q108 CLAWZ LEESE-STAR

Aircraft through ZHU airspace remain south of ZME/ZTL

airspace

OTK LEESE-STAR

#### 504 HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

Palm Beach, FL CEW DEFUN 0112 INPIN GULLO (RNAV)-STAR

Aircraft through ZHU airspace remain south of ZME and ZTL

airspace

SZW INPIN GULLO (RNAV)-STAR

Phoenix CORKR DRK

Aircraft from ZDV airspace,

GUP

Aircraft from ZAB airspace,

ZUN, MOHAK, SSO

**VYLLA TUS** 

Phoenix Satellites FLG, SSO, MOHAK

VYLLA, TUS

Portland, OR Terminal Area ARNIT BONVL-STAR

LARNO BONVL-STAR

MOXEE MOXEE-STAR

St. Louis Terminal Area SGF TRAKE-STAR

BUM TRAKE-STAR

ANX TRAKE-STAR

LMN IRK RIVRS-STAR

RBS VANDALIA-STAR

Salt Lake City Terminal Area JNC J12 HELPR SPANE-STAR

or

EKR MTU SPANE-STAR or

BCE DTA-TCH

or

MLF DTA-TCH

or BVL BONNEVILLE-STAR

or

BYI BEARR-STAR

or

PIH BEARR-STAR or

DBS BRIGHAM CITY-STAR

or

JAC BRIGHAM CITY-STAR or

BPI BRIGHAM CITY-STAR

OCS BRIGHAM CITY-STAR

San Diego Terminal Area EED, LAX, GBN

Santa Ana HEC, PGS, BLD, HIPPI

San Antonio Terminal Area IDU, CSI, JCT, LLO, CRP, LRD

or

West of a north-south line at LFK, BLEWE

East of a north-south line at LFK, IDU

San Francisco FMG GOLDEN GATE-STAR

San Jose

or

MVA MODESTO-STAR

ENI GOLDEN GATE-STAR

or

OAL MODESTO-STAR

or

South of a line ILC to DVC,

REANA KATTS OAL MODESTO-STAR

FMG HYP EL NIDO-STAR

10

OAL HYP EL NIDO-STAR

or

ENI GOLDEN GATE-STAR

0.

South of a line ILC to DVC, REANA KATTS KICHI CANDA EL NIDO-STAR

......

Seattle Terminal Area Aircraft from northeast, southeast, south,

TEMPL GLASR-STAR

SUNED CHINS-STAR

...

BTG OLMYPIA-STAR

Southwest Florida Airports CEW DEFUN Q104 SWABE JOSFF-STAR

RSW and FMY Aircraft through ZHU airspace remain south of ZME and ZTL

airspace

or

SZW HEVVN Q104 SWABE JOSFF-STAR

Tampa Terminal Area CEW DEFUN Q104 HEVVN DARBS-STAR

Aircraft through ZHU airspace remain south of ZME and ZTL

airspace

or

SZW DARBS-STAR

Tucson DRK PXR

or

MOHAK GBN

# VFR WAYPOINTS

# **VISUAL FLIGHT RULES (VFR) WAYPOINTS**

VFR Waypoint names consist of five letters beginning with "VP". Stand-alone VFR Waypoints are portrayed on VFR Charts using the same four-point star symbol currently used for Instrument Flight Rules (IFR) Waypoints.

VFR Waypoints collocated with Visual Checkpoints (Visual Reporting Points) are portrayed with a Visual Check Point flag. The VFR Waypoint name is shown in parentheses adjacent to the Visual Check Point name.

VFR Waypoint names are not intended to be pronounceable and shall not be used in ATC communications.

CAUTION: GPS accuracy necessitates extra vigilance for other aircraft when navigating near any fix retrieved from a GPS database.

## RAITIMORE-WASHINGTON TERMINAL AREA CHART/FLYWAY CHART

	BALTIMORE-	WASHINGTON TERMINAL AREA CHART/	GTON TERMINAL AREA CHART/FLYWAY CHART	
WAYPOINT IDENT	C	OLLOCATED VFR CHECKPOINT	LOCATION	
VPAXI			N38°34.57′/W076°20.38′	
VPONX	_		N39°06.65′/W076°55.92′	
VPOOP	-		N38°56.32′/W076°36.90′	
	_		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
		BOSTON HELICOPTER CHART		
VPBAY	-		N42°16.17′/W070°49.48′	
VPBLT	_		N42°19.67′/W070°53.40′	
VPCGS	_		N42°22.08′/W071°03.13′	
VPEVS	_		N42°23.52′/W071°04.10′	
VPFEN	_		N42°12.58′/W071°08.88′	
VPFRE	_		N42°25.03′/W071°12.32′	
VPGVL	_		N42°21.88′/W070°52.18′	
VPHAM	_		N42°30.13′/W071°07.15′	
VPPIK	_		N42°20.37′/W071°15.93′	
VPQUA	_		N42°12.10′/W071°04.78′	
VPQUB	_		N42°12.60′/W070°59.83′	
VPSPF	_		N42°24.20′/W071°09.47′	
VPTOB	_		N42°31.42′/W070°59.82′	
VPWAN	_		N42°36.88′/W071°19.45′	
		BOSTON TERMINAL AREA CHART		
VPCOH		Cohasset	N42°13.58′/W070°48.94′	
VPCUT		Cuttyhunk Harbor	N41°25.50′/W070°55.03′	
VPFRA		Framingham Shopping Center	,	
VPHOL		Voods Hole	N42°18.16′/W071°23.65′	
VPHUL		voods Hole Hull	N41°31.06′/W070°40.60′ N42°18.20′/W070°55.30′	
VPHUL		Nantucket Great Point		
VPLPT			N41°23.41′/W070°02.78′	
		Needham Towers	N42°18.51′/W071°14.64′	
VPPEA		Peabody Shopping Center	N42°32.52′/W070°56.69′	
VPROC		Rockingham Race Track	N42°46.29′/W071°13.57′	
VPSCI VPTPT		Scituate	N42°11.89′/W070°43.69′	
VPTUC		Vantucket Third Point	N41°18.51′/W070°03.37′	
		uckernuck	N41°18.31′/W070°15.43′	
VPWAK		Vakefield	N42°30.72′/W071°05.24′	
VPWAN	V	Vang Towers	N42°36.88′/W071°19.45′	
		CHARLOTTE SECTIONAL CHART		
VPATO	-		N34°37.37′/W076°31.47′	
VPAVA	-		N34°57.00′/W077°16.50′	
VPBFE	-		N32°16.38′/W080°47.50′	
VPBRA	-		N36°13.75′/W076°08.08′	
VPGCE	-		N36°03.90′/W076°36.42′	
VPGHI	-		N35°15.30′/W075°31.25′	
VPGIO	-		N35°32.50′/W076°37.33′	
VPKJU	-		N35°26.58′/W076°10.22′	
VPLMN	-		N34°55.43′/W077°46.42′	
VPMAB	-		N34°42.20′/W077°03.50′	
VPNPO	Į.	SLE OF PALMS	N32°47.78′/W079°46.45′	
VPOKY	-		N35°06.53′/W075°59.17′	
VPREP	_		N32°33.98′/W080°21.82′	
VPRRS	_		N33°25.45′/W079°07.60′	
VPUMO	_		N35°35.63′/W075°28.08′	
VPWZO	_		N36°00.87′/W075°40.07′	
VPZIE	_		N32°01.62′/W080°53.42′	

# CHICAGO SECTIONAL CHART

CHICAGO SECTIONAL CHART			
WAYPOINT IDENT VPCOH	COLLOCATED VFR CHECKPOINT	<b>LOCATION</b> N31°49.35′/W081°51.07′	
DENVER TERMINAL AREA CHART/FLYWAY CHART			
VPBEN		N39°44.28′/W104°26.00′	
VPFTG			
VPNIC	NORTH INTERCHANGE	N39°44.35′/W104°32.75′ N39°58.90′/W104°59.27′	
НО	USTON TERMINAL AREA CHART/FLYW	AY CHART	
WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION	
VPBWY		N29°46.25′/W095°09.24′	
VPDTN		N29°46.59′/W095°22.01′	
VPGLA		N30°08.32′/W095°06.62′	
VPGLB		N30°07.80′/W094°55.70′	
VPKTY		N29°47.05′/W095°44.92′	
		N30°08.80′/W095°50.42′	
VPPLN		•	
VPRSN		N29°30.00′/W095°41.00′	
VPSND		N29°23.13′/W095°28.86′	
VPSNT		N29°49.29′/W094°53.94′	
VPTNE		N29°47.48′/W095°03.34′	
VPTNW VPTRK		N29°47.06′/W095°33.81′ N29°24.06′/W095°10.44′	
VEINN			
	JACKSONVILLE SECTIONAL CHAR	(1	
VPAFI		N31°49.35′/W081°51.07′	
VPAFY		N30°07.00′/W081°21.33′	
VPBEC		N29°46.25′/W081°15.10′	
VPCJA		N29°30.00′/W081°06.00′	
VPCKY		N28°46.50′/W082°34.00′	
VPCNY		N28°30.00′/W080°45.00′	
VPDAD	DADE CITY	N28°22.57′/W082°11.25′	
VPDAR		N31°22.38′/W081°24.13′	
VPDFI		N29°00.17′/W081°20.85′	
VPDUT		N27°37.70′/W082°09.10′	
VPEAR	CLEARWATER BEACH	N27°58.67′/W082°49.83′	
VPEGV		N29°39.97′/W081°24.87′	
VPFFU		N28°57.08′/W081°00.33′	
VPGPE	ST PETE BEACH	N27°43.50′/W082°44.67′	
VPHAA		N30°04.02′/W083°40.02′	
VPHUC		N28°19.87′/W082°43.77′	
VPIWA	MIDWAY	N31°48.33′/W081°25.85′	
VPJMY		N29°26.92′/W081°18.27′	
VPKER	LAKE PARKER	N28°04.00′/W081°56.00′	
VPLEV		N28°48.00′/W080°52.00′	
VPLJA		N29°00.00′/W080°51.00′	
VPMAI		N30°50.02′/W084°56.63′	
VPTLH		N30°32.70′/W083°52.22′	
VPXZY		N29°35.00′/W083°10.00′	
VPYIW		N30°42.28′/W081°27.25′	
VPZIE		N32°01.62′/W080°53.42′	
KANSAS CITY SECTIONAL CHART			
VPAGO		N37°50.33′/W090°29.03′	
VPBEK		N37°15.07′/W092°30.67′	
VPDEN		N37°46.75′/W092°19.20′	
VPENE		N37°44.75′/W091°55.78′	
VPESS		N36°59.48′/W091°00.88′	
VPFME		N37°41.00′/W092°38.33′	
VPGXY		N37°15.50′/W091°40.17′	
VPMBE		N37°11.08′/W090°27.92′	
VPMKE		N37°24.47′/W092°40.00′	
VPROV		N38°01.72′/W091°12.81′	
VPUTT		N37°52.05′/W092°01.20′	

# 508 VFR WAYPOINTS

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPWOC		N37°18.03′/W092°18.63′
VPWRO		N37°39.12′/W091°45.68′
VPXIZ		N37°26.60′/W092°05.42′
	KANSAS CITY TERMINAL AR	EA CHART
VPATN	ATCHISON	N39°33.62′/W095°07.65′
VPBGS	BLUE SPRINGS	N39°01.82′/W094°16.32′
VPBSP	BONNER SPRINGS	N39°03.78′/W094°53.10′
VPCHB	CHOUTEAU BRIDGE	N39°08.77′/W094°32.03′
VPDS0	DE SOTO	N38°58.68′/W094°58.48′
VPESG	EXCELSIOR SPRINGS	N39°20.68′/W094°13.77′
VPGTB	GARRETSBURG	N39°40.92′/W094°41.45′
VPLAT	LATHROP WATER TANK	N39°32.87′/W094°20.00′
VPLEN	LENEXA	N38°57.77′/W094°43.68′
VPLVL	LONGVIEW LAKE	N38°54.63′/W094°28.28′
VPMCL	MC LOUTH	N39°11.65′/W095°12.50′
VPNHA	NASHUA	N39°17.83′/W094°34.80′
VPSCX	SPORTS COMPLEX	N39°03.00′/W094°29.02′
VPSKR	SUGAR CREEK REFINERY	N39°07.00′/W094°27.02′
VPSPK	SWOPE PARK	N39°00.47′/W094°31.93′
VPTSK	TWIN STACKS	N39°09.05′/W094°38.22′
VPWOF	WORLDS OF FUN	N39°10.42′/W094°29.12′
	KLAMATH FALLS SECTIONA	L CHART
VPORO		N43°57.38′/W123°02.22′
	LOS ANGELES HELICOPTE	R CHART
VPANA		N33°44.43′/W117°50.03′
VPART	MAGNOLIA	N33°51.45′/W117°58.92′
VPAUT	HWY 91 & 55	N33°50.63′/W117°49.57′
VPBOB		N33°59.60′/W117°21.45′
VPCAR		N33°49.90′/W118°17.23′
VPCNG	CONEJO GRADE US HWY 101	N34°12.54′/W118°59.61′
VPCOR		N33°52.90′/W117°32.95′
VPCRX		N34°01.40′/W117°44.88′
VPCSU	CSU CHANNEL ISLANDS	N34°09.76′/W119°02.53′
VPDOW		N33°56.47′/W118°05.80′
VPELA		N34°00.98′/W118°10.35′
VPETY		N33°38.70′/W117°44.12′
VPFCB		N34°02.03′/W118°01.63′
VPFPL	OXNARD FINANCIAL PLAZA	N34°13.71′/W119°10.39′
VPGOL		N34°09.33′/W118°17.37′
VPIMP		N33°55.85′/W118°16.85′
VPKAT		N33°48.23′/W117°54.22′
VPKEL		N34°03.92′/W117°48.40′
VPLAC		N34°03.75′/W118°14.93′
VPLLU		N34°03.85′/W117°17.82′
VPLQM	QUEEN MARY	N33°45.17′/W118°11.37′
VPLRT	SANTA ANITA RACE TRACK	N34°08.45′/W118°02.65′
VPLVT	VINCENT THOMAS BRIDGE	N33°44.97′/W118°16.32′
VPMDR		N33°59.27′/W118°23.97′
VPNEW	NEWHALL PASS	N34°20.18′/W118°30.72′
VPNUY		N34°09.63′/W118°28.18′
VPPCH		N33°28.07′/W117°40.32′
VPPKC		N34°03.32′/W118°12.83′
VPPOR		N34°00.10′/W117°50.12′
VPRRT		N33°59.37′/W118°16.83′
VPSEP		N34°05.80′/W118°28.63′
VPSFR		N34°17.45′/W118°28.07′
VPSTC	SATICOY BRIDGE	N34°16.62′/W119°08.34′
VPSTK		N34°13.97′/W118°24.60′

LOS ANGELES SECTIONAL CHART		
WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPCNG	CONEJO GRADE US HWY 101	N34°12.54′/W118°59.61′
VPCSU	CSU CHANNEL ISLANDS	N34°09.76′/W119°02.53′
VPFPL	OXNARD FINANCIAL PLAZA	N34°13.71′/W119°10.39′
VPSTC	SATICOY BRIDGE	N34°16.62′/W119°08.34′
	LOS ANGELES TERMINAL AREA CHART	•
VPCNG	CONEJO GRADE US HWY 101	N34°12.54′/W118°59.61′
VPCSU	CSU CHANNEL ISLANDS	N34°09.76′/W119°02.53′
VPGTY	GETTY CENTER	N34°04.84′/W118°28.66′
VPLBP	BANNING PASS	N33°56.05′/W116°59.63′
VPLCC	CHAFFEY COLLEGE	N34°08.87′/W117°34.33′
VPLCP	CAJON PASS	N34°18.07′/W117°27.68′
VPLDL	DISNEYLAND	N33°48.72′/W117°55.13′
VPLDP	DANA POINT	N33°27.62′/W117°42.87′
VPLDS	DODGER STADIUM	N34°04.42′/W118°14.42′
VPLFX	91/605 INTERCHANGE	N33°52.38′/W118°06.08′
VPLGP	GRIFFITH PARK OBSERVATORY	N34°07.10′/W118°18.02′
VPLHF	110/405 FWYS	N33°51.42′/W118°17.10′
VPLHP	HUNTINGTON PIER	N33°39.32′/W118°00.25′
VPLKH	KING HARBOR	N33°50.75′/W118°23.88′
VPLLC	L.A. COLISEUM	N34°00.83′/W118°17.27′
VPLLM	LAKE MATHEWS	N33°50.58′/W117°26.85′
VPLMM	MAGIC MOUNTAIN	N34°26.20′/W118°36.28′
VPLMS	MILE SQUARE PARK	N33°43.40′/W117°56.77′
VPLPD	PRADO DAM	N33°53.40′/W117°38.48′
VPLPP	PACIFIC PALISADES	N34°02.13′/W118°32.15′
VPLQM	QUEEN MARY	N33°45.17′/W118°11.37′
VPLRB	ROSE BOWL	N34°09.67′/W118°10.05′
VPLRT	SANTA ANITA RACE TRACK	N34°08.45′/W118°02.65′
VPLSA	SANTA ANA CANYON	N33°52.03′/W117°42.68′
VPLSB	SANTA FE FLOOD BASIN	N34°07.72′/W117°57.30′
VPLSC	STATE COLLEGE	N33°52.97′/W117°53.13′
VPLSF	SAN FERNANDO RESERVOIR	N34°17.87′/W118°29.00′
VPLSP	SIGNAL PEAK	N33°36.33′/W117°48.63′
VPLSR	HAWTHORNE & 405 FREEWAY	N33°53.07′/W118°21.13′
VPLSS	SANTA SUSANA PASS	N34°16.00′/W118°38.43′
VPLTW	TUJUNGA WASH & FOOTHILL	N34°16.40′/W118°20.30′
VPLVV	VINCENT THOMAS BRIDGE	N33°44.97′/W118°16.32′
VPLVT	WATER TANK	N34°10.82′/W118°46.27′
VPLWT	NEWHALL PASS	· ·
VPNEW VPSTC	SATICOY BRIDGE	N34°20.18′/W118°30.72′
VESIC	SATIOUT BRIDGE	N34°16.62′/W119°08.34′

# MIAMI SECTIONAL CHART

VPACH	HOLLYWOOD BEACH	N26°00.92′/W080°06.93′
VPBOV		N27°57.00′/W080°46.75′
VPCLE		N26°27.07′/W082°00.88′
VPCTE		N26°09.28′/W081°20.70′
VPDAD	DADE CITY	N28°22.57′/W082°11.25′
VPDUT		N27°37.70′/W082°09.10′
VPDZE		N27°19.00′/W080°44.17′
VPEAR	CLEARWATER BEACH	N27°58.67′/W082°49.83′
VPEDY	ANDYTOWN TOLLGATE	N26°08.78′/W080°28.00′
VPFAH		N26°25.40′/W081°29.67′
VPGPE	ST PETE BEACH	N27°43.50′/W082°44.67′
VPHRO		N27°05.97′/W082°12.20′
VPHUC		N28°19.87′/W082°43.77′
VPIBR		N27°12.47′/W081°40.22′
VPKER	LAKE PARKER	N28°04.00′/W081°56.00′
VPKOE		N24°40.08′/W081°20.55′
VPLYY		N24°49.07′/W080°49.17′
VPMBO	GULFSTREAM PARK	N25°58.57′/W080°08.17′
VPOBA	PUMPING STATION	N26°28.30′/W080°26.75′
VPRBI		N25°50.67′/W080°55.18′
VPRNL	RANGER STATION	N25°22.92′/W080°36.58′
VPWMO		N27°03.00′/W080°35.00′

510

**VPSQP** 

**VPSSS** 

**VPSTN** 

**VPSTT** 

VPZZZ

MIAMI TERMINAL AREA CHART/FLYWAY CHART		
WAYPOINT IDENT    VPACH VPEDY    VPMBO VPOBA VPRBI VPRNL	COLLOCATED VFR CHECKPOINT HOLLYWOOD BEACH ANDYTOWN TOLLGATE GULFSTREAM PARK PUMPING STATION	LOCATION N26°00.92'/W080°06.93' N26°08.78'/W080°28.00' N25°58.57'W080°08.17' N26°28.30'/W080°26.75' N25°50.67'/W080°55.18' N25°22.92'/W080°36.58'
	NEW ORLEANS SECTIONAL	CHART
VPGPT VPLIP VPMAI VPMOB VPRAM VPRER VPRIV VPSAW VPTHR	PHILLIPS INLET	N30°25.95'/W089°05.62' N30°16.23'/W085°59.25' N30°50.02'/W084°56.63' N30°23.00'/W088°31.72' N30°18.95'/W089°35.83' N30°13.87'/W085°20.67' N30°54.85'/W087°57.82' N30°49.65'/W089°07.42' N30°19.93'/W087°08.50'
	NEW YORK HELICOPTER C	HART
VPJAY VPLYD VPROK		N40°59.00′/W073°07.00′ N40°57.37′/W073°29.59′ N40°52.70′/W073°44.24′
	PHOENIX TERMINAL AREA CHART/F	LYWAY CHART
VPALL VPAQU VPARM VPAWG VPAZM	ALLENVILLE AQUEDUCT PUMPING STATION ARROWHEAD MALL AHWATUKEE GOLF COURSE ARIZONA MILLS	N33°20.97'/W112°35.20' N33°40.05'/W112°41.38' N33°38.52'/W112°13.48' N33°19.98'/W111°59.08' N33°23.43'/W111°57.88'
VPBAR VPCCC VPCNL VPFRB	BARTLETT DAM COUNTRY CLUB & CANAL CANAL FIREBIRD LAKE	N33°49.10′/W111°37.92′ N33°30.73′/W111°50.37′ N33°33.23′/W111°46.89° N33°16.35′/W111°58.10′
VPFTN VPGLX VPGPP VPMAR	FOUNTAIN HILLS GILA CROSSING GLENDALE POWER PLANT MARICOPA	N33°36.12'/W111°42.72' N33°16.55'/W112°10.08' N33°33.27'/W112°13.00' N33°03.42'/W112°02.88'
VPMHS VPNRV VPNTT VPPIR	MESQUITE HIGH SCHOOL NEW RIVER NORTH TEST TRACK PIR	N33°20.53'/W111°49.58' N33°55.08'/W112°08.45' N33°03.50'/W111°55.83' N33°22.52'/W112°18.90'
VPQTR VPRVC VPSMC	QUINTERO GOLF COURSE RIO VERDE COMMUNITY SOUTH MOUNTAIN COLLEGE	N33°49.53′/W112°23.58′ N33°44.37′/W111°39.62′ N33°23.02′/W112°02.12′

# ST LOUIS TERMINAL AREA CHART/FLYWAY CHART

N33°32.83'/W112°01.27'

N33°23.50′/W111°41.37′

N33°09.23'/W111°40.92'

N32°56.25'/W111°59.67'

N33°20.18'/W111°26.53'

VPAGN VPBPE	TV ANTENNA	N38°32.08′/W090°22.42′ N38°23.80′/W090°20.38′
VPCJY	HOLIDAY SHORES	N38°55.00′/W089°56.00′
VPCOJ	WINFIELD DAM	N39°00.28′/W090°41.23′
VPDFA	JEFFERSON BARRACKS BRIDGE	N38°29.18′/W090°16.47′
VPEAZ	BUSCH STADIUM	N38°37.43′/W090°11.55′
VPEDZ	WATER TANKS	N38°45.30′/W090°34.87′
VPEGR	GAS TANKS	N38°35.80′/W090°19.32′
VPEOX	ST PETERS	N38°47.17′/W090°39.25′

SANTAN MOUNTAINS

SOUTH TEST TRACK

SQUAW PEAK

SUPERSTITION SPRINGS MALL

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPFAI	HOWELL ISLAND	N38°40.00′/W090°43.00′
VPFFY		N38°55.37′/W090°17.30′
VPGPF		N38°35.60′/W090°26.92′
VPGVI		N38°32.30′/W090°27.80′
VPHRQ	CHAIN OF ROCKS BRIDGE	N38°45.88′/W090°10.42′
VPIB0	WATERLOO	N38°20.00′/W090°09.00′
VPJMU	HORSESHOE LAKE	N38°41.00′/W090°05.00′
VPKNY	PACIFIC	N38°29.00′/W090°44.00′
VPLES	ST CHARLES	N38°47.00′/W090°30.00′
VPLIW	SIX FLAGS	N38°30.67′/W090°40.47′
VPLXU	GATEWAY ARCH	N38°37.50′/W090°11.00′
VPNSY	WOOD RIVER REFINERIES	N38°50.00′/W090°05.00′
VPNZY	WENTZVILLE	N38°48.83′/W090°50.98′
VPRAZ	JERSEYVILLE	N39°07.00′/W090°20.00′
VPRMO	FOREST PARK	N38°38.00′/W090°17.00′
VPWKO	COLUMBIA	N38°27.00′/W090°12.00′
VPXXI	MILLSTADT	N38°27.50′/W090°05.68′
VPYID	MOSENTHEIN ISLAND	N38°43.00′/W090°12.25′

# SALT LAKE CITY HELICOPTER CHART

	SALI LANE OILI IILLIOOI II	IN UIIANI
VPAIR	SALTAIR	N40°44.85′/W112°11.22′
VPBEE	SOUTH INTERCHANGE	N40°38.18′/W111°54.23′
VPBRN	BARN	N40°54.28′/W112°10.15′
VPCAP	STATE CAPITOL	N40°46.67′/W111°53.25′
VPCHS		N40°42.28′/W112°05.92′
VPCOP	BINGHAM COPPER MINE	N40°31.38′/W112°09.00′
VPCWY	CAUSEWAY	N41°05.37′/W112°07.17′
VPCYN	PARLEYS CANYON	N40°42.67′/W111°48.10′
VPFPC	FREE PORT CENTER	N41°05.92′/W112°02.27′
VPFPK	FRANCIS PEAK	N41°01.98′/W111°50.30′
VPGFS	GARFIELD STACK	N40°43.28′/W112°11.88′
VPHVE	SPAGHETTI BOWL	N40°43.50′/W111°54.22′
VPJRT	JORDAN RIVER TEMPLE	N40°35.02′/W111°55.58′
VPKSL	KSL ANTENNA	N40°46.80′/W112°05.80′
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08′/W111°53.57′
VPMDH	MCKAY DEE HOSPITAL	N41°11.50′/W111°57.08′
VPMMT	MICROWAVE TOWERS	N40°48.50′/W111°53.37′
VPMSH		N41°01.67′/W112°02.47′
VPNSL		N40°50.15′/W111°54.90′
VPNTP		N41°03.57′/W112°14.23′
VPOGE	GRAIN ELEVATOR	N41°13.13′/W112°00.45′
VPOPS	POWER STATION	N41°20.38′/W112°02.78′
VPPEN	STATE PRISON	N40°29.88′/W111°53.62′
VPPPT	PROMONTORY POINT	N41°12.28′/W112°25.73′
VPPTM	POINT OF THE MOUNTAIN	N40°27.42′/W111°54.83′
VPPVO	PROVO CANYON	N40°18.77′/W111°39.45′
VPRWY		N40°48.48′/W112°00.33′
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83′/W111°54.85′
VPTIP	SOUTH TIP	N40°50.93′/W112°10.92′
VPWBR	WEBER CANYON	N41°08.17′/W111°54.83′
VPWBT		N40°38.00′/W112°03.33′

# SALT LAKE CITY TERMINAL AREA CHART/FLYWAY CHART

VPAIR	SALTAIR	N40°44.85′/W112°11.22′
VPBEE	SOUTH INTERCHANGE	N40°38.18′/W111°54.23′
VPBRN	BARN	N40°54.28′/W112°10.15′
VPCAP	STATE CAPITOL	N40°46.67′/W111°53.25′
VPCHS		N40°42.28′/W112°05.92′
VPCOP	BINGHAM COPPER MINE	N40°31.38′/W112°09.00′
VPCVI	CENTERVILLE INTERCHANGE	N40°55.30′/W111°53.43′
VPCWY	CAUSEWAY	N41°05.37′/W112°07.17′
VPCYN	PARLEYS CANYON	N40°42.67′/W111°48.10′
VPFPC	FREE PORT CENTER	N41°05.92′/W112°02.27′
VPFPK	FRANCIS PEAK	N41°01.98′/W111°50.30′
VPGFS	GARFIELD STACK	N40°43.28′/W112°11.88′

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPHVE	SPAGHETTI BOWL	N40°43.50′/W111°54.22′
VPJRT	JORDAN RIVER TEMPLE	N40°35.02′/W111°55.58′
VPKSL	KSL ANTENNA	N40°46.80′/W112°05.80′
VPLGN	LAGOON AMUSEMENT PARK	N40°59.08'/W111°53.57'
VPMDH	MCKAY DEE HOSPITAL	N41°11.50′/W111°57.08′
VPMMT	MICROWAVE TOWERS	N40°48.50′/W111°53.37′
VPMSH		N41°01.67'/W112°02.47'
VPNSL		N40°50.15′/W111°54.90′
VPNTP		N41°03.57′/W112°14.23′
VPOGE	GRAIN ELEVATOR	N41°13.13′/W112°00.45′
VPOPS	POWER STATION	N41°20.38′/W112°02.78′
VPPEN	STATE PRISON	N40°29.88′/W111°53.62′
VPPPT	PROMONTORY POINT	N41°12.28′/W112°25.73′
VPPTM	POINT OF THE MOUNTAIN	N40°27.42′/W111°54.83′
VPPVO	PROVO CANYON	N40°18.77′/W111°39.45′
VPRWY		N40°48.48′/W112°00.33′
VPSLC	I-15/I-80 INTERCHANGE	N40°45.83′/W111°54.85′
VPTIP	SOUTH TIP	N40°50.93′/W112°10.92′
VPUOU	U OF U EVENTS CENTER	N40°45.73′/W111°50.28′
VPWBR	WEBER CANYON	N41°08.17′/W111°54.83′
VPWBT		N40°38.00′/W112°03.33′
VPZ00	HOGLE ZOO	N40°45.00′/W111°48.95′

# SAN DIEGO TERMINAL AREA CHART/FLYWAY CHART

VPLDP	DANA POINT	N33°27.62′/W117°42.87′
VPLSP	SIGNAL PEAK	N33°36.33′/W117°48.63′
VPOCN		N33°14.15′/W117°26.63′
VPSBC	BARONA CASINO	N32°56.25′/W116°52.60′
VPSBL		N33°05.18′/W117°18.55′
VPSBM	BLACK MOUNTAIN	N32°58.87′/W117°07.00′
VPSCF		N32°48.55′/W117°09.17′
VPSCM	COWLES MOUNTAIN	N32°48.72′/W117°01.97′
VPSCP	CRYSTAL PIER	N32°47.77′/W117°15.42′
VPSCR		N32°39.37′/W117°07.30′
VPSFB	IRON MOUNTAIN	N32°58.25′/W116°57.33′
VPSLJ	LAKE JENNINGS	N32°51.53′/W116°53.28′
VPSMB		N32°45.57′/W117°12.22′
VPSMP		N33°22.70′/W117°36.75′
VPSMS	MOUNT SOLEDAD	N32°50.40′/W117°15.10′
VPSMV		N32°45.75′/W117°09.80′
VPSMW	MOUNT WOODSON	N33°00.52′/W116°58.23′
VPSOP	OTAY MESA PRISON	N32°35.82′/W116°55.28′
VPSOT	LOWER OTAY LAKE	N32°37.73′/W116°55.38′
VPSPL	SOUTH POINT LOMA	N32°39.90′/W117°14.55′
VPSPP	POWER PLANT	N33°08.25′/W117°20.23′
VPSQS	QUALCOMM STADIUM	N32°46.98′/W117°07.23′
VPSRT	DEL MAR RACE TRACK	N32°58.58′/W117°15.95′
VPSSM	SAN MIGUEL MOUNTAIN	N32°41.78′/W116°56.18′
VPSSV	SAN VICENTE ISLAND	N32°55.53′/W116°55.00′
VPSTP	TORREY PINES GOLF COURSE	N32°54.17′/W117°14.68′
VPSVA		N33°11.48′/W117°16.38′

# SAN FRANCISCO SECTIONAL CHART

VPKBG KINGSBURY GRADE N38°58.75′/W119°53.20′

## SAN FRANCISCO TERMINAL AREA CHART/FLYWAY CHART

VPALT	ALTAMONT PASS	N37°44.35′/W121°35.42′
VPANT	ANTIOCH BRIDGE	N38°01.45′/W121°45.02′
VPBBR	BENICIA BRIDGE	N38°02.50′/W122°07.45′
VPCAL	CALAVERAS RESERVOIR	N37°28.16′/W121°48.93′
VPCBT	LAKE CHABOT	N37°43.68′/W122°06.94′
VPCOY	COYOTE HILLS	N37°32.50′/W122°05.06′
VPCQZ	CARQUINEZ BRIDGE	N38°03.66′/W122°13.52′
VPCRL		N37°11.00′/W121°41.06′
VPCRY	CRYSTAL SPRINGS CAUSEWAY	N37°30.56′/W122°21.10′

## NE, 22 OCT 2009 to 17 DEC 2009

# **VFR WAYPOINTS**

WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION
VPCSH	CAL STATE UNIVERSITY	N37°39.52′/W122°03.52′
VPDAM	DEL VALLE DAM	N37°36.91′/W121°44.78′
VPDLR		N37°07.00′/W121°47.06′
VPDUB	DUBLIN	N37°42.06′/W121°55.36′
VPEMB	EMBASSY SUITES	N37°26.05′/W121°53.83′
VPGGF	GOLDEN GATE FIELDS	N37°53.07′/W122°18.71′
VPGIL	GILROY	N37°01.37′/W121°33.99′
VPHHH	HAMILTON	N38°03.58′/W122°30.66′
VPKGO	KGO	N37°31.58′/W122°06.10′
VPLEX	LEXINGTON RESERVOIR	N37°11.66′/W121°59.18′
VPMID	MID-SPAN SAN MATEO BRIDGE	N37°36.28′/W122°11.81′
VPMOR	MORMON TEMPLE	N37°48.46′/W122°11.95′
VPNUM	NUMMI PLANT	N37°29.56′/W121°56.58′
VPPAC		N37°38.00′/W122°32.07′
VPPRU	PRUNEYARD	N37°17.33′/W121°56.01′
VPSAR	SARATOGA	N37°15.26′/W122°02.33′
VPSLA	SLAC/LINEAR ACCELERATOR	N37°24.75′/W122°14.35′
VPSTB	STINSON BEACH	N37°54.45′/W122°40.41′
VPSUN	SUNOL GOLF COURSE	N37°34.85′/W121°53.23′
VPUTC	U.T.C.	N37°13.93′/W121°41.35′
VPWAL	WALNUT CREEK	N37°53.78′/W122°04.30′
VPWAM		N37°30.28′/W122°10.00′
VPWFR	CEMENT PLANT	N37°30.88′/W122°12.26′
	TAMPA/ORLANDO TERMINAL AREA CHAR	T/FLYWAY CHART
VPBOV		N27°57.00′/W080°46.75′

	IAIIII A/ONLANDO ILMIIINAL ANLA OII	IAINI/I ETHAT OHANT
VPBOV		N27°57.00′/W080°46.75′
VPCNY		N28°30.00′/W080°45.00′
VPDAD	DADE CITY	N28°22.57′/W082°11.25′
VPDFI		N29°00.17′/W081°20.85′
VPDUT		N27°37.70′/W082°09.10′
VPEAR	CLEARWATER BEACH	N27°58.67′/W082°49.83′
VPFFU		N28°57.08′/W081°00.33′
VPGPE	ST PETE BEACH	N27°43.50′/W082°44.67′
VPHUC		N28°19.87′/W082°43.77′
VPKER	LAKE PARKER	N28°04.00′/W081°56.00′
VPLEV		N28°48.00′/W080°52.00′
VPLJA		N29°00.00′/W080°51.00′
	WASHINGTON SECTIONAL	L CHART

VPACE	N38°07.82′/W076°48.75′
VPAXI	
	 N38°34.57′/W076°20.38′
VPBRA	 N36°13.75′/W076°08.08′
VPGCE	 N36°03.90′/W076°36.42′
VPWZO	 N36°00.87′/W075°40.07′

## **VOR RECEIVER CHECK**

# **VOR RECEIVER CHECKPOINTS** AND **VOT TEST FACILITIES (VOT)**

The use of VOR airborne and ground checkpoints is explained in Aeronautical Information Manual, Basic Flight Information and ATC Procedures.

NOTE: Under columns headed Type of Checkpoint & Type of VOT Facility G stands for ground. A/ stands for airborne followed by figures (2300) or (1000-3000) indicating the altitudes above mean sea level at which the check should be conducted. Facilities are listed in alphabetical order, in the state where the checkpoints or VOTs are located.

## CONNECTICUT

### **VOR RECEIVER CHECKPOINTS**

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Carmel (Danbury Muni)	116.6/CMK	A/1500	050	6.7	Over apch end of Rwy 08.
Madison (Chester)	110.4/MAD	A/1500	076	9.4	Over small hangar.
Madison (Meriden Markham Muni)	110.4/MAD	A/1500	345	13.4	Over small hangar.
Norwich (Windham)	110.0/ORW	A/1500	339	13.9	Over intersection of rwy and twy.
Putnam (Danielson)	117.4/PUT	A/1300	211	8.5	Over int of ramp taxiway and rwy.

### **VOR TEST FACILITIES (VOT)**

Remarks

Facility Name		Type VOT
(Airport Name)	Freq.	Facility
Bradley Intl	111.4	G
Bridgeport (Igor I. Sikorsky Mem)	109.25	G
Groton (Groton-New London)	110.25	G
Hartford (Hartford-Brainard)	108.2	G

## **DELAWARE**

### **VOR RECEIVER CHECK POINTS**

		Type Check Pt. Gnd.	Azimuth from Fac.	Dist. from Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Smyrna (Delaware Airpark)	111.4/ENO	A/1000	267	3.6	Over thid Rwy 27.
Wilmington (New Castle)	114.0/DQ0	G	170	0.5	On runup pad Rwy 01. OTS indef.
		G	284	0.6	On Twy 'K' at Rwy 09.
		G	067	0.5	On Twy 'K' at Rwy 27. OTS indef.
Wilmington (Summit Airpark)	114.0/DQ0	A/1200	219	10.8	Over rotating bcn. OTS indef.

## **DISTRICT OF COLUMBIA**

## **VOR TEST FACILITIES (VOT)**

Type VOT

Facility Name		Type VOT	
(Airport Name)	Freq.	Facility	Remarks
Ronald Reagan Washington Natl	109.4	G	Unusable in front of north hangar (interim terminal)

# VOR RECEIVER CHECK MAINE

# **VOR RECEIVER CHECKPOINTS**

Facility Name (Aust Name)	From Adores	Type Check Pt. Gnd.	Azimuth from Fac.	Dist. from Fac.	Observation Description
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Augusta (Auburn-Lewiston Muni)	111.4/AUG	A/1500	250	26.5	Over intersection of rwys.
Bangor (Bangor Intl)	114.8/BGR	G	153	3.8	On runup area Rwy 33.
Kennebunk (Sanford Rgnl)	117.1/ENE	A/1300	267	4.5	Over Twy C and dsplcd thid Rwy 14.
Presque Isle (Caribou Muni) Presque Isle (Northern Maine Rgnl Arpt at	116.4/PQI	A/1700	051	6.5	Over intersection of rwys.
Presque Is)	116.4/PQI	A/2000	180	5.7	Over intersection of rwys.
Princeton (Princeton Muni)	114.3/PNN	A/1300	164	9.6	Over intersection of rwy and strip. OTS indef.

# **VOR TEST FACILITIES (VOT)**

Facility Name (Airport Name) Freq.		Type VOT Facility	Remarks
Portland Intl Jetport	111.0 111.0	G	

# **MARYLAND**

## **VOR RECEIVER CHECKPOINTS**

		Type Check Pt. Gnd.	Azimuth from Fac.	Dist. from Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Frederick (Frederick Muni)	109.0/FDK	G	035	0.6	On runup pad apch end Rwy 23.
		G	359	0.6	Intersection Twys H and D.
Frederick (Montgomery County Airpark) Hagerstown (Hagerstown Rgnl–Richard A	109.0/FDK	A/2000	155	17.2	Over apch end Rwy 14.
Henson Fld)	109.8/HGR	A/1700	089	5.3	Over new ATCT.
Salisbury (Ocean City Muni)	111.2/SBY	A/1300	109	18.6	Intersection of twy and Rwy 32.
Salisbury (Salisbury-Ocean City Wicomico					
RgnI)	111.2/SBY	G	221	0.7	Runup pad Rwy 05.

# VOR RECEIVER CHECK MASSACHUSETTS

## **VOR RECEIVER CHECKPOINTS**

		Type			
		Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Barnes (Barnes Muni)	113.0/BAF	G	207	1	From the facility.
Gardner (Fitchburg Muni)	110.6/GDM	A/1500	102	13.0	Over intersection of rwys.
Gardner (Metropolitan)	110.6/GDM	A/2000	097	1.9	Over intersection of twy and rwy.
Gardner (Orange Muni)	110.6/GDM	A/1500	292	10	Over parachute jump circle.
Gardner (Worcester Rgnl)	110.6/GDM	A/2000	167	18.8	Over intersection of Rwys 11–29 and 15–33.
Lawrence (Plum Island)	112.5/LWM	A/1500	089	11.8	Over apch end Rwy 10.
Marthas Vineyard (Marthas Vineyard)	114.5/MVY	G	216	0.7	On runup block for Rwy 06.
Nantucket (Nantucket Memorial)	116.2/ACK	G	242	1.9	On runup area at apch end Rwy 24.
Putnam (Southbridge Muni)	117.4/PUT	A/1700	329	12	Over intersection of twy and rwy.

# **VOT TEST FACILITIES (VOT)**

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Laurence G. Hanscom	111.0	G G G	

# NEW HAMPSHIRE VOR RECEIVER CHECKPOINTS

		Type			
		Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Berlin (Berlin Rgnl)	110.4/BML	A/2600	190	6.0	Over ski jump on W side of road.
	110.4/BML	G	191	3.4	Hold short line Rwy 18-36.
Gardner (Jaffrey Arpt–Silver Ranch)	110.6/GDM	A/2000	023	15.8	Over intersection of rwy and twy.
Lebanon (Lebanon Muni)	113.7/LEB	A/1600	246	5.0	Over intersection of Rwys 07-25 and 18-36.
	113.7/LEB	G	248	5.1	On Bravo-Two twy.
Pease (Portsmouth Intl at Pease)	116.5/PSM	G	015	0.4	North runup pad.
		G	157	1.5	On south runup pad.
Pease (Skyhaven)	116.5/PSM	A/1500	356	12.6	Over windsock.

# NEW JERSEY VOR RECEIVER CHECKPOINTS

		Туре			
		Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Cedar Lake (Millville Muni)	115.2/VCN	A/1500	215	11.4	Over intersection Rwys
					10-28 and 14-32.
Coyle (Lakewood)	113.4/CYN	A/1000	048	18.9	Over apch end Rwy 06.
Coyle (Robert J. Miller Air Park)	113.4/CYN	A/1500	054	9.0	Over apch end Rwy 06.
Robbinsville (Trenton-Robbinsville)	113.8/RBV	A/1200	289	5.2	Over apch end Rwy 11.
Sea Isle (Cape May County)	114.8/SIE	A/1200	236	6.8	Over apch end Rwy 19.
Yardley (Trenton Mercer)	108.2/ARD	A/1500	080	4.5	Over ATCT.

# VOR RECEIVER CHECK NEW YORK

## **VOR RECEIVER CHECKPOINTS**

		Type Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Aust Name)	Franci / I danst				Observation Description
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Binghamton (Greater Binghamton/Edwin A	440.04050		075	7.0	
Link Fld)	112.2/CFB	G	075	7.6	On north ramp.
Binghamton (Tri-Cities)	112.2/CFB	A/2000	170	5.0	Over rwy intersection.
Carmel (Westchester County)	116.6/CMK	A/1500	215	14.0	Over center of arpt.
Dunkirk (Chautauqua Co/Dunkirk)	116.2/DKK	G	043	0.5	On twy adjacent to the apch end Rwy 24.
Glens Falls (Floyd Bennett Memorial)	110.2/GFL	G	034	0.5	On runup area Rwy 19.
Groton (Elizabeth Field)	110.85/GON	A/1200	183	4.8	Over intersection of rwys.
Huguenot	116.1/HUO	A/3000	222	6.2	Over monument on hill.
Huguenot (Randall)	116.1/HUO	A/1500	093	8.8	Over apch end Rwy 07.
Ithaca (Tompkins Rgnl)	111.8/ITH	G	157	0.8	On twy apch end Rwy 32.
Jamestown (Chautauqua County/					
Jamestown)	114.7/JHW	A/2500	260	6.2	Over hangar NE corner of arpt.
Kingston (Sky Acres)	117.6/IGN	A/2500	070	5.0	Over intersection of twy and Rwy 17-35.
Kingston (Sky Park)	117.6/IGN	A/1500	010	18.8	Over apch end Rwy 01.
Poughkeepsie (Dutchess County)	114.3/PWL	A/1500	248	15.2	Over intersection Rwys 15-33 and 06-24.
Rockdale (Oneonta Muni)	112.6/RKA	A/3000	078	8.5	Over hangar.
Rockdale (Sidney Muni)	112.6/RKA	A/2200	229	12.5	Over hangar.
Rochester (Greater Rochester Intl)	110.0/ROC	G	98	0.6	On Twy 'K' between Twys 'F' and 'J'. (Near de-ice pad).
Saranac Lake	109.2/SLK	A/3000	141	4.2	Over microwave tower on Mt Pisgah.
Watertown (Watertown Intl)	109.8/ART	G	046	3.0	On ramp in front of administration building.

# **VOR TEST FACILITIES (VOT)**

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Albany County	108.2	G	Unusable runup and hold areas Twy M. Unusable runup pad, holding area and apch end of Rwy 19.
Buffalo Niagara Intl	109.0	G	
Islip (Long Island MacArthur)	109.4	G	
John F. Kennedy Intl	115.1	G	

# PENNSYLVANIA VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
racinty Name (Arpt Name)	rred/ident	AD/ALI	IVIUE	IN.IVI.	опескроппе Везсприоп
Bradford (Bradford Rgnl)	116.6/BFD	G	321	1.1	On SE twy midway between ramp and Rwy 32.
Clarion (Clarion County)	112.9/CIP	A/3000	286	10.9	Over center of interstate bridge/river.
East Texas (Allentown Queen City Muni)	110.2/ETX	A/1200	103	9.2	Over intersection of Rwys 07-25 and 14-32. Checkpoint unaylyl indef

		Type Check Pt. Gnd.	Azimuth from Fac.	Dist. from Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Erie (Erie Intl/Tom Ridge Fld)	109.4/ERI	G	060		6.1 NM on twy at apch end Rwy 06. Ground receiver checkpoint OTS.
Hazelton (Hazelton Muni)	109.4/HZL	G	093		On short twy midfield. VOR ground checkpoint OTS indef.
Lancaster (Lancaster)	117.3/LRP	G	306	0.5	On Twy M.
Milton (Bloomsburg Muni) North Philadelphia (Northeast	109.2/MIP	A/1500	108	10.3	Over threshold Rwy 08.
Philadelphia)	112.0/PNE	G	215		Twy F.
Philipsburg (Mid-State)	115.5/PSB	G	256	4.5	On twy near intersection of Rwys 06–24 and 16–34.
Philipsburg (University Park)	115.5/PSB	A/2500	132	7.6	Over intersection of Rwys 06-24 and 16-34.
Pottstown (Pottstown Muni)	116.5/PTW	A/1500	303	5.6	Over E hangar. VOR airborne checkpoint OTS indef.
Ravine (Muir AAF)	114.6/RAV	A/2500	179	7.7	Over water twr ½ NM NE of rwy.
Ravine (Schuylkill County/Joe Zerbey)	114.6/RAV	A/2000	060	13.9	Over intersection of Rwys 11-29 and 04-22. VOR airborne checkpoint OTS indef.
Solberg (Doylestown)	112.9/SBJ	A/1500	240	22.6	Over apch end Rwy 23.
Stonyfork (Wellsboro Johnston)	108.6/SFK	A/3600	111	6.5	Over 2558' tower.
Wilkes-Barre (Pocono Mountains Muni)	111.6/LVZ	A/3000	131	16.2	Over intersection of Rwys 05–23 and 13–31.

# **VOR TEST FACILITIES (VOT)**

Facility Name (Airport Name)	Freq.	Type VOT Facility	Remarks
Harrisburg IntlPhiladelphia Intl.		G G	Unusable west of Twy Y.

# RHODE ISLAND VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Providence (Newport State) Providence (North Central State) Groton (Block Island State)	115.6/PVD 115.6/PVD 110.85/GON	A/1400 A/1500 A/1800	164 360 129	13.4 12.2 23.5	Over intersection of rwys. Over intersection of rwys. Over terminal building.

# **VOR TEST FACILITIES (VOT)**

Facility Name		Type VOT	
(Airport Name)	Freq.	Facility	Remarks
Providence (Theodore Francis Green	108.2	G	

# VOR RECEIVER CHECK VERMONT

# **VERMONT**VOR TEST FACILITIES (VOT)

Facility Name Type VOT (Airport Name) Freq. Facility

Remarks

**Burlington Intl.** 109.0

# VIRGINIA VOR RECEIVER CHECKPOINTS

G

Facility Name (Arpt Name) Cape Charles (Campbell Field) Cape Charles (Tangier Island) Danville (Danville Rgnl)	Freq/Ident 112.2/CCV 112.2/CCV 113.1/DAN	Type Check Pt. Gnd. AB/ALT A/1000 A/1500 G	Azimuth from Fac. Mag 050 010 340	Dist. from Fac. N.M. 8.9 28.4	Checkpoint Description Over rwy intersection. Over apch end Rwy 02. At intersection of Twy A and hangar row near Twy
Flat Rock (Farmville Rgnl)	113.3/FAK	A/1600	257	31	E.  Over intersection of twy and rwy.
<b>Lynchburg</b> (Lynchburg Rgnl-Preston Glenn Field)	109.2/LYH	G	026	5.0	West runup area adjacent
Norfolk (Norfolk Intl)	116.9/ORF	G	031		to Rwy 22. At center of twy E 250' NW of centerline of Rwy 23.
Richmond (Richmond Intl)	114.1/RIC 114.1/RIC	A/2100 G	306 005	8.5 .9	Over 1054' twr. On run up area Rwy 16
		G	344	.9	Twy. On twy in front of Aeronautical Services
		G	138	.7	hangar. Twy front of Army Guard
		G	270	.7	ramp. On Twy J between Twys A and T.
South Boston (Danville Rgnl)	110.4/SBV	A/1500	255	16.8	Over terminal building.

# WEST VIRGINIA VOR RECEIVER CHECKPOINTS

Facility Name (Arpt Name)  Lewisburg (Greenbrier Valley)	Freq/Ident 116.05/LWB	Type Check Pt. Gnd. AB/ALT G	Azimuth from Fac. Mag 236	Dist. from Fac. N.M.	Checkpoint Description On Twy A northwest on Twy E.
Martinsburg (Eastern West Virginia Rgnl					
Shepherd Fld)	112.1/MRB	G	281	6.2	At apch end Rwy 35.
		G	284		D twy south of Rwy 08–26.
		G	284		Twy C intersection with Rwy 08–26.
		G	287	6.5	In front of twr on twy A. VOR receiver checkpoint OTS.
Morgantown (Morgantown Muni-Walter L.					
Bill Hart Fld)	111.6/MGW	G	337	5.8	Intersection of Twys A and C.
Parkersburg (Mid-Ohio Valley Rgnl)	108.6/JPU	G	211°	6.3	Intersection of Twy A and Twy D.
		G	208	6.5	Twy J and apch end Rwy 28.
Wheeling (Wheeling Ohio Co)	112.2/HLG	G	223	5.9	On twy on east side of ramp.

# **VOR TEST FACILITIES (VOT)**

Facility Name (Airport Name)	Freq.	Type VOT Facility
Charleston (Yeager)	108.8	G

The following tabulation lists all reported parachute jumping sites in the area of coverage of this directory. Unless otherwise indicated, all activities are conducted during daylight hours and under VFR conditions. The busiest periods of activity are normally on weekends and holidays, but jumps can be expected at anytime during the week at the locations listed. Jumps within restricted airspace are not listed.

All times are local and altitudes MSL unless otherwise specified.

Contact facility and frequency is listed at the end of the remarks, when available, in bold face type.

Refer to Federal Aviation Regulations Part 105 for required procedures relating to parachute jumping.

Organizations desiring listing of their jumping activities in this publication should contact the nearest FSS, tower or ARTCC.

Qualified parachute jumping sites will be depicted on the appropriate visual chart(s).

Note: (c) in this publication indicates that the parachute jump area is charted.

To qualify for charting, a jump area must meet the following criteria:

- (1) Been in operation for at least 1 year.
- (2) Operate year round (at least on weekends).
- (3) Log 4,000 or more jumps each year.

In addition, jump sites can be nominated by FAA Regions if special circumstances require charting.

LOCATION	DISTANCE AND RADIAL FROM	MAXIMUM ALTITUDE	REMARKS
LOCATION	NEAREST VOR/VORTAC	ALTITUDE	REWARKS
	CONNECTICUT		
(c) Danielson Arpt	8 NM; 211° Putnam	12,500	5 NM radius. Weekends and holidays.
(c) Ellington Arpt	17 NM; 025° Hartford	15,000	Fri, Sat, Sun, and occasional weekdays. 0.25 NM radius Pea Stone target
Harwinton	25 NM; 300° Hartford	7,200	0700-SS weekends.
	DELAWARE		
Georgetown, Sussex Co. Arpt	10 NM; 230° Waterloo	12,500	0900-SS Weekends; 1700-SS Wednesday.
Selbyville, Warrington Fld	17 NM; 079° Salisbury	15,000	Weekends and holidays.
(c) Western Suxxex/Booth Fld	12 NM; 356° Salisbury	12,000	5 NM radius. SR-SS daily.
	MAINE		
(c) Lebanon	13 NM; 275° Kennebunk	14,000	0800-SS daily.
Millinocket Muni Arpt	9.5 NM; 319° Millinocket	14,000 AGL	5 NM radius. Daily SR-SS.
	MARYLAND		
Accident	14 NM; 275° Grantsville		
Edgewood	29 NM; 056° Baltimore	10,000	Weekends, evenings, occasional weekdays
Gambrills, Dairy Farm Drop Zone	7 NM; 198° Baltimore	1300 AGL	0.5 NM radius. Weekends-November thru April.
Long Greene Drop Zone	21 NM; 038° Baltimore	10,000 AGL	0.5 NM radius. Weekends.
(c) Ocean City Muni Arpt	18 NM; 108° Salisbury	15,000	3 NM radius. 1 May-30 Nov continuous.
Patuxent River NAS (Trapnell Fld)	1.2 NM; 243° Patuxent	Unrestricted	0.25 NM radius. 1600-SS Mon-Fri, 0800-SS Sat, Sun, Holidays.
	0.7 NM; 303° Patuxent	Unrestricted	0.25 NM radius.
Sumang Drop Zone	20.3 NM; 286° Baltimore	3,000 AGL	0.4 NM radius. Weekends
Tewey Drop Zone	24 NM; 023° Baltimore	10,000 AGL	1 NM radius. Weekends
Unity Drop Zone	20 NM; 292° Baltimore	3,000 AGL	0.4 NM; radius. Weekends
	MASSACHUSETTS		
(c) Ft. Devens, Turner Drop Zone	18 NM; 115° Gardner	4,000 AGL	.5 NM radius. Daily SR-SS (occasionally nights) (occasionally to 20,000'.)
Marston Mills	20 NM; 045° Marthas Vineyard	10,000	1 NM radius 0700-SS daily
(c) Montague, Turners Falls Arpt Natick Laboratory Sudbury		12,500 AGL 4,000 AGL	5 NM radius. SR-SS daily. 0.25 NM radius. 0800-1700

Mon-Fri

# PARACHUTE JUMPING AREAS

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
(c) Orange Muni Arpt	10 NM; 292° Gardner	14,000	1 NM radius. Thu-Sun and holidays. SR-one hr after SS. Boston Center 123.75
(c) Pepperell, Sports Center Arpt	13 NM; 233° Manchester	20,000 AGL	3 NM radius. Daily SR-SS frequently ngt ops.
	NEW JERSEY		
(c) Belmar/Farmingdale, Monmouth	7 NM; 170° Colts Neck	13,500	3 NM radius. SR-SS Daily.
Executive Arpt			
(c) Chatsworth, Coyle Fld	1 NM; 130° Coyle	2,000 AGL	Continuous. Heavy equip and paratroopers
(c) Cross Keys	10 NM; 355° Cedar Lake	14,000	1.5 NM radius. Daily SR-SS.
(c) Lakehurst NAES (Maxfield Fld)		12,500	0.3 NM radius. Daily SR-SS. Cargo
•	TACAN		drops ngts 2000' and below
(c) Sussex		15,000	1.5 NM radius. Daily 0700–SS.
(0) 44000		10,000	110 1111 1441401 2411, 0100 001
	NEW YORK		
(c) Albion, Pine Hill Arpt	22 NM; 055° Buffalo	12,000′	2 NM radius. 0800–1 hour after SS, Wed thru Sun and holidays.
Arcade Tri–Co Arpt	24 NM; 162°Buffalo	10,000	5 NM radius. 0900-2100 SR-SS, Sat, Sun, and Wed.
Bloomingburg, Shan-Wan-Ga Valley Arpt	13 NM; 050° Huguenot	12,000	5 NM radius. 0900-SS daily.
(c) Calverton	1.5 NM; 150° Calverton	13,500	2 NM radius. Daily SR-SS.
(c) Duanesburg Arpt	14 NM; 280° Albany	13,000	3 NM radius. SR-SS daily.
(c) East Moriches, Spadaro Arpt	7 NM; 170° Calverton	14,000	1 NM radius, 0800-SS Sat and Sun. 1600-SS Wed.
Fort Drum	23 NM; 060° Watertown	1,000 AGL	1 NM radius. SR-SS Mon-Fri.
Gardiner Arpt	15 NM; 284° Kingston	14,500	4 NM radius. Daily SR-SS.
Hamiliton Muni Arpt	13 NM: 085° Georgetown	10,000 AGL	5 NM radius. Weekends.
(c) Java		13,000	5 NM radius. Daily SR-SS, occasionally til 2400
Johnstown, Fulco Arpt	27 NM; 315° Albany	15,000 AGL	3 NM radius. SR-SS Fri, Sat, Sun & holidays. Occasionally other days.
Kirkwood Arpk	18 NM: 130° Binghamton	12,000	5 NM radius. 1000-SS Sat & Sun.
(c) Lexington-Prattville, Maben Arpt		22,000	3 NM radius. SR-SS daily.
Newfane, Hollands Intl Arpt		18,000	5 NM radius. SR-SS daily;
			occasional ngts.
New Paltz, Stanton Arpt	15NM; 301° Kingston	14,000	3NM radius. Sat, Sun and holidays SR–SS, occasional ngts and other days.
(c) Ovid Arpt	18 NM: 313°Ithaca	13,500	2 NM radius. 0600-2400 daily.
(c) Quaker Street, Knox Arpt		14,000	3 NM radius. Daily SR-2400.
Rhinebeck, Old Rhinebeck Arpt		4,900	2 NM radius. SR–SS Sat–Sun Jun 15–Oct 15.
(c) Scotia, Mohawk Valley	12 NM/318° Albany	12,000	5 NM radius. 0800-2400 daily.
Stormville Arpt		13,000 AGL	Daily, SR-SS.
(c) Verona, Curtis Arpt		10,000	5 NM radius. SR-SS daily Apr 1-Nov 30.
(c) Wallkill	25 NM; 062° Huguenot	14,500 AGL	1 NM radius. Daily 1200-0200.
West Bloomfield, Fort Hill Arpt		15,000	1200-1 hr after SS Wed-Fri; 0800-1 hr after SS Sat, Sun & holidays; occasional ngt till 2400.
Westhampton Beach, Francis S Gabreski Arpt.	10NM; 130° Calverton	13,000′ AGL	1NM radius. Tue thru Fri 1000-1400 13,000' to sfc and
(c) West Point	22 NM; 112° Huguenot	10,000	1400-2200 8,000' to sfc. 2 NM radius. Weekdays 1200-SS, weekends, occasionally.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
	PENNSYLVANIA		
Bethel, Grimes Arpt(c) Burgettstown, Starveggi Drop Zone	16 NM; 112° Ravine	11,000 2000 AGL	5 NM radius. SR-SS daily. 1 NM radius. Tue-Thur 1030-2200; occasionally (by notam) Fri-Sun 0700-1800.
(c) Chambersburg Franklin Co Rgnl Arpt Connellsville Arpt		15,000 AGL 15,000	2NM radius. SR-SS daily. 4NM radius. Mar-Nov. Fri-Sun SR SS.
Culmerville Arpt	22 NM; 125° Ellwood City	11,500 AGL	Daily SR-SS
Doylestown East Stroudsburg, Stroudsburg–Pocono Arpt	8 NM; 303° Yardley 13.4 NM; 291° Stillwater	12,500 14,500	Sat and Sun SR-SS 2.5 NM radius. 0600–2200 daily.
(c) Fort Indiantown Gap-Muir AAF, Cold Steel Drop Zone	6.7 NM; 172°Ravine	800-2000 AGL	By NOTAM only. Military use. 5 NM radius.
(c) Freedom, Kindelberger Landing Strip	8.5 NM; 175° Ellwood City	14,500	3 NM radius. Weekends and holidays SR-SS, Wed 1600-SS, and occasional ngts.
Freefall Oz Arpt	14 NM; 252° Wellsville	12,500	5 NM radius. Wed-Sun 1300-2359.
(c) Germansville, Flying M Aerodrome		14,000	1 NM radius. 0900-SS daily.
(c) Grove City Arpt		15,000	3 NM radius. 0800–1900 EST, 0900–2230 EDT daily.
(c) Hazleton Muni Arpt(c) Jeannette, Greensburg Jeannette		14,500	SR-SS weekends and holidays; 1500-SS weekdays
Rgnl	19 NM; 089° Allegheny	12,000	1 NM radius. 1 Apr-31 Oct, Wed 1700-2100, Sat/Sun 1000-2100.
Jersey Shore, Hinaman Acres Arpt	23 NM; 240° Williamsport	13,000	Tue and Thur 1600-SS; Sat and Sun 0800-SS.
Littlestown, Kingsdale Airpark	19 NM; 311° Franklin	10,500 12,500	2 NM radius. 0900-2000 daily. Weekends SR-SS.
Airpark North East, Moorhead Arpk	12 NM; 272° Lancaster	15,000 12,000	2 NM radius. SR-SS daily. 5 mi radius. Extensive skydiving activities 1600–2100 weekdays and 0900–2100 weekends from surface to 12,000 ft MSL.
(c) Perkasie, Pennridge Arpt	15.9 NM; 060° Pottstown	14,500	5 NM radius. SR–SS daily, nights by NOTAM.
(c) Tunkhannock, Skyhaven Arpt (c) Worthington, J.T. Willie Arpt	25 NM; 098° Ellwood City	13,500 AGL 14,000	5 NM radius. SR-SS daily. 1 NM radius. Weekends and holidays SR-SS, Fri 2200-SS, occasional ngts.
	RHODE ISLAND		
Greene, Riconn Arpt(c) Newport State		12,500 10,000	Daily SR-SS.  1 NM radius. SR-SS daily Apr  1-Nov 30.
(c) Pawtucket, North Central State Arpt	12 NM; 001° Providence	13,000	3 NM radius. 0800–1 hour after SS daily. Mar 27–Dec 1.
	VERMONT		, , , , , , , , , , , , , , , , , , , ,
(c) Addison, Ass-Pirin Acres Arpt		12,000	5 NM radius. SR-SS daily. Frequent night jumps.
Shelburne Arpt		15,000	2 NM radius. Daily SR-SS.
(a) Blackstone Aller C. Berlinser	VIRGINIA		
(c) Blackstone, Allen C. Perkinson/	16 NM; 355° Lawrenceville	12.500 AGL	1 NM radius. Daily.
Forest, New London Arpt	5 NM; 274° Lynchburg	11,000	Daily SR-SS.
Zone		12,000 AGL	1 NM radius. Continuously. Frequent night drops.
(c) Fort Lee		2,500 AGL 12,500 AGL	0.5 NM radius. Daily. Drop Zone 1500 yards by 1000 yards. Daily.
(c) Louisa Co/Freeman Fld	8.6 NM; 097° Gordonsville	15,000	3 NM radius. 0800-dusk.

# PARACHUTE JUMPING AREAS

LOCATION Moneta, Smith Mountain Lake Arpt	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC 19.2 NM; 246° Lynchburg	MAXIMUM ALTITUDE 13,500	REMARKS 3 NM radius. SR-SS Fri, Sat, Sun, and holidays.
(c) Norfolk Intl Arpt	8.5 NM; 085° Norfolk	13,000	Mon–Fri during daylgt hrs.
Oceana NAS(c) Orange Co Arpt	1.0 NM; 228° Oceana 14.9 NM; 026° Gordonsville	12,500 15,000	Sat and Sun 0800–1200 3 NM radius. Daily SR–SS, frequently ngt ops.
(c) Quantico	11.5 NM; 349° Brooke	10,000	1 NM radius unscheduled weekends.
(c) Somerville, Hartwood Arpt	15 NM; 137° Casanova	13,000	2 NM radius. Weekends, holidays, occasionally other weekdays summer months.
(c) Suffolk Executive Arpt	20 NM; 104° Franklin	13,500	5 NM radius. SR-SS daily.
Warrenton, Flying Circus Aerodrome	8.5 NM; 132° Casanova	7,000	Sat/Sun, June 7-Oct 25, 1000-1959.
Waynesboro, Eagle's Nest Arpt	13 NM; 042° Montebello	10,000	1300-SS daily.
(c) West Point, Middle Peninsula			
Rgnl	4.4 NM; 340° Harcum	14,000	SR-SS weekends and holidays.
	WEST VIRGINIA		
(c) Arthurdale, Titus Field	5 NM; 175° Morgantown	15,000 AGL	1 NM radius. Daily 0900-2100.
Buckhannon-Upshur Co	9 NM; 300° Elkins	15,000	1 NM radius. Weekdays and holidays
Huntington, Leann Drop Zone	15 NM; 230° Henderson	10,000 AGL	0.3 NM radius. Weekends.
Huntington, Debra Drop Zone	5 NM; 120° Henderson	10,000 AGL	0.5 NM radius. Weekends.
Morgantown, Bacon Drop Zone	5 NM; 150° Morgantown	10,000 AGL	0.5 NM radius. Weekends.
Morgantown, Cider Drop Zone	17 NM; 180° Morgantown	12,500 AGL	0.3 NM radius. Weekends.
Morgantown, Dawson AAF	12 NM; 126° Morgantown	10,000 AGL	0.3 NM radius. Weekends.
Morgantown, Doubt Drop Zone	12 NM; 140° Morgantown	12,500 AGL	1 NM radius. Weekends.
Morgantown, Float Drop Zone	13 NM; 110° Morgantown	12,500 AGL	0.5 NM radius. Weekends.
Morgantown, Guide Drop Zone	13 NM; 080° Morgantown	12,500 AGL	0.5 NM radius. Weekends.
Morgantown, Melon Drop Zone	13 NM; 097° Morgantown	12,500 AGL	0.5 NM radius. Weekends.
Morgantown, Piker Drop Zone	20 NM; 135° Morgantown	12,500 AGL	0.3 NM radius. Weekends. 1000-SS Weekends.
Ravenswood, Jackson Co Arpt	41 NM; 215°Parkersburg	12,500 AGL	1 NM radius. 0800-SS local,
Ripley, Evans Drop Zone	12 INIVI, UTU HEHIUEISUH	12,000	weekends.
Summersville Arpt	15 NM; 352° Rainelle	14,500	5 NM radius daily SR-SS.
Westover, Blue Horizon Drive-In		12,500	Weekends and holidays SR-SS.
**************************************	TO MINI, OZU MIDIBALILUWII	12,500	Weenerius and nondays SR-33.

The purpose of this bulletin is to provide major changes in aeronautical information that have occurred since the last publication date of each Sectional Aeronautical, VFR Terminal Area, and Helicopter Route Charts listed. The general policy is to include only those changes to controlled airspace and special use airspace that present a hazardous condition or impose a restriction on the pilot, and major changes to airports and radio navigational facilities, thereby providing the VFR pilot with the essential data necessary to update and maintain chart currency. The data is grouped by type and then by effective date. When a new edition of the Aeronautical Chart is published, the corrective tabulation will be removed from this bulletin. Inasmuch as this Bulletin provides major changes only, pilots should consult the airport listing in this directory for all new information. Users of U.S. World Aeronautical Charts (WAC) and U.S. Gulf Coast VFR Aeronautical Charts should consult the appropriate Sectional and VFR Terminal Area Charts for revisions.

Military Training Routes (MTRs) are shown on Sectional Aeronautical Charts, VFR Terminal Area, and Helicopter Route Charts. Only the route centerline, direction of flight and the route designator are shown — route widths and altitudes are not shown. Since these routes are subject to change every 56 days and the charts are reissued generally every 6 months, routes with a change in the alignment of the charted route centerline will be listed in this Aeronautical Chart Bulletin below. You are advised to contact the nearest FSS for route dimensions and current status for those routes affecting your flight.

# BALTIMORE-WASHINGTON HELICOPTER ROUTE CHART 8th Edition, 30 Jul 2009

**OBSTRUCTIONS** 

27 Aug 2009 - 22 Oct 2009 No Major Changes.

**27 Aug 2009** No Major Changes. **22 Oct 2009** Change CTAF 122.9 to 123.025 at PIER 7 heliport. 39°16′20″N, 76°34′18″W. Delete BOLLING AFB heliport, 38°50'34"N, 77°00'58"W.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 22 Oct 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

# BALTIMORE-WASHINGTON TERMINAL AREA CHART 79th Edition, 30 Jul 2009

OBSTRUCTIONS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 No Major Changes.

22 Oct 2009 Delete BOLLING AFB heliport, 38°50'34"N, 77°00'58"W.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 22 Oct 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

# BOSTON HELICOPTER ROUTE CHART 6th Edition, 20 Dec 2007

#### **OBSTRUCTIONS**

20 Dec 2007 - 22 Oct 2009 No Major Changes.

20 Dec 2007 - 10 Apr 2008 No Major Changes.

5 Jun 2008 Revise AMES HELIPORT position to, 42°37′53″N, 70°51′54″W.

31 Jul 2008 - 2 Jul 2009 No Major Changes.

**27 Aug 2009** Revise MASS GENERAL heliport position to, 42°21′49″N, 71°04′08″W. **22 Oct 2009** No Major Changes.

20 Dec 2007 - 22 Oct 2009 No Major Changes.

#### **AIRSPACE**

20 Dec 2007 - 22 Oct 2009 No Major Changes.

### SPECIAL USE AIRSPACE

20 Dec 2007 - 22 Oct 2009 No Major Changes.

#### **MILITARY TRAINING ROUTES**

20 Dec 2007 - 22 Oct 2009 No Major Changes.

#### **MISCELLANEOUS**

20 Dec 2007 - 22 Oct 2009 No Major Changes.

# **BOSTON TERMINAL AREA CHART** 74th Edition, 7 May 2009

#### **OBSTRUCTIONS**

7 May 2009 No Major Changes.

2 Jul 2009 Add obst 320'MSL (292'AGL), 42°48'11"N, 70°52'51"W.

27 Aug 2009 Add obst 528'MSL (340'AGL)UC, 41°36'52"N, 71°15'05"W.

# 22 Oct 2009 No Major Changes.

#### **AIRPORTS**

7 May 2009 - 22 Oct 2009 No Major Changes.

#### **NAVAIDs**

7 May 2009 - 22 Oct 2009 No Major Changes.

#### **AIRSPACE**

7 May 2009 - 22 Oct 2009 No Major Changes.

#### **SPECIAL USE AIRSPACE**

7 May 2009 - 22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

7 May 2009 - 22 Oct 2009 No Major Changes.

#### **MISCELLANEOUS**

7 May 2009 - 22 Oct 2009 No Major Changes.

# CG-21 WORLD AERONAUTICAL CHART 40th Edition, 24 Sep 2009

#### **OBSTRUCTIONS**

**22 Oct 2009** Add obst 1348'MSL (600'AGL), 34°15'06"N, 84°59'12"W. Change obst from 312'MSL to 1312'MSL, 33°35'33"N, 083°58'31"W.

#### **AIRPORTS**

**22 Oct 2009** Change elevation from 191' to 1911' at Blairsville arpt, 34°51'16"N, 083°59'50"W. Change runway orientation to 01/19 at Halifax-Northhampton Co Rgnl arpt, 36°19'47"N, 077°38'07"W.

#### **NAVAIDs**

22 Oct 2009 No Major Changes.

#### **AIRSPACE**

22 Oct 2009 No Major Changes.

#### SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

#### MISCELLANEOUS

22 Oct 2009 No Major Changes.

# CINCINNATI SECTIONAL

```
82nd Edition, 2 Jul 2009
OBSTRUCTIONS
2 Jul 2009 No Major Changes.
27 Aug 2009 Add obst 1525'MSL (410'AGL)UC, 40°12'15"N, 82°35'03"W.
Add obst 2811'MSL (305'AGL)UC, 39°24'30"N, 79°21'41"W. Add obst 1687'MSL (380'AGL)UC, 38°00'44"N, 82°10'09"W.
Add obst 1341'MSL (300'AGL)UC, 38°43'50"N, 81°22'53"W.
Add obst 3611'MSL (315'AGL)UC, 37°53'06"N, 80°46'24"W.
Add obst 1067'MSL (300'AGL)UC, 38°17'38"N, 82°11'57"W.
Add obst 1217'MSL (300'AGL)UC, 38°38'11"N, 81°23'43"W. Add obst 1328'MSL (350'AGL)UC, 37°37'05"N, 84°15'43"W.
Add obst 1810'MSL (310'AGL)UC, 38°19'51"N, 79°03'36"W.
Add obst 2925'MSL (300'AGL)UC, 37°39'29"N, 80°57'29"W. Add obst 2752'MSL (300'AGL)UC, 37°32'06"N, 80°55'20"W.
Add obst 1213'MSL (310'AGL)UC, 38°41'39"N, 83°37'34"W.
Add obst 1198'MSL (300'AGL)UC, 38°20'28"N, 82°03'56"W.
Add obst 1242'MSL (310'AGL)UC, 39°37'20"N, 82°14'33"W.
Add obst 1680'MSL (550'AGL)UC, 39°53'38"N, 79°55'58"W. 22 Oct 2009 Add obst 1224'MSL (300'AGL)UC, 39°44'58"N, 84°23'43"W.
Add obst 1358'MSL (312'AGL)UC, 39°00'37"N, 83°34'13"W.
Add obst 1629'MSL (285'AGL)UC, 36°04'48"N, 84°31'00"W. Add obst 3434'MSL (270'AGL)UC, 36°43'42"N, 80°27'08"W. Add obst 1674'MSL (554'AGL)UC, 39°42'28"N, 79°57'32"W.
Add obst 1403'MSL (297'AGL)UC, 38°48'04"N, 82°57'44"W.
Add obst 3226'MSL (400'AGL)UC, 40°01'35"N, 78°48'07"W.
Add obst 3190'MSL (400'AGL)UC, 40°03'28"N, 78°48'15"W.
AIRPORTS
2 Jul 2009 No Major Changes.
27 Aug 2009 Change CTAF 122.9 to 123.05 at MCCREARY arpt, 36°41'43"N, 84°23'29"W.
22 Oct 2009 Delete POWELL arpt, 36°02'40"N, 84°00'15"W.
2 Jul 2009 - 27 Aug 2009 No Major Changes.
22 Oct 2009 Delete LOUISA NDB, 38°01′13″N, 77°51′32″W.
AIRSPACE
2 Jul 2009 No Major Changes
27 Aug 2009 Revise WAVERLY, OH Class E. That airspace extending upward from 700 feet above the
surface within a 9.9-mile radius of Pike County Airport.
Delete DAYTON Class C freq 127.65.
Add DAYTON Class C freqs 118.425 and 127.225
```

### NE, 22 OCT 2009 to 17 DEC 2009

Revise DAYTON Class C freq from 316.7 to 352.05.

2 Jul 2009 - 22 Oct 2009 No Major Changes.

2 Jul 2009 - 22 Oct 2009 No Major Changes.

2 Jul 2009 - 22 Oct 2009 No Major Changes.

22 Oct 2009 No Major Changes. SPECIAL USE AIRSPACE

**MILITARY TRAINING ROUTES** 

**MISCELLANEOUS** 

# DETROIT SECTIONAL 79th Edition, 24 Sep 2009

#### OBSTRUCTIONS

22 Oct 2009 Add obst 1193'MSL (285'AGL)UC, 41°32'32"N, 80°51'34"W.

Add obst 2540'MSL (260'AGL)UC, 41°53'03"N, 78°37'09"W. Add obst 956'MSL (203'AGL), 42°41'02"N, 78°54'26"W. Add obst 702'MSL (204'AGL), 42°57'23"N, 76°59'42"W.

Add obst 3226'MSL (400'AGL)UC, 40°01'35"N, 78°48'07"W. Add obst 1001'MSL (394'AGL), 42°16'06"N, 82°16'30"W.

#### **AIRPORTS**

22 Oct 2009 Delete ZEITLER arpt, 43°29'24"N, 84°21'54"W. Delete PEWANOGOWINK-BANKS arpt, 43°11′10″N, 83°54′04″W. Delete SHENANDOAH AIRPARK arpt, 40°55′12″N, 82°28′44″W. Delete MAYES arpt. 43°14'27"N. 84°52'48"W.

22 Oct 2009 No Major Changes.

22 Oct 2009 Revise MANSFIELD, OH class E airspace. That airspace extending upward from 700 feet above the surface within a 6.9-mile radius of Mansfield Lahm Regional Airport and within a 6.3-mile radius of Galion Municipal Airport, and within 6.3-mile radius of Shelby Community Airport, and within a 6.3-mile radius of Willard Airport, and within 4 miles each side of the 137° bearing from Mansfield Lahm Regional Airport extending from the 6.9-mile radius to 11.1 miles southeast of the airport, and within 4 miles each side of the 317° bearing from Mansfield Lahm Regional Airport extending from the 6.9-mile radius to 10.7 miles northwest of the airport, and within 6.1 miles each side of the Mansfield VORTAC 307° radial extending from the 6.9-mile radius to 13.3 miles northwest of the VORTAC, and within 4.4 miles each side of the Mansfield VORTAC 130° radial extending from the 6.9- mile radius to 13.8 miles southeast of the VORTAC.

### SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

#### MISCELLANEOUS

22 Oct 2009 No Major Changes.

# HALIFAX SECTIONAL 81st Edition, 27 Aug 2009

#### **OBSTRUCTIONS**

**27 Aug 2009** No Major Changes. **22 Oct 2009** Add obst 643' MSL (250' AGL), 45°02'37"N, 63°51'27"W. Add obst 995' MSL (348' AGL), 45°24'21"N, 62°12'11"W.

#### **AIRPORTS**

27 Aug 2009 No Major Changes.

22 Oct 2009 Delete GRAND RIVER ARPT, 46°28'51"N, 63°57'10"W.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

AIRSPACE 27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### **MISCELLANEOUS**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

# MONTREAL SECTIONAL 81st Edition, 27 Aug 2009

### **OBSTRUCTIONS**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 No Major Changes.

22 Oct 2009 Delete CHAMBLY arpt, 45°24'04"N, 73°17'43"W.

27 Aug 2009 -22 Oct 2009 No Major Changes.

#### **AIRSPACE**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

# SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

## **MILITARY TRAINING ROUTES**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

### **MISCELLANEOUS**

27 Aug 2009 - 22 Oct 2009 No Major Changes.

# NEW YORK HELICOPTER ROUTE CHART 7th Edition, 8 May 2008

```
OBSTRUCTIONS
5 Jun 2008 - 25 Sep 2008 No Major Changes.
20 Nov 2008 Change obst from 311'MSL (300'AGL) to 342'MSL (333'AGL), 40°41'22"N, 74°09'33"W.
Change obst from 288'MSL (278'AGL) to 410'MSL (400'AGL), 40°41'03"N, 74°09'19"W.
Change obst from 288'MSL (278'AGL) to 410'MSL (400'AGL), 40°40'21"N, 74°08'24"W.
Change obst from 288'MSL (278'AGL) to 410'MSL (400'AGL, 40°39'40"N, 74°08'52"W.
Change obst from 288'MSL (278'AGL) to 410'MSL (400'AGL), 40°40'54"N, 74°09'06"W.
Add obst 410'MSL (400'AGL), 40°41'07"N, 74°09'26"W.
Add obst 410'MSL (400'AGL), 40°39'36"N, 74°09'00"W.
Add obst 278'MSL (273'AGL), 40°38'35"N, 74°11'13"W.
15 Jan 2009 No Major Changes.
12 Mar 2009 Add obst 699'MSL (487'AGL)UC, 41°01'59"N, 73°46'12"W.
Add obst 699'MSL (487'AGL)UC, 41°01'57"N, 73°46'00"W.
7 May 2009 - 2 Jul 2009 No Major Changes.
27 Aug 2009 Add obst 1806'MSL (1792'AGL)UC, 40°42'47"N, 74°00'47"W.
22 Oct 2009 Add obst 895'MSL (867'AGL)UC. 40°42'39"N. 74°00'20"W.
5 Jun 2008 Revise FREEPORT HELIPORT position to, 40°39'02"N, 73°34'04"W.
Revise PRINT PAD HELIPORT position to, 40°39'12"N, 73°34'25"W.
Delete AT&T HELIPORT, 40°40′07″N, 74°24′38″W. Delete OVAL PARK HELIPORT, 40°45′36″N, 74°12′05″W.
Delete EDISON HELIPORT, 40°31'02"N, 74°20'44"W,
Delete EDISON SQUARE HELIPORT, 40°31′23″N, 74°23′30″W.
Delete FRIGIDAIRE HELIPORT, 40°31'36"N, 74°22'55"W.
Delete KENNEDY STADIUM HELIPORT, 40°44′50″N, 74°09′27″W.
Delete AMERICAN CYANAMID HELIPORT, 40°36'00"N, 74°11'58"W.
Delete NEWARK ACADEMY HELIPORT, 40°46'38"N, 74°21'30"W.
Delete PENSKE 2 HELIPORT, 40°53′02″N, 74°04′06″W. Delete LAG HELIPORT, 40°57′19″N, 74°04′15″W.
Delete PARLIN EAST HELIPORT, 40°27′10″N, 74°18′46″W,
Delete CHILTON MEML HELIPORT, 40°57'28"N, 74°18'34"W.
Delete HERCULES HELIPORT, 40°27′07″N, 74°20′02″W.
Delete SETON HALL HELIPORT, 40°44'24"N, 74°14'54"W
Delete ENZON SOUTH PLAINFIELD HELIPORT, 40°33'17"N, 74°25'11"W.
Delete RAVENS NEST HELIPORT, 40°41'25"N, 74°18'28"W.
Delete IFF R&D HELIPORT, 40°26'25"N, 74°09'24"W
Delete GRAPHIC SCANNING HELIPORT, 40°53′10″N, 73°59′28″W.
31 Jul 2008 - 22 Oct 2009 No Major Changes.
NAVAIDs
5 Jun 2008 - 22 Oct 2009 No Major Changes.
AIRSPACE
5 Jun 2008 - 22 Oct 2009 No Major Changes.
SPECIAL USE AIRSPACE
5 Jun 2008 - 22 Oct 2009 No Major Changes.
MILITARY TRAINING ROUTES
5 Jun 2008 - 22 Oct 2009 No Major Changes.
MISCELLANEOUS
5 Jun 2008 – 2 Jul 2009 No Major Changes.
27 Aug 2009 Change MEF 1<sup>1</sup> to 2<sup>0</sup> in quadrant 40°30′-40°45′N, 74°00′-74°15′W.
```

22 Oct 2009 No Major Changes.

# **NEW YORK SECTIONAL** 79th Edition, 7 May 2009

#### OBSTRUCTIONS

7 May 2009 No Major Changes.

2 Jul 2009 Add obst 1035'MSL (228'AGL), 41°06'07"N, 75°00'47"W.

Add obst 2108'MSL (407'AGL)UC, 40°50'14"N, 76°12'58"W. Add obst 2244'MSL (272'AGL)UC, 43°42'45"N, 75°37'24"W. Add obst 2128'MSL (407'AGL)UC, 40°48'46"N, 76°18'28"W.

Add obst 320'MSL (292'AGL), 42°48'11"N, 70°52'51"W.

Add obst 2154'MSL (389'AGL)UC, 42°57'02"N, 75°32'13"W.

27 Aug 2009 Add obst 2074/MSL (295/AGL)UC, 42°14′04″N, 73°04′12″W.

Add obst 1806'MSL (1792'AGL)UC, 40°42'47"N, 74°00'47"W. Add obst 1102'MSL (250'AGL)UC, 40°34'04"N, 76°58'32"W.

Add obst 528'MSL (340'AGL)UC, 41°36'52"N, 71°15'05"W.

22 Oct 2009 Add obst 2333 MSL (255 AGL)UC, 41°57'32"N, 075°01'45"W.

Add obst 868'MSL (261'AGL)UC, 43°11'12"N, 073°29'04"W.

#### AIRPORTS

7 May 2009 No Major Changes.

**2 Jul 2009** Delete POW-WOW seaplane base, 42°54′40″N, 71°02′02″W. Delete FLYING H arpt, 43°41′12″N, 71°17′21″W.

Delete FAIR HAVEN arpt, 43°36′55″N, 73°16′28″W.

Delete BRADFORD arpt, 40°30′02″N, 74°57′21″W.

Delete SPOOKY NOOK heliport, 40°06'23"N, 76°25'24"W.

27 Aug 2009 Delete MICHAEL AIRFIELD arpt, 43°10′54"N, 76°07′40"W. 22 Oct 2009 SYRACUSE SUBURBAN arpt closed, 43°15′54"N, 76°10′41"W.

7 May 2009 - 2 Jul 2009 No Major Changes

27 Aug 2009 Shutdown HUMBOLT NDB, 40°59'18"N, 75°59'49"W.

22 Oct 2009 No Major Changes.

7 May 2009 No Major Changes.

2 Jul 2009 Revise BINGHAMTON, NY Class D airspace. That airspace extending upward from the surface to and including 4,100 ' MSL within a 4.3 mile radius of the Binghamton Regional/Edwin A. Link Field Airport. This Class D airspace area is effective during the specific days and times established in advance by a Notice to Airmen. The effective days and times will thereafter be continuously published in the Airport/Facility Directory

Add BINGHAMTON, NY Class E airspace. That airspace extending upward from the surface of the Earth within a 4.3 mile radius of the Binghamton Regional/Edwin A. Link Field Airport and within 1.6 miles each side of the 070° bearing from the airport to 9.3 miles northeast of the airport and within 1.8 miles each side of the Binghamton VORTAC 067° bearing from the VORTAC to the 4.3 mile radius to the airport and within 1.8 miles each side of the Binghamton Regional/Edwin A. Link Field Airport ILS LOC SE course extending from the 4.3 mile radius of the airport to 1.8 miles SE of the SMITE LOM. This Class E Surface airspace area is effective during the specific days and times established in advance by a Notice to Airmen. The effective days and times will thereafter be continuously published in the Airport/Facility Directory.

Revise BINGHAMTON, NY Class E airspace. That airspace extending upward from the surface within 1.6 miles each side of the 070° bearing from the airport to 9.3 miles northeast of the airport and within 1.8 miles each side of the Binghamton VORTAC 067° bearing from the VORTAC to the 4.3 mile radius to the airport and within 1.8 miles each side of the Binghamton Regional/Edwin A. Link Field Airport ILS LOC SE course extending from the 4.3 mile radius of the airport to 1.8 miles SE of the SMITE LOM. This Class E Surface airspace area is effective during the specific days and times established in advance by a Notice to Airmen. The effective days and times will thereafter be continuously published in the Airport/Facility Directory

27 Aug 2009 - 22 Oct 2009 No Major Changes.

#### SPECIAL USE AIRSPACE

7 May 2009 - 22 Oct 2009 No Major Changes.

#### MILITARY TRAINING ROUTES

7 May 2009 - 22 Oct 2009 No Major Changes.

### MISCELLANEOUS

7 May 2009 - 2 Jul 2009 No Major Changes. 27 Aug 2009 Change MEF 1<sup>5</sup> to 2<sup>o</sup> in quadrant 40°30′-41°00′N, 74°00′-74°30′W.

22 Oct 2009 No Major Changes.

# NEW YORK TERMINAL AREA CHART 77th Edition, 7 May 2009

OBSTRUCTIONS

7 May 2009 - 2 Jul 2009 No Major Changes.

27 Aug 2009 Add obst 1806'MSL (1792'AGL)UC, 40°42'47"N, 74°00'47"W.

22 Oct 2009 Add obst 895'MSL (867'AGL)UC, 40°42'39"N, 74°00'20"W.

**AIRPORTS** 

7 May 2009 - 22 Oct 2009 No Major Changes.

7 May 2009 - 22 Oct 2009 No Major Changes.

AIRSPACE
7 May 2009 - 22 Oct 2009 No Major Changes.

**SPECIAL USE AIRSPACE** 

7 May 2009 - 22 Oct 2009 No Major Changes.

**MILITARY TRAINING ROUTES** 

7 May 2009 - 22 Oct 2009 No Major Changes.

MISCELLANEOUS 7 May 2009 - 2 Jul 2009 No Major Changes.

27 Aug 2009 Change MEF 1<sup>1</sup> to 2<sup>0</sup> in quadrant 40°30′-40°45′N, 74°00′-74°15′W.

22 Oct 2009 No Major Changes.

# PHILADELPHIA TERMINAL AREA CHART 70th Edition. 30 Jul 2009

**OBSTRUCTIONS** 

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

27 Aug 2009 - 22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 22 Oct 2009 No Major Changes.

MISCELLANEOUS

27 Aug 2009 - 22 Oct 2009 No Major Changes.

# PITTSBURGH TERMINAL AREA CHART 72nd Edition, 24 Sep 2009

OBSTRUCTIONS

22 Oct 2009 No Major Changes.

22 Oct 2009 No Major Changes.

**NAVAIDs** 

22 Oct 2009 No Major Changes.

AIRSPACE

22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

22 Oct 2009 No Major Changes.

**MISCELLANEOUS** 

22 Oct 2009 No Major Changes.

# WASHINGTON SECTIONAL 86th Edition, 30 Jul 2009

**OBSTRUCTIONS** 

**27 Aug 2009** No Major Changes. **22 Oct 2009** Add obst 588'MSL (421' AGL) UC, 37°35'09"N, 77°15'47"W. Add obst 434'MSL (400' AGL) UC, 36°26'12"N, 76°43'25"W. Add obst 3226'MSL (400' AGL) UC, 40°01'35"N, 78°48'07"W.

Add obst 369'MSL (309' AGL) UC, 37°24'37"N, 76°32'51"W.

**AIRPORTS** 

27 Aug 2009 No Major Changes.

22 Oct 2009 Delete BOLLING AFB heliport, 38°50′34″N, 77°00′58″W.

**NAVAIDs** 

27 Aug 2009 No Major Changes.

22 Oct 2009 Delete LOUISA NDB, 38°01'14"N, 77°51'33"W.

**AIRSPACE** 

27 Aug 2009 - 22 Oct 2009 No Major Changes.

SPECIAL USE AIRSPACE

27 Aug 2009 - 22 Oct 2009 No Major Changes.

MILITARY TRAINING ROUTES

27 Aug 2009 - 22 Oct 2009 No Major Changes.

**MISCELLANEOUS** 

27 Aug 2009 - 22 Oct 2009 No Major Changes.

### SUPPLEMENTAL COMMUNICATION REFERENCE

Contained within this tabulation, and listed alphabetically by airport name, are all private—use airports charted on the U.S. IFR Enroute Low and High Altitude charts in the United States, having terminal approach and departure control facilities. Additionally, listed by country, are all Canadian and Mexican airports that appear on the U.S. IFR Enroute charts with approach and departure control services. All frequencies transmit and receive unless otherwise noted. Radials defining sectors are outbound from the facility.

ITED	

UNITED STATES	
ACILITY NAME	CHART & PANEL
Frankfort, IL (LL4Ø)	L-28H
Chicago App/Dep Con 133.1 285.6	
Glasgow Industrial, MT (Ø7MT)	H-1E, 2F, L-13D
Salt Lake Center App/Dep Con 126.85 305.2	
USAF Academy Bullseye Aux Airstrip, CO (CO9Ø)	L-10F
ASOS 118.325	
West Kentucky Airpark, KY (5KY3)	L-16I
Memphis Center App/Dep Con 133.65 292.15	
William P Gwinn, FL (Ø6FA)	H-8I, L-23C
Gwinn Tower 120.4 314.6 (Mon–Fri 1300–2100Z‡)	
Gnd Con 121.65 279.25	
CANADA	CHART & PANEL
Abbotsford, BC (CYXX)	H-1B, L-12F
ATIS 119.8 (1500–0700Z‡)	,
Victoria Trml App/Dep Con 132.7 (Avbl on ground) 290.8	
Tower 119.4 (Inner) 121.0 (Outer) 295.0 (1500–0700Z‡) Gnd Con 121.8	
MF 119.4 295.0 (0700–1500Z‡) (Shape irregular to 4500')	
Amos/Magny, QC (CYEY)	H-11B
Montreal Center App/Dep Con 125.9	
Atikokan Muni, ON (CYIB)	L-14I
MF 122.3 (5 NM to 4500' No ground station)	
Barrie-Orillia (Lake Simcoe Rgnl), ON (CNB9)	H-11B, L-31D
AWOS 122.55 (Pvt)	
Toronto Center App/Dep Con 124.025	
Bar River, ON (CPF2)	L-310
Toronto Center App/Dep Con 132.65	
Bathurst, NB (CZBF)	L-32J
Moncton Center App/Dep Con 134.25	
Boundary Bay, BC (CZBB)	H-1B, L-1E
ATIS 125.5 (1500-0700Z‡)	
Vancouver App/Dep Con 132.3 363.8	
Tower 118.1 (Inner) 127.6 (Outer) (1500-0700Z‡) Gnd Con 124.3	
MF 118.1 (0700–1500Z‡ to 2000'. Vancouver Trml 125.2 above 2000'. Shape	
irregular to 2500'.)	
Brampton, ON (CNC3)	L-31D
Toronto Trml App/Dep Con 119.3 253.1	
Brandon Muni, MB (CYBR)	H-2H
Winnipeg Center App/Dep Con 132.25 285.4	
MF 122.1 (5 NM to 4000')	
Brantford, ON (CYFD)	L-31D
Toronto Trml App/Dep Con 128.27	
Brockville-Thousand Islands Rgnl Tackaberry, ON (CNL3)	L-32G
Montreal Center App/Dep Con 134.675	
Bromont, QC (CZBM)	L-32G
Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM to 3400')	
Burlington Airpark, ON (CZBA)	L-31D
Toronto Center App/Dep Con 119.3 253.1	
Castlegar, BC (CYCG)	H-10
Vancouver Center App/Dep Con 134.2 227.3	
MF 122.1 (5 NM to 6500')	II 400 44B 1 24B
Centralia/James T. Fld Muni, ON (CYCE)	H-10G, 11B, L-31D
Toronto Center App/Dep Con 135.30	
Charlottetown, PE (CYYG)	H-11E, L-32J
Moncton Center App/Dep Con 135.65 384.8 MF 118.0 (5 NM to 3200')	11 400 1 222
Chatham—Kent, ON (CNZ3)	H-10G, L-30G
Cleveland Center App/Dep Con 132.25	

FACILITY NAME	CHART & PANE
Collingwood, ON (CNY3) Toronto Center App/Dep Con 124.02	H-11B, L-31
Cornwall Rgnl, ON (CYCC)	L-32
Boston Center App/Dep Con 135.25 377.1	L 02
Cranbrook/Canadian Rockies Intl, BC (CYXC)	H-1
Vancouver Center App/Dep Con 133.6 MF 122.3 (5 NM to 6100')	
Debert, NS (CCQ3)	H-11E, L-32
Halifax Trml App/Dep Con 119.2	
Dighy, NS (CYID)	L-32
Moncton Center App/Dep Con 123.9	
Downsview, ON (CYZD)	H-11B, L-31
Toronto Center App Con 133.4	
Toronto Center Dep Con 133.4	
MF 126.2 (3 NM to 1900')	
Drummondville, QC (CSC3)	L-32
Montreal Center App/Dep Con 132.35	
Earlton (Timiskaming Rgnl), ON (CYXR)	H-11
MF 122.0 (5 NM to 3800')	
AWOS 128.6	
Elliot Lake Muni, ON (CYEL)	L-31
Toronto Center App/Dep Con 135.4	
Fort Frances Muni, ON (CYAG)	L-14
Minneapolis Center App/Dep Con 120.9	
Fredericton Intl, NB (CYFC)	H-11E, L-32
ATIS 127.55	
Moncton Center App/Dep Con 124.3 135.5 270.8 Clnc Del 121.7 (Ltd hrs)	
MF 119.0 (5 NM to 3500')	
Goderich, ON (CYGD)	H-11B, L-31
Toronto Center App/Dep 135.3 266.3	
Greenwood, NS (CYZX)	H-11E, L-32
ATIS 128.85 244.3 (1100-0000Z‡)	
App/Dep Con 120.6 335.9 Tower 119.5 126.2 236.6 324.3	
Gnd Con 133.75 289.4 Clnc Del 128.05 283.9	
Grimsby Air Park, ON (CNZ8)	L-31
Toronto Trml App/Dep Con 128.27 268.75 Tower 125.0 308.475	
Halifax/Shearwater, NS (CYAW)	H-11E, L-32
ATIS 129.175 (Ltd hrs)	
App/Dep Con 119.2 Tower 119.0 126.2 340.2 360.2 (Ltd hrs)	
Gnd Con 121.7 250.1	
Halifax/Stanfield Intl, NS (CYHZ)	H-11E, L-32
ATIS 121.0	
Moncton Center App/Dep Con 118.7 119.2 128.55 135.3 225.2 363.8	
Tower 118.4 236.6 Gnd Con 121.9 275.8 Clnc Del 123.95	
Apron Advisory 122.125	
Hamilton, ON (CYHM)	H-10H, 11B, L-11
ATIS 128.1	
Toronto Trml App/Dep Con 128.27 268.75 Tower 119.7 125.0	
Gnd Con 121.6	
Kingston, ON (CYGK)	H-11C, L-31E, 32
Montreal Center App/Dep Con 135.05 398.4 (0400–1115Z‡)	
MF 122.5 (1115–0400Z‡ 5 NM to 3300′)	
Kitchener/Waterloo, ON (CYKF)	H-11B, L-31
ATIS 125.1 (1200-0400Z‡)	
Toronto Trml App/Dep Con 128.275	
Waterloo Tower 126.0 118.55 (1200–0400Z‡) Gnd Con 121.8	
MF 126.0 (0400–1200Z‡ 5 NM to 4000′)	
Lachute, QC (CSE4)	L-32
Montreal Center App Con 124.65 132.85 268.3	
Montreal Center Dep Con 132.85 268.3	
La Tuque, QC (CYLQ)	H-11
Montreal Center App/Dep Con 134.5	
Langley, BC (CYNJ)	L-1
ATIS 124.5 (1630-0230Z, DT 1530-0330Z)	
10 1 T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Victoria Trml 132.7 290.8 Tower 119.0 (1630–0230Z, DT 1530–0330Z) Gnd Con 121.9 MF 119.0 (0230–1630Z, DT 0330–1530Z 3 NM to 1900')	

CILITY NAME Leamington, ON (CLM2)	CHART & PANE L-30
Cleveland Center App/Dep Con 132.45	
Lethbridge, AB (CYQL)	H-11
ATIS 124.4 (1300-0545Z‡)	
Edmonton Center App/Dep Con 132.75 265.2 MF 121.0 (5 NM to 6000')	
Lindsay, ON (CNF4)	L-31E, L-32
Toronto Center App/Dep 134.25	
Liverpool/South Shore Rgnl, NS (CYAU)	L-32
Moncton Center App/Dep Con 123.9	
London, ON (CYXU)	H-10G, 11B
ATIS 127.8 (1120-0345Z‡)	L-30G, 31
Toronto Center App/Dep 135.3 135.625	
Tower 119.4 125.65 (1120-0345Z‡) Gnd Con 121.9	
MF 119.4 (0345-1120Z‡ 5 NM to 3000')	
Manitowaning/Manitoulin East Muni, ON (CYEM)	L-310
Toronto Center App/Dep 135.4 260.9	
Maniwaki, QC (CYMW)	L-320
Montreal Center App/Dep Con 126.57	
Mascouche, QC (CSK3)	L-32
MF 122.35 (5 NM to 2500'. No gnd station. Excluding the portion S of the	
N shore of Riviere des Milles-lles and 1 NM around Lac Agile Mascouche arpt.)	
Medicine Hat, AB (CYXH)	H-1
AWOS 124.875 (0345-1245Z‡)	
MF 122.2 (1245–0345Z‡ 5 NM to 5400')	
Midland/Huronia, ON (CYEE)	L-31
Toronto Center App/Dep 124.025	
Miramichi, NB (CYCH)	H-11E, L-32
Moncton Center App/Dep Con 123.7	
Moncton/Greater Moncton Intl, NB (CYQM)	H-11E, L-32
ATIS 128.65	
App/Dep 124.4 Tower 120.8 236.6 Gnd Con 121.8 275.8	
Apron Advisory 122.075	
Mont-Laurier, QC (CSD4)	L-32
Montreal Center App/Dep Con 126.57	
Montreal Intl (Mirabel), QC (CYMX)	H-11C, 12K, L-32
ATIS 125.7	
Montreal Center App Con 124.65 132.85 268.3	
Montreal Dep Con 132.85	
MF 119.1 (7 NM shape irregular to 2000') VFR Advisory 134.15	
Montreal/Pierre Elliott Trudeau Intl, QC (CYUL)	H-11C, 12K, L-32
ATIS 133.7	
Montreal Trml App Con 118.9 124.65 126.9 132.85 268.3	
Tower 119.9 267.1 Gnd Con 121.9 275.8 Clnc Del 125.6 Apron 122.075	
Montreal Trml Dep Con 118.9 (SE–S–SW) 124.65 268.3 (W–NW–NE)	
VFR Advisory 134.15	
Montreal/St-Hubert, QC (CYHU)	H-11C, L-32
ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9	
Montreal Center App/Dep Con 125.15 268.3	
St. Hubert Tower 118.4 (Apr–Oct 1045–0500Z‡, Nov–Mar 1045–0400Z)	
Gnd Con 126.4 MF 118.4 (Apr–Oct 0500–1045Z‡, Nov–Mar	
0400–1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15	
Muskoka, ON (CYQA)	H-11B, L-31
AWOS 124.575	
MF 122.3 (5 NM to 3900')	
Nanaimo, BC (CYCD)	H-1B, L-1
Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 1330-0530Z‡ (5 NM to 2500')	II 44D 104
North Bay, ON (CYYB)	H-11B, L31
ATIS 124.9 (1130–0300Z‡)	
Toronto Center App/Dep 121.225 127.25	
MF 118.3 (1130–0330Z‡ 7 NM to 5000′)	
Oshawa, ON (CYOO)	L-31
ATIS 125.675 (1130–0330Z‡)	
Toronto Trml App Con 133.4	
Tower 120.1 (1130–0330Z‡) Gnd Con 118.4	
Toronto Trml Dep Con 133.4 MF 120.1 (0330-1130Z‡ 5 NM to 3000')	

ACILITY NAME Ottawa/Carp, ON (CYRP)	CHART & PANEI L-31E, 32F
ATIS 121.15	L-31E, 32I
Ottawa Trml App/Dep Con 128.175 252.5	
Ottawa/Gatineau, QC (CYND)	H-11C, L-320
Ottawa Trml App/Dep Con 127.7 128.175 252.5	11 110, 2 020
MF 122.3 (5 NM shape irregular to 2500')	
VFR Advisory Ottawa Trml 127.7	
Ottawa/MacDonald-Cartier Intl, ON (CYOW)	L-110
ATIS 121.15	2 110
Ottawa App Con 135.15 Tower 118.8 120.1 341.3	
Gnd Con 121.9 Clnc Del 119.4	
Ottawa Dep Con 128.175	
Owen Sound/Billy Bishop Rgnl, ON (CYOS)	L-31D
Toronto Center App/Dep 132.575 290.6	
Pelee Island, ON (CYPT)	L-30F
Cleveland Center App/Dep Con 126.35 360.0	
Pembroke, ON (CYTA)	H-11C, L-31E, 32F
Montreal Center App/Dep Con 135.2	
Petawawa Advisory 126.4 250.1 (Mon-Fri 1300-2130Z‡, OT PPR)	
Penticton, BC (CYYF)	H-1B
Vancouver Center App/Dep Con 133.5 351.3 MF 118.5 (5 NM to 4100')	
Peterborough, ON (CYPQ)	H-11B, L-31E, 32F
AWOS 126.925	
Toronto Center App/Dep 134.25	
Pincher Creek, AB (CZPC)	H-1D
Edmonton Center App/Dep Con 132.75 265.2	
Pitt Meadows, BC (CYPK)	L-1E
ATIS 125.0 (1500-0700Z‡)	
Vancouver Center App Con 128.6 352.7 (Outer)	
Pitt Tower 126.3 (1500-0700Z‡) Gnd Con 123.8	
Vancouver Center Dep Con 132.3 363.8 (South)	
MF 126.3 (0700–1500Z‡) (3NM to 2500')	
Quebec/Jean Lesage Intl, QC (CYQB)	H-11D, L-32H
ATIS 134.6	
Montreal Center App/Dep Con 124.0 127.85 135.025 270.9 322.8	
(185.65 Quebec Twr VFR acft at or below 3000') Tower 118.65 236.6	
Gnd Con 121.9 250.0	
Riviere Du Loup, QC (CYRI)	H-11D
AWOS 122.025 (Pvt)	
Montreal Center App/Dep Con 125.1 299.6	
Rouyn Noranda, QC (CYUY)	H-11B
Montreal Center App/Dep Con 125.9	
MF 122.2 (5 NM to 4000')	
Saint John, NB (CYSJ)	H-11E, L-32J
Moncton Center App/Dep Con 124.3 135.5 270.8 MF 118.5 (5 NM to 3400')	
Sarnia (Chris Hadfield), ON (CYZR)	H-10G, 11B, L-30F
Toronto Center 134.375	
Sault Ste Marie, ON (CYAM)	H-2K, L-31E
ATIS 133.05 (1300–0100Z‡)	,
Toronto Center App/Dep Con 132.65 344.5	
Tower 118.8 (1300-0100Z‡) Gnd Con 121.7	
MF 118.8 (0100–1300Z‡ 5 NM irregular shape to 3000')	
Sherbrooke, QC (CYAM)	H-11D, L-32H
AWOS 126.25	,
Montreal Center App/Dep Con 132.55 MF 123.5 (Ltd hrs 5 NM to 3800')	
South Renfrew Muni, ON (CNP3)	L-31E, 32F
Montreal Center App/Dep 124.275	L 01L, 021
Southport, MB (CYPG)	H-2H
ATIS 120.85 (Mon–Fri 1400–2300Z‡ except holidays)	11-211
Tower 126.2 384.2 (Mon–Fri 1400–2300Z‡ except holidays)	
Gnd Con 121.7 275.8	

# SUPPLEMENTAL COMMUNICATION REFERENCE

CILITY NAME	CHART & PANEI
Springwater Barrie Airpark, ON (CNA3)	L-310
Toronto Center App/Dep Con 124.025	
St. Catherines/Niagara District, ON (CYSN)	H-10H, 11B, L-31E
ATIS 128.525 (1215–0200Z‡)	
Toronto Trml App/Dep Con 133.4 253.1	
MF 123.25 (1215–0200Z‡ 5 NM to 3300′)	
St. Frederic, QC (CSZ4)	L-32H
Montreal Center App/Dep Con 135.025 270.9	U 20U I 44D
St. Georges, QC (CYSG)	H-32H, L-11D
Montreal Center App/Dep Con 132.35	
MF 122.15 (5 NM 3900' ASL)	L-32G
St. Jean, QC (CYJN)	L-32G
Montreal Center App/Dep Con 125.15 268.3	
Tower 118.2 (Apr-Oct 1230-0230Z‡ Nov-Mar 1300-0200Z‡)	
Gnd Con 121.7	H-31B, 10G, L-31D
Sudbury, ON (CYSB)	H-31B, 10G, L-31D
ATIS 127.4	
Toronto Center App/Dep Con 135.5 MF 125.5 (7 NM to 4000')	
, , ,	H-11E, L-32J
Summerside, PE (CYSU)	H-11E, L-32J
AWOS 122.55 (Pvt)	
Moncton Center App/Dep Con 124.4 384.8  [hunder Bay, ON (CYQT)	H-2J, L-14J
	H-2J, L-14J
ATIS 128.8 (1100–0400Z‡) Winnipeg Center App/Dep Con 132.125 (0400–1100Z‡)	
Tower 118.1 (1100–0400Z‡) Gnd Con 121.9	
App/Dep 119.2 MF 118.1 (0400–1100Z‡ 5 NM to 4000′)	
Finmins, ON (CYTS)	H–11B
ATIS 124.95 (1000–0500Z‡)	II-IIB
Toronto Center App/Dep Con 128.3 226.3 MF 122.3 (5 NM to 4000')	
Foronto/Buttonville Muni, ON (CYKZ)	L-31E
ATIS 127.1 (1200–0400Z‡)	L-31L
Toronto Center App Con 133.4 Toronto Center Dep Con 133.4	
Tower 124.8 119.9 (1200–0400Z‡) Gnd Con 121.8	
MF 124.8 (0400–1200Z‡ No gnd station. 5 NM shape irregular to below 2500′)	
Foronto/City Centre, ON (CYTZ)	L-31E
ATIS 133.6 (1130–0400Z‡)	2 012
App Con 133.4 Dep Con 133.4	
Tower 118.2 119.2 226.5 (1130–0400Z‡) Gnd Con 121.7	
Foronto/Lester B Pearson Intl, ON (CYYZ)	H-11B, L-31D
ATIS 120.825	11 110, 2 010
App Con 124.475 125.4 132.8 Dep Con 127.575 128.8	
Tower 118.35 118.7 Gnd Con 118.0 119.1 121.65 121.9	
Cinc Del 121 3 (1200=04007±) - VER Advisory 119 3 133 4	
Cinc Del 121.3 (1200–0400Z‡) VFR Advisory 119.3 133.4  [Trenton (N) (CYTR)	H=11C I=31E 32E
Trenton, ON (CYTR)	H-11C, L-31E, 32F
Trenton, ON (CYTR) ATIS 135.45 257.7	H-11C, L-31E, 32F
Trenton, ON (CYTR)  ATIS 135.45 257.7  App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8	H-11C, L-31E, 32F
Trenton, ON (CYTR)  ATIS 135.45 257.7  App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8  Clnc Del 124.35 286.4	
Trenton, ON (CYTR)  ATIS 135.45 257.7  App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8  Clnc Del 124.35 286.4  Trenton/Mountain View, ON (CPZ3)	
Frenton, ON (CYTR)  ATIS 135.45 257.7  App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8  Clinc Del 124.35 286.4  Frenton/Mountain View, ON (CPZ3)  Trenton Mil Advisory 268.0	H-11C, L-31E, 32F
Trenton, ON (CYTR)  ATIS 135.45 257.7  App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8  Clnc Del 124.35 286.4  Trenton/Mountain View, ON (CPZ3)	H-11C, L-31E, 32F H-11C, L-31E, 32F H-11C, L-32H

ACILITY NAME	CHART & PANEL
Val-D'or, QC (CYVO)	H-11B
Montreal Center App/Dep Con 125.9 308.3	
MF 118.5 (1030–0325Z‡ 5 NM to 4000′)	
Vancouver Intl, BC (CYVR)	H-1B, L-1E
ATIS 124.6 124.75	
App Con 128.6 128.17 352.7 (Outer) 133.1 134.225 352.7 (Inner)	
Dep Con 126.125 (north) 132.3 (south) 363.8	
Tower 118.7 (south) 119.55 (north) VFR 124.0 125.65 226.5 236.6 Gnd Con 121.7 (south) 127.15 (north) 275.8 Clnc Del 121.4	
Victoria Intl, BC (CYYJ)	H-1B. L-1E
ATIS 118.8 (1400–0800Z‡)	п-ть, ь-ть
App Con 125.95 308.4 Dep Con 133.85 308.4	
Tower 119.1 (Outer) 119.7 (Inner) 239.6	
Gnd Con 121.9 361.4 (1400–0800Z‡ 0T ctc Kamloops 119.7)	
Cinc Del 126.4 (1400–0800Z‡)	
Victoriaville, QC (CSR3)	L-32H
Montreal Center App Con 132.35	2 02.
Waterville/Kings Co Muni, NS (CCW3)	L-32J
Greenwood Trml App/Dep Con 120.6 335.9	_ 523
Greenwood Tower 119.5 324.3	
Wiarton, ON (CYVV)	H-11B, L-31D
Toronto Center App/Dep Con 132.575	,
MF 122.2 (5 NM to 3700')	
Windsor, ON (CYQG)	H-10G, L-8.
ATIS 134.5 (1130-0330Z‡)	
Detroit App/Dep Con 126.85 127.5 134.3 348.3 363.2	
Tower 124.7 (1130-0330Z‡) Gnd Con 121.7	
MF 124.7 (0330–1130Z‡ 6 NM irregular shape to below 3000')	
VFR Advisory Detroit App Con 134.3	
Yarmouth, NS (CYQI)	H-11E, L-32
Moncton Center App/Dep Con 123.9 368.5 MF 123.0 (5 NM to 3100')	
MEXICO	
ACILITY NAME	CHART & PANEL
Abraham Gonzalez Intl (MMCS)	H-4K, L-6F
Juarez App Con 119.9 Juarez Tower 118.9	
Del Norte Intl (MMAN)	H-7B, L-20G
ATIS 127.55 (1300-0300Z‡)	
Monterrey App 119.75 120.4 Tower 118.6	
Durango Intl (MMDO)	H-7A
ATIS 132.1	
ATIS 132.1 Tower 118.1 Durango Info 122.3	
ATIS 132.1 Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ)	H-4H, L-4H
ATIS 132.1 Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9	H-4H, L-4H
ATIS 132.1 Tower 118.1 Durango Info 122.3  General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35	H-4H, L-4F
ATIS 132.1 Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1	
ATIS 132.1 Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX)	
ATIS 132.1 Tower 118.1 Durango Info 122.3  General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1  General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8	H–7B, L–20H
ATIS 132.1 Tower 118.1 Durango Info 122.3  General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1  General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8  General Mariano Escobedo Intl (MMMY)	H–7B, L–20H
ATIS 132.1 Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7	H–7B, L–20H
ATIS 132.1 Tower 118.1 Durango Info 122.3  General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1  General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8  General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9	H–7B, L–20F H–7B, L–20G
ATIS 132.1 Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU)	H–7B, L–20F H–7B, L–20G
ATIS 132.1 Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9	H–4H, L–4H H–7B, L–20H H–7B, L–20G L–6i
ATIS 132.1 Tower 11.8.1 Durango Info 122.3  General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9 Chihuahua App Con 121.0 Chihuahua Tower 118.4	H–7B, L–20H H–7B, L–20G L–6i
ATIS 132.1 Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Clnc Del 122.35 Tijuana Info 132.1 General Lucio Blanco Intl (MMRX) Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) ATIS 127.7 Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) ATIS 127.9	H–7B, L–20H H–7B, L–20G

# SUPPLEMENTAL COMMUNICATION REFERENCE

FACILITY NAME	CHART & PANEL
General Servando Canales (MMMA)	H-7C, L-21A
Matamoros App Con 118.0 Matamoros Tower 118.0	
Plan De Guadalupe Intl (MMIO)	H-7B
Saltillo App Con 127.4 Saltillo Tower 118.4	
Quetzalcoatl Intl (MMNL)	H-7B, L-20G
Nuevo Laredo App Con 118.3 Nuevo Laredo Tower 118.3	
Torreon Intl (MMTC)	H-7A
App Con 119.6 Tower 118.5	

In support of the Federal Aviation Administration's Runway Incursion Program, selected towered airport diagrams have been published in the Airport Diagram section of the A/FD. Diagrams will be listed alphabetically by associated city and airport name. Airport diagrams, depicting runway and taxiway configurations, will assist both VFR and IFR pilots in ground taxi operations. The airport diagrams in this publication are the same as those published in the U.S. Terminal Procedures Publications. For additional airport diagram legend information see the U.S. Terminal Procedures Publication.

NOTE: Some text data published under the individual airport in the front portion of the A/FD may be more current than the data published on the Airport Diagrams. The airport diagrams are updated only when significant changes occur.

#### GENERAL INFORMATION

#### PILOT CONTROLLED AIRPORT LIGHTING SYSTEMS

Available pilot controlled lighting (PCL) systems are indicated as follows:

- 1. Approach lighting systems that bear a system identification are symbolized using negative symbology, e.g., 🚳, 🔾 😥
- 2. Approach lighting systems that do not bear a system identification are indicated with a negative "🐧" beside the name.

A star (\*) indicates non-standard PCL, consult the individual airport in the front portion of the A/FD, e.g., 0\*

To activate lights use frequency indicated in the communication section of the chart with a **0** or the appropriate lighting system identification e.g., UNICOM 122.8 **0**, **a**, **o** 

	0.9.7	 	 	٠,	•	•	•
KFY	MIKE						

7 times within 5 seconds

5 times within 5 seconds

3 times within 5 seconds

#### FUNCTION

Highest intensity available

Medium or lower intensity (Lower REIL or REIL-off)

Lowest intensity available (Lower REIL or REIL-off)

#### CHART CURRENCY INFORMATION

FAA procedure amendment number Amdt 11A 99365 Date of latest change Orig 00365

The Chart Date indentifies the Julian date the chart was added to the volume or last revised for any reason. The first two digits indicate the year, the last three digits indicate the day of the year (001 to 365/6) in which the latest addition or change was first published.

The Procedure Amendment Number precedes the Chart Date, and changes any time instrument information (e.g., DH, MDA, approach routing, etc.) changes. Procedure changes also cause the Chart Date to change.


#### MISCELLANEOUS

- \* Indicates a non-continuously operating facility, see the individual airport in the front portion of the A/FD.
- # Indicates control tower temporarily closed UFN.

09071 **IFGFND** 

### INSTRUMENT APPROACH PROCEDURES (CHARTS)

#### AIRPORT DIAGRAM



# When Control Tower and Rotating Beacon are co-located, Beacon symbol will be used and further identified as TWR

Runway length depicted is the physical length of the runway (end-to-end, including displaced thresholds if any) but excluding areas designated as stopways.

A D symbol is shown to indicate runway declared distance information available, see appropriate A/FD, Alaska or Pacific Supplement for distance information. Helicopter Alighting Areas (H) [H] [H] [A] [H] Negative Symbols used to identify Copter Procedures landing point...... H 👪 H

Runway Threshold elevation.....THRE 123 Runway TDZ elevation......TDZE 123 — 0.3% DOWN

(shown when runway slope is greater than or equal to 0.3%)

Runway Slope measured to midpoint on runways 8000 feet or longer.

U.S. Navy Optical Landing System (OLS) "OLS" location is shown because of its height of approximately 7 feet and proximity to edge of runway may create an obstruction for some types

Approach light symbols are shown in the Flight Information Handbook.

Airport digaram scales are variable.

of aircraft.

True/magnetic North orientation may vary from diagram to diagram

Coordinate values are shown in 1 or ½ minute increments. They are further broken down into 6 second ticks, within each 1 minute increments.


Positional accuracy within ±600 feet unless otherwise noted on the chart.

All new and revised airport diagrams are shown referenced to the World Geodetic System (WGS) (noted on appropriate diagram), and may not be compatible with local coordinates published in FLIP. (Foreign Only)

Runway Weight Bearing Capacity/or PCN Pavement Classification Number is shown as a codified expression.

Refer to the appropriate Supplement/Directory for applicable codes e.g., RWY 14-32 S75, T185, ST175, TT325

PCN 80 F/D/X/U



Airport diagrams are specifically designed to assist in the movement of ground traffic at locations with complex runway/taxiway configurations and provide information for updating Computer Based Navigation Systems (I.E., INS, GPS) aboard aircraft. Airport diagrams are not intended to be used for approach and landing or departure operations. For revisions to Airport Diagrams: Consult FAA Order 7910.4.

## LEGEND

# AIRPORT DIAGRAMS HOT SPOTS

An "Airport surface hot spot" is a location on an aerodrome movement area with a history or potential risk of collision or runway incursion, and where heightened attention by pilots/drivers is necessary. A "hot spot" is a runway safety related problem area on a airport that presents increased risk during surface operations. Typically it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. The area of increased risk has either a history of or potential for runway incursions or surface incidents, due to a variety of causes, such as but not limited to: airport layout, traffic flow, airport marking, signage and lighting, situational awareness, and training. Hot spots are depicted on airport diagrams as open circles or polygons designated as "HOT<sup>1</sup>", "HOT<sup>2</sup>", etc. and tabulated in the list below with a brief description of each hot spot. Hot spots will remain charted on airport diagrams until such time the increased risk has been reduced or eliminated.

CITY/AIRPORT HOT SPOT DESCRIPTION

**MARYLAND** 

BALTIMORE

BALTIMORE/WASHINGTON
INTL THURGOOD MARSHALL (BWI)

HOT1

Uncontrolled stop bar. No crossing allowed.

**NEW JERSEY** 

CALDWELL

ESSEX CO (CDW)

HOT<sup>1</sup>

Pilots taxiing to Rwy 28 northbound on Twy P should exercise caution at intersection of Twy P and Twn N

due to close proximity to Rwy 28.

NFW YORK

ROCHESTER

GREATER ROCHESTER INTL (ROC)

HOT1


Be alert during Idg/tkf Rwy 25 and Rwy 28 thlds in

close proximity to each other.


HOT<sup>2</sup>

Do not cross Rwv 10-28 without specific ATC


clearance.





09183





ALBION, NEW YORK ALBION/PINE HILL (9G6)























BEDFORD, MASSACHUSETTS BEDFORD / LAURENCE G. HANSCOM FIELD  $(BED)\,$ 










BLACKSTONE, VIRGINIA BLACKSTONE/ALLEN C. PERKINSON/BAAF (BKT)


09295








BRIDGEPORT , CONNECTICUT BRIDGEPORT / IGOR I. SIKORSKY MEMORIAL (BDR)


















CHARLOTTESVILLE-ALBERMARLE (CHO)









NE, 22 OCT 2009 to 17 DEC 2009






NE, 22 OCT 2009 to 17 DEC 2009



09015

ERIE INTL/TOM RIDGE FIELD (ERI)


09183





AIRPORT DIAGRAM


FALMOUTH/ CAPE COD COAST GUARD AIR STATION (FMH)

09183













NE, 22 OCT 2009 to 17 DEC 2009










 $\begin{array}{c} \text{HARTFORD, CONNECTICUT} \\ \text{HARTFORD-BRAINARD} \ (HFD) \end{array}$ 







07074













AIRPORT DIAGRAM JOHNSTOWN / JOHN MURTHA JOHNSTOWN-CAMBRIA COUNTY (JST)







NE, 22 OCT 2009 to 17 DEC 2009












LAWRENCE, MASSACHUSETTS LAWRENCE MUNI (LWM)

08269






LYNCHBURG RGNL/PRESTON GLENN FIELD (L.Y.H.) AL-499 (FAA) LYNCHBURG, VIRGINIÁ




09015


LYNCHBURG, VIRGINIA LYNCHBURG RGNL/PRESTON GLENN FIELD (LYH)





MANASSAS, VIRGINIA MANASSAS, RNGL/HARRY P. DAVIS FIELD  $({
m HEF})$ 





MANCHESTER, NEW HAMPSHIRE MANCHESTER (MHT)




















NEW BEDFORD, MASSACHUSETTS NEW BEDFORD RGNL  $(EWB)\,$ 





NEW HAVEN, CONNECTICUT NEW HAVEN/TWEED-NEW HAVEN (HVN)








NEW YORK, NEW YORK NEW YORK/LA GUARDIA (LGA)































































PROVIDENCE, RHODE ISLAND PROVIDENCE / THEODORE FRANCIS GREEN STATE (PVD)








reading, pennsylvania reading rgnl / Carl a spaatz field  $\left(RDG\right)$ 



















SCHENECTADY, NEW YORK SCHENECTADY COUNTY (SCH)


















WALLOPS ISLAND, VIRGINIA WALLOPS FLIGHT FACILITY (WAL)





Washington /Ronald reagan washington national  $(\stackrel{\cdot}{\mathrm{DCA}})$ 


















WHEELING OHIO COUNTY (HLG)





09239


















### INTENTIONALLY LEFT BLANK

# NATIONAL WEATHER SERVICE (NWS) UPPER AIR OBSERVING STATION (UAOS) AND WEATHER RADAR NETWORK



#### **LEGEND**

- △ AVIATION WEATHER SERVICE (MILITARY)
- ▲ AIR TRAFFIC CONTROL RADAR
- ★ UPPER AIR OBSERVING STATION/RADAR
- RADAR ONLY
- UAOS-BALLOON RELEASE AROUND 1100 UTC AND 2300 UTC DAILY
- O OTHER NWS UPPER AIR STATIONS-BALLOON RELEASE TIMES ARE FLEXIBLE BUT GENERALLY AROUND SUNRISE AND/OR EARLY AFTERNOON

NOTE: FOR RELEASES LATER THAN 1130 UTC AND 2330 UTC, AND FOR SPECIAL RELEASES AT OTHER THAN THE SCHEDULED HOURS, AN AERONAUTICAL INFORMATION MESSAGE WILL BE FILED.